DECLARATION

OF

SPECIFICATION

ENTITLED

PRIVATE TELECOMMUNICATION NETWORK (PTN); INTER-EXCHANGE SIGNALLING

PROTOCOL GENERIC FUNCTIONAL PROTOCOL FOR THE SUPPORT

SUPPLEMENTARY SERVICES

AS

THE IRISH STANDARD SPECIFICATION FOR

PRIVATE TELECOMMUNICATION NETWORK (PTN); INTER-EXCHANGE SIGNALLING

PROTOCOL GENERIC FUNCTIONAL PROTOCOL FOR THE SUPPORT

SUPPLEMENTARY SERVICES

1. This instrument may be cited as the Standard Specification (Private Telecommunication Network (PTN); Inter-Exchange Signalling Protocol Generic Functional Protocol for the Support Supplementary Services) Declaration, 1993.

2. (1) The Specification set forth in the Schedule to this declaration is hereby declared to be the standard specification for Private Telecommunication Network (PTN); Inter-Exchange Signalling Protocol Generic Functional Protocol for the Support Supplementary Services. The Schedule comprises the text of ETS 300239 : 1993.

(2) The said standard specification may be cited as Irish Standard/ETS 300239:1993 or as I.S./ETS 300239:1993.

EOLAS - The Irish Science and Technology Agency in exercise of the power conferred by section 20 (3) of the Industrial Research and Standards Act, 1961 (No. 20 of 1961) and the Science and Technology Act, 1987 (No. 30 of 1987), and with the consent of the Minister for Enterprise and Employment, hereby declares as follows:







EUROPEAN TELECOMMUNICATION STANDARD

Reference: DE/ECMA-0045

ETS 300 239

June 1993

Source: ETSI TC-ECMA

UDC: 621.395

Key words: PTN, QSIG-GF, ECMA-165

Private Telecommunication Network (PTN); Inter-exchange signalling protocol Generic functional protocol for the support of supplementary services

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: 06921 Sophia Antipolis Cedex - FRANCE Office address: Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

© European Telecommunications Standards Institute 1993. All rights reserved.

No part may be reproduced except as authorised by written permission. The copyright and the foregoing restriction on reproduction extend to all media in which the information may be embodied.

Page 2 ETS 300 239:1993

Whilst every care has been taken in the preparation and publication of this document, errors in content, typographical or otherwise, may occur. If you have comments concerning its accuracy, please write to "ETSI Editing and Standards Approval Dept." at the address shown on the title page.

9

1	Scope		11				
2	Conformance						
3	References		11				
4	Definitions	Definitions					
	4.1	External definitions	12 12				
	4.2	Additional Network Feature (ANF)	12				
	4.3	Adjacent PTNX	12				
	4.4	Application Protocol Data Unit (APDU)	12				
	4.5	Call, Basic call	12				
	4.6	Call independent signalling connection	12				
	4.7	Call independent	12				
	4.8	Call related	12				
	4.9	Connection oriented	12				
	4.10	Connectionless	12				
	4.11	Co-ordination Function	13				
	4.12	Destination PTNX	13				
	4.13	DSE APDU	13				
	4.14	Dialogue Service Element (DSE)	13				
	4.15	End PTNX	13				
	4.16	Gateway PTNX	13				
	4.17	Generic Functional Transport Control (GFT-Control) entity	13				
	4.18	Incoming side	13				
	4.19	Interpretation APDU	13				
	4.20	Invocation	13				
	4.21	Link significance	13				
	4.22	Mistyped	13				
	4.23	Network significance	13				
	4.24	Next PTNX	14				
	4.25	Notification	14				
	4.26	Originating PTNX	14				
	4.27	Outgoing side	14				
	4.28	Preceding PTNX	14				
	4.29	Protocol Control	14				
	4.30	ROSE APDU	14				
	4.31	Side	14				
	4.32	Source PTNX	14				
	4.33	Subsequent PTNX	14				
	4.34	Supplementary service	14				
	4.35	Supplementary Services Control (SS-Control) entity	14				
	4.36	Terminating PTNX	15				
	4.37	Transit PTNX	15				
	4.38	Unrecognised	15				
5	List of acron	List of acronyms					
6	General principles						
	6.1	Application Association	16				
	6.2	Protocol Model	16				

,

	6.3	Application of the protocol model to communication between SS-Control entities in					
		non-Ad	ljacent PTNXs		18		
	6.4	Services provided by ROSE					
	6.5	Services provided by ROSE Services provided by DSE					
	6.6		s provided by GF		20		
		6.6.1	Connection orie		20		
		6.6.2		ransport services	20		
		6.6.3	Notification serv	•	20		
	6.7			otocol Control to GFT-Control	20		
	0.7	6.7.1		nted transport services	20		
		6.7.1	Connectionless t	•	20		
		6.7.3	Notification serv	-	21		
	6.8						
			s required of the	•	21		
7]			GFT-Control R	-	21		
	7.1	Call rel		or the transport of APDUs	21		
		7.1.1	Protocol Contro	•	21		
			7.1.1.1	Sending the Facility information element	21		
			7.1.1.2	Receiving the Facility information element	22		
		7.1.2	GFT Control Re	•	22		
			7.1.2.1	Actions at a Source PTNX	22		
			7.1.2.2	Actions at a Receiving PTNX	23		
				2.2.1 End PTNX actions 2.2.2 Transit PTNX actions	24 24		
			7.1.2.3	Actions at a Destination PTNX	24 25		
			7.1.2.4	Dynamic description (SDL) of Generic Functional Transport	45		
			1.1.4.7	Control	25		
	7.2	Connec	tionless APDU T	ransport Mechanism	30		
		7.2.1	Protocol Control	-	30		
		/ 1	7.2.1.1	Requirements for sending a Connectionless message	30		
			7.2.1.2	Requirements for receiving a Connectionless message	30		
		7.2.2	GFT-Control red		30		
			7.2.2.1	Actions at a Source PTNX	30		
			7.2.2.2	Actions at a Receiving PTNX	31		
			7.2.2.3	Actions at a Destination PTNX	31		
	7.3	Connec	tion oriented API	DU transport mechanism	31		
		7.3.1	Protocol Contro	-	31		
			7.3.1.1	Actions in the Null state	31		
			7.3.1.2	Actions in the Call initiated state	32		
			7.3.1.3	Actions in the Incoming call proceeding state	32		
			7.3.1.4	Actions in the Outgoing call proceeding state	32		
			7.3.1.5	Actions in the Connect request state	33		
			7.3.1.6	Actions in the Active state	33		
			7.3.1.7	Connection release	33		
			7.3.1.8	Actions in the Release request state	33		
			7.3.1.9	Transport of APDUs associated with a Call independent signalling connection	33		
			7.3.1.10	Protocol error handling	34		
			7.3.1.11	Protocol timer values	34		
			7.3.1.12	Procedures for layer management	34		
		7.3.2		ption (SDL) of Connection oriented Protocol Control procedures			
		7.3.3	GFT Control rec		47		
			7.3.3.1	Actions at an Originating PTNX	47		
				3.1.1 Actions in the Originating_connection_idle state	47		

			7.3.3.1.2 Actions in the Originating_connection_request					
			state	47 47				
	7.3.3.1.3 Actions in the Originating_connection_active stat							
	7.3.3.2 Actions at a Transit PTNX							
			7.3.3.2.1 Actions in the Transit_Connection_idle state:	48 49				
		7.3.3.2.2 Actions in the Transit_Connection_request state						
	7.3.3.2.3 Actions in the Transit_Connection_active state							
	7.3.3.3 Actions at a Terminating PTNX 7.3.3.3.1 Actions in the Incoming_Connection_idle state:							
		7.3.3.3.2 Actions in the Incoming Connection active state	49 49					
			7.3.3.4 Actions at a Source PTNX	50				
			7.3.3.5 Actions at a Destination PTNX	50				
	7.4	Call rel	lated procedures for the transport of Notifications	50				
		7.4.1 Categories of notifications						
		7.4.2	Protocol Control requirements	50				
			7.4.2.1 Sending notification information	50				
			7.4.2.2 Receiving notification information	51				
		7.4.3	GFT-Control requirements	51				
			7.4.3.1 Actions at a PTNX which generates notifications	51				
			7.4.3.2 Actions at a Transit PTNX	51				
			7.4.3.3 Actions at a Receiving End PTNX	51				
8	Application 1	aver rec	auirements	51				
	8.1	-	ination Function requirements	51				
		8.1.1	Inclusion of an Interpretation APDU at a Source PTNX	52				
		8.1.2	Handling of APDUs at a Destination PTNX	52				
	8.2		requirements	52				
	8.3	DSE requirements						
		8.3.1	Actions at the PTNX which initiates the dialogue (PTNX A)	53				
		0.2.1	8.3.1.1 Idle state procedures	53				
			8.3.1.2 Initiate sending state procedures	53				
		8.3.2	Actions at the PTNX which terminates the dialogue (PTNX B)	54				
			8.3.2.1 Idle state procedures	54				
			8.3.2.2 Initiate receiving state procedures	54				
		8.3.3	Dialogue Continuation in the Active State	54				
		8.3.4	Dialogue Protocol Timers	55				
	8.3.5 Error procedures relating to dialogue control8.3.6 Example of a dialogue			55				
				55				
		8.3.7	Dynamic Description (SDL) of Dialogue Identification Protocol Procedures	56				
	8.4	SS-Con	ntrol requirements	61				
9	Manufacture	r Snecif	ic Information	61				
,	Manufacturer Specific Information619.1Manufacturer specific operations61							
	9.2		acturer specific additions to standardised operations	62				
	9.3		acturer specific notifications	63				
_			-	63				
10								
	10.1	ALERT		63				
	10.2	CONN		64				
	10.3	SETUP		64				
	10.4		NNECT	65				
	10.5	RELEA		65				
	10.6		ASE COMPLETE	65				
	10.7	FACIL	JTY	65				

.



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation