

DECLARATION

OF

SPECIFICATION

ENTITLED

PRIVATE TELECOMMUNICATION NETWORK (PTN); INTER-EXCHANGE SIGNALLING
PROTOCOL GENERIC FUNCTIONAL PROTOCOL FOR THE SUPPORT
SUPPLEMENTARY SERVICES

AS

THE IRISH STANDARD SPECIFICATION FOR

PRIVATE TELECOMMUNICATION NETWORK (PTN); INTER-EXCHANGE SIGNALLING
PROTOCOL GENERIC FUNCTIONAL PROTOCOL FOR THE SUPPORT
SUPPLEMENTARY SERVICES

EOLAS - The Irish Science and Technology Agency in exercise of the power conferred by section 20 (3) of the Industrial Research and Standards Act, 1961 (No. 20 of 1961) and the Science and Technology Act, 1987 (No. 30 of 1987), and with the consent of the Minister for Enterprise and Employment, hereby declares as follows:

1. This instrument may be cited as the Standard Specification (Private Telecommunication Network (PTN); Inter-Exchange Signalling Protocol Generic Functional Protocol for the Support Supplementary Services) Declaration, 1993.
2. (1) The Specification set forth in the Schedule to this declaration is hereby declared to be the standard specification for Private Telecommunication Network (PTN); Inter-Exchange Signalling Protocol Generic Functional Protocol for the Support Supplementary Services. The Schedule comprises the text of ETS 300239 : 1993.

(2) The said standard specification may be cited as Irish Standard/ETS 300239:1993 or as I.S./ETS 300239:1993.

**E
T
S**
**EUROPEAN
TELECOMMUNICATION
STANDARD****ETS 300 239**

June 1993

Source: ETSI TC-ECMA

Reference: DE/ECMA-0045

UDC: 621.395

Key words: PTN, QSIG-GF, ECMA-165

**Private Telecommunication Network (PTN);
Inter-exchange signalling protocol
Generic functional protocol for the support of
supplementary services**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: 06921 Sophia Antipolis Cedex - FRANCE

Office address: Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

© European Telecommunications Standards Institute 1993.

All rights reserved.

No part may be reproduced except as authorised by written permission. The copyright and the foregoing restriction on reproduction extend to all media in which the information may be embodied.

Foreword	9
1 Scope	11
2 Conformance	11
3 References	11
4 Definitions	12
4.1 External definitions	12
4.2 Additional Network Feature (ANF)	12
4.3 Adjacent PTNX	12
4.4 Application Protocol Data Unit (APDU)	12
4.5 Call, Basic call	12
4.6 Call independent signalling connection	12
4.7 Call independent	12
4.8 Call related	12
4.9 Connection oriented	12
4.10 Connectionless	12
4.11 Co-ordination Function	13
4.12 Destination PTNX	13
4.13 DSE APDU	13
4.14 Dialogue Service Element (DSE)	13
4.15 End PTNX	13
4.16 Gateway PTNX	13
4.17 Generic Functional Transport Control (GFT-Control) entity	13
4.18 Incoming side	13
4.19 Interpretation APDU	13
4.20 Invocation	13
4.21 Link significance	13
4.22 Mistyped	13
4.23 Network significance	13
4.24 Next PTNX	14
4.25 Notification	14
4.26 Originating PTNX	14
4.27 Outgoing side	14
4.28 Preceding PTNX	14
4.29 Protocol Control	14
4.30 ROSE APDU	14
4.31 Side	14
4.32 Source PTNX	14
4.33 Subsequent PTNX	14
4.34 Supplementary service	14
4.35 Supplementary Services Control (SS-Control) entity	14
4.36 Terminating PTNX	15
4.37 Transit PTNX	15
4.38 Unrecognised	15
5 List of acronyms	15
6 General principles	15
6.1 Application Association	16
6.2 Protocol Model	16

6.3	Application of the protocol model to communication between SS-Control entities in non-Adjacent PTNXs	18
6.4	Services provided by ROSE	19
6.5	Services provided by DSE	19
6.6	Services provided by GFT-Control	20
6.6.1	Connection oriented services	20
6.6.2	Connectionless transport services	20
6.6.3	Notification services	20
6.7	Services provided by Protocol Control to GFT-Control	20
6.7.1	Connection oriented transport services	20
6.7.2	Connectionless transport service	21
6.7.3	Notification services	21
6.8	Services required of the Data Link Layer	21
7	Protocol Control and GFT-Control Requirements	21
7.1	Call related Procedures for the transport of APDUs	21
7.1.1	Protocol Control requirements	21
7.1.1.1	Sending the Facility information element	21
7.1.1.2	Receiving the Facility information element	22
7.1.2	GFT Control Requirements	22
7.1.2.1	Actions at a Source PTNX	22
7.1.2.2	Actions at a Receiving PTNX	23
7.1.2.2.1	End PTNX actions	24
7.1.2.2.2	Transit PTNX actions	24
7.1.2.3	Actions at a Destination PTNX	25
7.1.2.4	Dynamic description (SDL) of Generic Functional Transport Control	25
7.2	Connectionless APDU Transport Mechanism	30
7.2.1	Protocol Control requirements	30
7.2.1.1	Requirements for sending a Connectionless message	30
7.2.1.2	Requirements for receiving a Connectionless message	30
7.2.2	GFT-Control requirements	30
7.2.2.1	Actions at a Source PTNX	30
7.2.2.2	Actions at a Receiving PTNX	31
7.2.2.3	Actions at a Destination PTNX	31
7.3	Connection oriented APDU transport mechanism	31
7.3.1	Protocol Control requirements	31
7.3.1.1	Actions in the Null state	31
7.3.1.2	Actions in the Call initiated state	32
7.3.1.3	Actions in the Incoming call proceeding state	32
7.3.1.4	Actions in the Outgoing call proceeding state	32
7.3.1.5	Actions in the Connect request state	33
7.3.1.6	Actions in the Active state	33
7.3.1.7	Connection release	33
7.3.1.8	Actions in the Release request state	33
7.3.1.9	Transport of APDUs associated with a Call independent signalling connection	33
7.3.1.10	Protocol error handling	34
7.3.1.11	Protocol timer values	34
7.3.1.12	Procedures for layer management	34
7.3.2	Dynamic Description (SDL) of Connection oriented Protocol Control procedures	36
7.3.3	GFT Control requirements	47
7.3.3.1	Actions at an Originating PTNX	47
7.3.3.1.1	Actions in the Originating_connection_idle state	47

7.3.3.1.2	Actions in the Originating_connection_request state	47
7.3.3.1.3	Actions in the Originating_connection_active state	47
7.3.3.2	Actions at a Transit PTNX	48
7.3.3.2.1	Actions in the Transit_Connection_idle state:	48
7.3.3.2.2	Actions in the Transit_Connection_request state	49
7.3.3.2.3	Actions in the Transit_Connection_active state	49
7.3.3.3	Actions at a Terminating PTNX	49
7.3.3.3.1	Actions in the Incoming_Connection_idle state:	49
7.3.3.3.2	Actions in the Incoming_Connection_active state	49
7.3.3.4	Actions at a Source PTNX	50
7.3.3.5	Actions at a Destination PTNX	50
7.4	Call related procedures for the transport of Notifications	50
7.4.1	Categories of notifications	50
7.4.2	Protocol Control requirements	50
7.4.2.1	Sending notification information	50
7.4.2.2	Receiving notification information	51
7.4.3	GFT-Control requirements	51
7.4.3.1	Actions at a PTNX which generates notifications	51
7.4.3.2	Actions at a Transit PTNX	51
7.4.3.3	Actions at a Receiving End PTNX	51
8	Application layer requirements	51
8.1	Co-ordination Function requirements	51
8.1.1	Inclusion of an Interpretation APDU at a Source PTNX	52
8.1.2	Handling of APDUs at a Destination PTNX	52
8.2	ROSE requirements	52
8.3	DSE requirements	52
8.3.1	Actions at the PTNX which initiates the dialogue (PTNX A)	53
8.3.1.1	Idle state procedures	53
8.3.1.2	Initiate sending state procedures	53
8.3.2	Actions at the PTNX which terminates the dialogue (PTNX B)	54
8.3.2.1	Idle state procedures	54
8.3.2.2	Initiate receiving state procedures	54
8.3.3	Dialogue Continuation in the Active State	54
8.3.4	Dialogue Protocol Timers	55
8.3.5	Error procedures relating to dialogue control	55
8.3.6	Example of a dialogue	55
8.3.7	Dynamic Description (SDL) of Dialogue Identification Protocol Procedures	56
8.4	SS-Control requirements	61
9	Manufacturer Specific Information	61
9.1	Manufacturer specific operations	61
9.2	Manufacturer specific additions to standardised operations	62
9.3	Manufacturer specific notifications	63
10	Message functional definitions and contents	63
10.1	ALERTING	63
10.2	CONNECT	64
10.3	SETUP	64
10.4	DISCONNECT	65
10.5	RELEASE	65
10.6	RELEASE COMPLETE	65
10.7	FACILITY	65

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-