This is a free page sample. Access the full version online.



Irish Standard I.S. EN ISO 6709:2009

Standard representation of geographic point location by coordinates (ISO 6709:2008, including Cor 1:2009)

© NSAI 2009 No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda issued since publication:

This document replaces:	This document is based on: Publish EN ISO 6709:2009 24 Jun		<i>ed:</i> e, 2009			
This document was published under the authority of the NSAI and comes into effect on: 19 August, 2009				ICS number: 35.040		
NSAI 1 Swift Square, T + Northwood, Santry F + Dublin 9 E s W 1	353 1 807 3800 353 1 807 3838 tandards@nsai.ie NSAI.ie	Sales: T +353 1 8 F +353 1 8 W standard	57 6730 57 6729 ds.ie	Price Code: L		
Údarás um Chaighdeáin Náisiúnta na hÉireann						

EUROPEAN STANDARD NORME EUROPÉENNE

EN ISO 6709

EUROPÄISCHE NORM

June 2009

ICS 35.040

English Version

Standard representation of geographic point location by coordinates (ISO 6709:2008, including Cor 1:2009)

Représentation normalisée des latitude, longitude et altitude pour la localisation des points géographiques (ISO 6709:2008, Cor 1:2009 inclus) Standarddarstellung für geographische Punkte durch Koordinaten (ISO 6709:2008, einschließlich Cor 1:2009)

This European Standard was approved by CEN on 12 June 2009.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2009 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN ISO 6709:2009: E

EN ISO 6709:2009 (E)

Contents

Page

	-
Foreword	3

Foreword

The text of ISO 6709:2008, including Cor 1:2009 has been prepared by Technical Committee ISO/TC 211 "Geographic information/Geomatics" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 6709:2009 by Technical Committee CEN/TC 287 "Geographic Information" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2009, and conflicting national standards shall be withdrawn at the latest by December 2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of ISO 6709:2008, including Cor 1:2009 has been approved by CEN as a EN ISO 6709:2009 without any modification.

This page is intentionally left BLANK.



ISO 6709

Second edition 2008-07-15

Standard representation of geographic point location by coordinates

Représentation normalisée des latitude, longitude et altitude pour la localisation des points géographiques



Reference number ISO 6709:2008(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

Contents

Page

Introduction v 1 Scope 1 2 Conformance 1 3 Normative references 1 4 Terms and definitions 2 5 Abbreviated terms 3 6 Requirements for the representation of geographic point location 3 6.1 Conceptual model for geographic point locations 3 6.2 Elements required for geographic point location 5 6.3 Coordinate Reference System identification 5 6.4 Representation of vertical position 5 6.5 Representation of geographic point locations 5 6.6 Coordinate resolution 6 6.7 Utilization of geographic point locations 6 7 Representation of geographic point locations 6 7.1 UML model 7 7 7.2 XML representation 7 7.3 Text string representation 7 Annex A (normative) Conformance and abstract test suite 8 Annex B (informative) Latitude and longitude coordinates are not unique 10 <th>Forewo</th> <th>ord</th> <th>iv</th>	Forewo	ord	iv
1 Scope 1 2 Conformance 1 3 Normative references 1 4 Terms and definitions 2 5 Abbreviated terms 3 6 Requirements for the representation of geographic point location 3 6.1 Conceptual model for geographic point locations 3 6.2 Elements required for geographic point location 5 6.3 Coordinate Reference System identification 5 6.4 Representation of horizontal position 5 6.5 Representation of geographic point locations 5 6.6 Coordinate resolution 5 6.7 Utilization of geographic point locations 6 7 Representation of of geographic point location 6 7.1 UtM model 6 6 7.2 XML representation 7 Annex A (normative) Conformance and abstract test suite 8 Annex B (informative) Latitude and longitude coordinates are not unique 10 Annex C (normative) WL description for representation of geographic point locations 12	Introdu	iction	. v
2 Conformance 1 3 Normative references 1 4 Terms and definitions 2 5 Abbreviated terms 3 6 Requirements for the representation of geographic point location 3 6.1 Conceptual model for geographic point locations 3 6.2 Elements required for geographic point location 5 6.3 Coordinate Reference System identification 5 6.4 Representation of vertical position 5 6.5 Representation of geographic point locations 5 6.6 Coordinate resolution 5 6.7 Utilization of geographic point locations 6 7 Representation of geographic point location 6 7.1 UML model 6 6 7.3 Text string representation 7 Annex A (normative) Conformance and abstract test suite 8 Annex D (informative) Latitude and longitude coordinates are not unique 10 Annex E (informative) Latitude and longitude resolution 12 Annex E (informative) Utilization of Geographic Point Loca	1	Scope	. 1
3 Normative references 1 4 Terms and definitions 2 5 Abbreviated terms 3 6 Requirements for the representation of geographic point location 3 6.1 Conceptual model for geographic point locations 3 6.2 Elements required for geographic point location 5 6.3 Coordinate Reference System identification 5 6.4 Representation of horizontal position 5 6.5 Representation of geographic point locations 5 6.6 Coordinate resolution 5 6.7 Utilization of geographic point locations 6 7.7 Representation of geographic point location 6 7.1 UML model 6 6 7.2 XML representation 7 Annex A (normative) Conformance and abstract test suite 8 Annex B (informative) Latitude and longitude coordinates are not unique 10 Annex C (normative) WLL description for representation of geographic point locations 12 Annex E (informative) Latitude and longitude resolution 19 17 <t< td=""><td>2</td><td>Conformance</td><td>. 1</td></t<>	2	Conformance	. 1
4 Terms and definitions. 2 5 Abbreviated terms 3 6 Requirements for the representation of geographic point location 3 6.1 Conceptual model for geographic point locations 3 6.2 Elements required for geographic point location 5 6.3 Coordinate Reference System identification 5 6.4 Representation of horizontal position 5 6.5 Representation of vertical position 5 6.6 Coordinate resolution 6 6.7 Utilization of geographic point locations 6 7.1 UML model 6 7.2 XML representation 6 7.3 Text string representation 7 Annex A (normative) Conformance and abstract test suite 8 Annex B (informative) Latitude and longitude coordinates are not unique 10 Annex C (normative) Representation of latitude and longitude at the human interface 17 Annex E (informative) Latitude and longitude resolution 19 Annex F (informative) Utilization of Geographic Point Locations 20 Annex G (informative) Examples of XML representation 23 <	3	Normative references	. 1
5 Abbreviated terms 3 6 Requirements for the representation of geographic point location 3 6.1 Conceptual model for geographic point locations 3 6.2 Elements required for geographic point location 5 6.3 Coordinate Reference System identification 5 6.4 Representation of horizontal position 5 6.5 Representation of vertical position 5 6.6 Coordinate resolution 6 6.7 Utilization of geographic point location 6 7 Representation of geographic point location 6 7.1 UML model 6 7.2 XML representation 6 7.3 Text string representation 7 Annex A (normative) Conformance and abstract test suite 8 Annex C (normative) UML description for representation of geographic point locations 12 Annex D (informative) Representation of latitude and longitude at the human interface 17 Annex F (informative) Utilization of Geographic Point Locations 20 Annex G (informative) Utilization of Geographic Point Locations	4	Terms and definitions	. 2
6 Requirements for the representation of geographic point location. 3 6.1 Conceptual model for geographic point locations. 3 6.2 Elements required for geographic point location 5 6.3 Coordinate Reference System identification 5 6.4 Representation of horizontal position 5 6.5 Representation of vertical position 6 6.6 Coordinate resolution 6 6.7 Utilization of geographic point locations 6 7 Representation of geographic point location 6 7.1 UML model 6 7.2 XML representation 6 7.3 Text string representation 7 7 Annex A (normative) Conformance and abstract test suite 8 Annex B (informative) Latitude and longitude coordinates are not unique 10 Annex C (normative) Representation of latitude and longitude at the human interface 17 Annex E (informative) Latitude and longitude resolution 19 Annex F (informative) Utilization of Geographic Point Locations 20 Annex G (informative) Examples of XML representation 23 Annex H (informative)	5	Abbreviated terms	. 3
7 Representation of geographic point location 6 7.1 UML model 6 7.2 XML representation 6 7.3 Text string representation 7 Annex A (normative) Conformance and abstract test suite 8 Annex B (informative) Latitude and longitude coordinates are not unique 10 Annex C (normative) UML description for representation of geographic point locations 12 Annex D (informative) Representation of latitude and longitude at the human interface 17 Annex E (informative) Latitude and longitude resolution 19 Annex F (informative) Utilization of Geographic Point Locations 20 Annex G (informative) Examples of XML representation 23 Annex H (informative) Text string representation of point location 25 Bibliography 28	6 6.1 6.2 6.3 6.4 6.5 6.6 6.7	Requirements for the representation of geographic point location Conceptual model for geographic point locations Elements required for geographic point location Coordinate Reference System identification Representation of horizontal position Representation of vertical position Coordinate resolution Utilization of geographic point locations	.3 .5 .5 .6 .6
Annex A (normative) Conformance and abstract test suite 8 Annex B (informative) Latitude and longitude coordinates are not unique 10 Annex C (normative) UML description for representation of geographic point locations 12 Annex D (informative) Representation of latitude and longitude at the human interface 17 Annex E (informative) Latitude and longitude resolution 19 Annex F (informative) Utilization of Geographic Point Locations 20 Annex G (informative) Examples of XML representation 23 Annex H (informative) Text string representation of point location 25 Bibliography 28	7 7.1 7.2 7.3	Representation of geographic point location UML model XML representation Text string representation	. 6 . 6 . 6 . 7
Annex B (informative) Latitude and longitude coordinates are not unique 10 Annex C (normative) UML description for representation of geographic point locations 12 Annex D (informative) Representation of latitude and longitude at the human interface 17 Annex E (informative) Latitude and longitude resolution 19 Annex F (informative) Utilization of Geographic Point Locations 20 Annex G (informative) Examples of XML representation 23 Annex H (informative) Text string representation of point location 25 Bibliography 28	Annex	A (normative) Conformance and abstract test suite	. 8
Annex C (normative) UML description for representation of geographic point locations 12 Annex D (informative) Representation of latitude and longitude at the human interface 17 Annex E (informative) Latitude and longitude resolution 19 Annex F (informative) Utilization of Geographic Point Locations 20 Annex G (informative) Examples of XML representation 23 Annex H (informative) Text string representation of point location 25 Bibliography 28	Annex	B (informative) Latitude and longitude coordinates are not unique	10
Annex D (informative) Representation of latitude and longitude at the human interface 17 Annex E (informative) Latitude and longitude resolution 19 Annex F (informative) Utilization of Geographic Point Locations 20 Annex G (informative) Examples of XML representation 23 Annex H (informative) Text string representation of point location 25 Bibliography 28	Annex	C (normative) UML description for representation of geographic point locations	12
Annex E (informative) Latitude and longitude resolution	Annex	D (informative) Representation of latitude and longitude at the human interface	17
Annex F (informative) Utilization of Geographic Point Locations	Annex	E (informative) Latitude and longitude resolution	19
Annex G (informative) Examples of XML representation	Annex	F (informative) Utilization of Geographic Point Locations	20
Annex H (informative) Text string representation of point location	Annex	G (informative) Examples of XML representation	23
Bibliography	Annex	H (informative) Text string representation of point location	25
	Bibliog	raphy	28

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 6709 was prepared by Technical Committee ISO/TC 211, Geographic information/Geomatics.

This second edition cancels and replaces the first edition (ISO 6709:1983), which has been technically revised.

The first edition provided for the representation of latitude and longitude for geographic point locations. This second edition extends the use of the representation to applications requiring latitude or longitude values to be quoted separately, for example when quoting a difference in two meridian values. It also extends the representation of latitude and longitude to allow the values for each to be held in separate numeric fields.

This second edition additionally provides for the representation of horizontal point location by coordinates other than latitude and longitude, and makes provisions for a variable-length format which has the flexibility to cover these various requirements. It also includes provisions for heights and depths.

This second edition is primarily intended for data interchange between computer systems. Informative Annex D, which summarises the different requirements at the human interface, has been added.

The first edition used the term *altitude* to describe vertical position. This International Standard uses the more general term height and also allows for vertical location to be described as *depth*.

Introduction

Efficient interchange of geographic-point-location data requires formats which are universally interpretable and which allow identification of points on, above and below the earth's surface. Users in various disciplines may have different requirements. This is exemplified by the use of degrees and decimal degrees, as well as the traditional degrees, minutes and seconds, for recording latitude and longitude. Users may also require various levels of precision and may use latitude and longitude without height.

The use of this International Standard will

- a) reduce the cost of interchange of data,
- b) reduce the delay in converting non-standard coding structures in preparation for interchange by providing advance knowledge of the standard interchange format, and
- c) provide flexible support for geographic point representation.

This is a free page sample. Access the full version online.

I.S. EN ISO 6709:2009

Standard representation of geographic point location by coordinates

1 Scope

This International Standard is applicable to the interchange of coordinates describing geographic point location. It specifies the representation of coordinates, including latitude and longitude, to be used in data interchange. It additionally specifies representation of horizontal point location using coordinate types other than latitude and longitude. It also specifies the representation of height and depth that may be associated with horizontal coordinates. Representation includes units of measure and coordinate order.

This International Standard is not applicable to the representation of information held within computer memories during processing and in their use in registers of geodetic codes and parameters.

This International Standard supports point location representation through the eXtensible Markup Language (XML) and, recognizing the need for compatibility with the previous version of this International Standard, ISO 6709:1983, allows for the use of a single alpha-numeric string to describe point locations.

For computer data interchange of latitude and longitude, this International Standard generally suggests that decimal degrees be used. It allows the use of sexagesimal notations: degrees, minutes and decimal minutes or degrees, minutes, seconds and decimal seconds.

This International Standard does not require special internal procedures, file-organization techniques, storage medium, languages, etc., to be used in its implementation.

2 Conformance

To conform to this International Standard, representations of point locations by coordinates shall satisfy all of the conditions specified in the abstract test suite (see Annex A).

3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 8859-1, Information technology — 8-bit single-byte coded graphic character sets — Part 1: Latin alphabet No. 1

ISO/TS 19103, Geographic information — Conceptual schema language

ISO 19107, Geographic Information — Spatial schema

ISO 19111:2007, Geographic Information — Spatial referencing by coordinates

ISO 19115:2003, Geographic Information — Metadata

ISO 19118, Geographic information — Encoding



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation