

Irish Standard I.S. EN 4613:2009

Aerospace series - Spherical plain bearings in corrosion resisting steel with self-lubricating liner, narrow series -Dimensions and loads - Inch series

© NSAI 2009 No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda issued since publication:

This document replaces:	<i>This document is l</i> EN 4613:2009		<sup>D</sup> ublish 10 June	<i>ed:</i> e, 2009	
This document was published under the authority of the NSAI and comes into effect on: 19 August, 2009					
<b>NSAI</b> 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W <b>NSAI.ie</b>	T +353 1 857 6730 <b>F</b> F +353 1 857 6729		Price Code: F	
Údarás um Chaighdeáin Náisiúnta na hÉireann					

# EUROPEAN STANDARD NORME EUROPÉENNE

# EN 4613

EUROPÄISCHE NORM

June 2009

ICS 49.035

**English Version** 

### Aerospace series - Spherical plain bearings in corrosion resisting steel with self-lubricating liner, narrow series -Dimensions and loads - Inch series

Série aérospatiale - Rotules lisses résistant à la corrosion à garniture autolubrifiante, série étroite - Dimensions et charges - Séries en inches

Luft- und Raumfahrt - Gelenklager aus korrosionsbeständigem Stahl mit selbstschmierender Beschichtung, schmale Reihe - Maße und Belastungen -Inch Reihe

This European Standard was approved by CEN on 20 March 2009.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2009 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN 4613:2009: E

# Contents

Foreword		3
1	Scope	4
2	Normative references	4
3	Terms and definitions	4
4	Symbols and abbreviations	4
5	Requirements	5
6	Designation	12
7	Marking	12
8	Technical specification	12

## Foreword

This document (EN 4613:2009) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2009, and conflicting national standards shall be withdrawn at the latest by December 2009.

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This standard was reviewed by the Domain Technical Coordinator of ASD-STAN's Mechanical Domain.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

#### 1 Scope

This standard specifies the characteristics of bearings, spherical plain in corrosion resisting steel with selflubricating liner, narrow series for aerospace applications.

They are intended for use in fixed or moving parts of the aircraft structure and control mechanisms.

They shall be used in the temperature range – 55 °C to 163 °C.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 2030, Aerospace — Steel FE-PM43 — Hardened and tempered — Bars  $D \le 150 \text{ mm}^1$ 

EN 2133, Aerospace series — Cadmium plating of steels with specified tensile strength  $\leq$  1 450 MPa, copper, copper alloys and nickel alloys

EN 2424, Aerospace series — Marking of aerospace products

EN 2755, Aerospace series — Bearings, spherical plain in corrosion resisting steel with self-lubricating liner — Elevated load at ambient temperature — Technical specification  $^2$ 

EN 3161, Aerospace series — Steel FE-PM3801 (X5CrNiCu17-4) — Air melted, solution treated and precipitation treated, bar a or  $D \le 200 \text{ mm} - R_m \ge 930 \text{ MPa}$ 

ISO 1132-1, Rolling bearings — Tolerances — Part 1: Terms and definitions

ISO 8075, Aerospace — Surface treatment of hardenable stainless steel parts

TR 4475, Aerospace series — Bearings and mechanical transmissions for airframe applications — Vocabulary <sup>3</sup>

#### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in TR 4475 apply.

#### 4 Symbols and abbreviations

Symbols of limit deviations are in accordance with definitions of ISO 1132-1.

- $\alpha$  = maximum angle of tilt of the outer ring with respect to the inner ring, with the spherical raceway of the outer ring being completely in contact with the inner ring (see Figures 1 and 2);
- $C_a$  = permissible static axial load;
- $C_s$  = permissible static radial load;

<sup>1</sup> Published as ASD Standard at the date of publication of this standard.

<sup>2</sup> Published as ASD Prestandard at the date of publication of this standard.

<sup>3</sup> Published as ASD Technical Report at the date of publication of this standard.



This is a free preview. Purchase the entire publication at the link below:

**Product Page** 

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation