



National Standards Authority of Ireland

IRISH STANDARD

I.S. ENV 14272:2002

ICS 79.060.10

National Standards
Authority of Ireland
Dublin 9
Ireland

Tel: (01) 807 3800
Tel: (01) 807 3838

PLYWOOD - CALCULATION METHOD FOR SOME MECHANICAL PROPERTIES

*This Irish Standard was
published under the
authority of the National
Standards Authority of
Ireland
and comes into effect on.
October 22, 2002*

**NO COPYING WITHOUT NSAI
PERMISSION EXCEPT AS
PERMITTED BY COPYRIGHT
LAW**

© NSAI 2002

Price Code I

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN PRESTANDARD
PRÉNORME EUROPÉENNE
EUROPÄISCHE VORNORM

ENV 14272

June 2002

ICS 79.060.10

English version

Plywood - Calculation method for some mechanical properties

Contreplaqué - Méthode de calcul pour certaines caractéristiques

Sperrholz - Rechenverfahren für einige mechanische Eigenschaften

This European Prestandard (ENV) was approved by CEN on 5 April 2002 as a prospective standard for provisional application.

The period of validity of this ENV is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the ENV can be converted into a European Standard.

CEN members are required to announce the existence of this ENV in the same way as for an EN and to make the ENV available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the ENV) until the final decision about the possible conversion of the ENV into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

ENV 14272:2002 (E)

Contents

	page
Foreword	3
1 Scope	4
2 Normative references	4
3 Principle	4
4 Terms and definitions and symbols	4
4.1 Terms and definitions	4
4.2 Symbols	5
5 Calculation method	6
5.1 General	6
5.2 Basic values for the calculation method	6
5.3 Wood species	7
5.4 Factors for plywood composition	7
5.5 Calculation of characteristic values for strength and stiffness	8
5.6 Density	11
5.7 Example of use of calculation method	12
6 Conversion from strength and modulus of elasticity to capacity and stiffness	12
Annex A (informative) Example of the calculation of characteristic values for strength and elastic properties of a plywood panel	13
Annex B (informative) Calculation of mechanical properties of plywood — Guidelines for the derivation method of the basic values of the mechanical properties of the layers	21
Bibliography	25

Foreword

This document ENV 14272:2002 has been prepared by Technical Committee CEN/TC 112 "Wood-based panels", the secretariat of which is held by DIN.

The annexes A and B are informative.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this European Prestandard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

ENV 14272:2002 (E)

1 Scope

This European Prestandard gives a calculation method for the estimation of some mechanical properties of plywood (strength and stiffness) with a symmetrical composition.

The resulting values are intended as predictive only.

2 Normative references

This European Prestandard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text, and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Prestandard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

EN 635-2, *Plywood — Classification by surface appearance — Part 2: Hardwood.*

EN 635-3, *Plywood — Classification by surface appearance — Part 3: Softwood.*

EN 636-1, *Plywood — Specifications — Part 1: Requirements for plywood for use in dry conditions.*

EN 636-2, *Plywood — Specifications — Part 2: Requirements for plywood for use in humid conditions.*

EN 636-3, *Plywood — Specifications — Part 3: Requirements for plywood for use in exterior conditions.*

3 Principle

To derive by calculation the mechanical properties of a panel, using the corresponding mechanical properties of the wood species compounding the layers. Each pair of layers (or layer) values are weighted by a geometrical factor related to its weight in the panel cross section.

4 Terms and definitions and symbols

4.1 Terms and definitions

For the purposes of this European Prestandard, the following terms and definitions apply.

4.1.1

characteristic strength

population fifth percentile value relating to a temperature of 20 °C and a relative humidity of 65 %

4.1.2

characteristic stiffness

either the population fifth percentile or the mean value relating to a temperature of 20 °C and a relative humidity of 65 %

4.1.3

characteristic density

population fifth percentile value with mass and volume corresponding to equilibrium at a temperature of 20 °C and a relative humidity of 65 % either of the wood species or of the panels, single species or mixed species

The density values found from calculation refer to the minimum acceptable density of veneers used in the lay-up of plywood. In the case of single species plywood these values are taken as the characteristic values for the plywood.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-