

Irish Standard I.S. EN 486:2009

# Aluminium and aluminium alloys - Extrusion ingots - Specifications

© NSAI 2009

No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda issued since publication:

This document replaces: EN 486:1993

This document is based on: EN 486:2009

EN 486:1993

Published: 26 August, 2009 21 June, 1994

This document was published under the authority of the NSAI and comes into effect on: 15 September, 2009

ICS number: 77.150.10

NSAI

1 Swift Square, Northwood, Santry Dublin 9 T +353 1 807 3800 F +353 1 807 3838

E standards@nsai.ie W **NSAI.ie** 

Sales:

T +353 1 857 6730 F +353 1 857 6729 W standards.ie **Price Code:** 

Údarás um Chaighdeáin Náisiúnta na hÉireann

### EUROPEAN STANDARD NORME EUROPÉENNE

**EN 486** 

EUROPÄISCHE NORM August 2009

ICS 77.150.10

Supersedes EN 486:1993

#### **English Version**

## Aluminium and aluminium alloys - Extrusion ingots - Specifications

Aluminium et alliages d'aluminium - Billettes de filage - Spécifications Aluminium und Aluminiumlegierungen - Pressbarren - Spezifikationen

This European Standard was approved by CEN on 24 July 2009.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

#### EN 486:2009 (E)

Contents		
Forew	vord	3
1	Scope	4
2	Normative references	4
3	Terms and definitions	4
4	Ordering information	4
5 5.1 5.2 5.3 5.4	Requirements Production and manufacturing processes Chemical composition Surface and internal quality Tolerances on dimensions	5 5 5
6 6.1 6.2 6.3	Test procedures Analysis of chemical composition Homogenizing treatment Other tests	6 7
7 7.1 7.2	Inspection documentsCertificate of mass and analysisInspection certificate	7
8	Marking	7
9	Packaging, transport and storage	8
10	Complaints	8
Biblio	graphygraphy	9

EN 486:2009 (E)

#### **Foreword**

This document (EN 486:2009) has been prepared by Technical Committee CEN/TC 132 "Aluminium and aluminium alloys", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2010, and conflicting national standards shall be withdrawn at the latest by February 2010.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 486:1993.

Within its programme of work, Technical Committee CEN/TC 132 entrusted CEN/TC 132/WG 2 "Extrusion billets and rolling ingots" to revise EN 486:1993.

CEN/TC 132 affirms its policy that in the case when a patentee refuses to grant licences on standardised standard products under reasonable and not discriminatory conditions, then this product shall be removed from the corresponding standard.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

EN 486:2009 (E)

#### 1 Scope

This European Standard specifies the general requirements to be met by extrusion ingots of aluminium and aluminium alloys obtained by semi-continuous or continuous casting, from primary or recycled metal, for general engineering applications.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 573-1, Aluminium and aluminium alloys — Chemical composition and form of wrought products — Part 1: Numerical designation system

EN 573-2, Aluminium and aluminium alloys — Chemical composition and form of wrought products — Part 2: Chemical symbol based designation system

EN 573-3, Aluminium and aluminium alloys — Chemical composition and form of wrought products — Part 3: Chemical composition

EN 10204, Metallic products — Types of inspection documents

EN 12258-1:1998, Aluminium and aluminium alloys — Terms and definitions — Part 1: General terms

EN 14242, Aluminium and aluminium alloys — Chemical analysis — Inductively coupled plasma optical emission spectral analysis

EN 14726, Aluminium and aluminium alloys — Chemical analysis — Guideline for spark optical emission spectrometric analysis

#### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 12258-1:1998 and the following apply.

#### 3.1

#### heat

quantity of liquid metal that has simultaneously undergone the same preparatory treatment in the furnace before the casting operation

#### 3.2

#### hundle

set of ingots held together by suitable means for their transport

#### 4 Ordering information

The ordering information shall define the product required and shall contain the following:

a) the form of the product (extrusion ingot);



	This is a free preview.	Purchase the e	entire publication	at the link below:
--	-------------------------	----------------	--------------------	--------------------

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation