

Irish Standard I.S. EN 15714-4:2009

Industrial valves - Actuators - Part 4: Hydraulic part-turn actuators for industrial valves - Basic requirements

© NSAI 2009

No copying without NSAI permission except as permitted by copyright law.

| Incorporating amendments/corrigenda issued since publication: | |
|---|--|
| | |
| | |
| | |
| | |
| | |
| | |

This document replaces:

This document is based on: EN 15714-4:2009 *Published:* 21 October, 2009

This document was published under the authority of the NSAI and comes into effect on: 10 November, 2009 ICS number: 23.060.20

NSAI

1 Swift Square, Northwood, Santry Dublin 9 T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie

W NSAl.ie

Sales:

T +353 1 857 6730 F +353 1 857 6729 W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 15714-4

NORME EUROPÉENNE EUROPÄISCHE NORM

October 2009

ICS 23.060.20

English Version

Industrial valves - Actuators - Part 4: Hydraulic part-turn actuators for industrial valves - Basic requirements

Robinetterie industrielle - Actionneurs - Partie 4: Actionneurs hydrauliques à fraction de tour pour robinetterie industrielle - Prescriptions de base Industriearmaturen - Antriebe - Teil 4: Hydraulische Schwenkantriebe für Industriearmaturen -Grundanforderungen

This European Standard was approved by CEN on 12 September 2009.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 15714-4:2009 (E)

| Cont | Contents Pag | |
|---------------|--|------|
| Foreword4 | | |
| 1 | Scope | 5 |
| 2 | Normative references | |
| | | _ |
| 3 | Classification and designation | |
| 3.1 | General | |
| 3.2 3.3 | ActionValve actuator attachment | |
| 3.4 | Motive energy | |
| 3.4.1 | Operating medium | |
| 3.4.2 | Quality | |
| 3.4.3 | Pressure | |
| | | |
| 4 | Design requirements | |
| 4.1 | General | |
| 4.2 4.3 | Output torques (performance test) | |
| 4.3 4.3.1 | Pressure ratings and endurance | |
| 4.3.1 | Endurance | |
| 4.4 | Minimum moving pressure | |
| 4.5 | Leakage | |
| 4.6 | Moving time | |
| 4.7 | Angle | |
| 4.8 | Fluid displacement volume | |
| 4.9 | Environmental conditions | |
| 4.9.1 | Ambient temperature | |
| 4.9.2 | Enclosure protection | |
| 4.9.3 | Corrosion protection | |
| 4.10 | Basic design | |
| 4.10.1 | Safety requirements | |
| 4.10.2 | Part-turn valve actuator attachment | |
| 4.10.3 | Pressure connections | |
| 4.10.4 | Fail safe direction for spring return actuators | |
| 4.10.5 | Mechanical safety factors | |
| 4.11 | Position indication | |
| 4.12 | Optional equipment | _ |
| 4.12.1 | Manual operation | |
| 4.12.2 | End stop adjustment | |
| 7.12.3 | • • | |
| 5 | Conformity assessment | |
| 5.1 | General | |
| 5.2 | Type tests | |
| 5.3 | Control of production process and quality system | . 16 |
| 6 | Marking | . 17 |
| 7 | Actuator selection guidelines | . 18 |
| 8 | Documentation | . 18 |
| Annov | A (normative) Endurance test procedure | 10 |
| Aillex A.1 | General | |
| A.1 A.2 | Test equipment | |

EN 15714-4:2009 (E)

| A.3 | Test conditions | 19 |
|---------------------|---|----|
| A.4 | Test procedure | 19 |
| A.4.1 | Design life | 19 |
| A.4.2 | Output torque testing | 19 |
| A.4.3 | Pressure testing | |
| A.4.4 | Hydraulic testing | |
| A.5 | Acceptance criteria | |
| Annex B.1 B.2 | B (informative) Actuator selection guidelines | 21 |
| Б.2 В.3 | Selection parameters | ۲۱ |
| в.з В.3.1 | General | 22 |
| B.3.2 | Torque characteristics for rack and pinion or linear helical spline actuators | 23 |
| B.3.3 | Torque characteristics for scotch yoke actuators (e.g. symmetric system) | |
| Bibliog | graphy | 25 |

EN 15714-4:2009 (E)

Foreword

This document (EN 15714-4:2009) has been prepared by Technical Committee CEN/TC 69 "Industrial valves", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2010, and conflicting national standards shall be withdrawn at the latest by April 2010.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

1 Scope

This document provides basic requirements for hydraulic part-turn valve actuators, both double acting and single acting, used for on-off and modulating control duties. It includes guidelines, recommendations and methods for enclosure and corrosion protection, control and testing.

It does not apply, to hydraulic actuators that are integral parts of control valves or to electro-hydraulic actuators.

Other requirements or conditions of use different from those indicated in this document should be subject to negotiations between the purchaser and the manufacturer/supplier prior to order.

The terms and definitions applicable to this European Standard are given in EN 15714-1.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12570, Industrial valves — Method for sizing the operating element

EN 60529, Degrees of protection provided by enclosures (IP Code) (IEC 60529:1989)

EN ISO 228-1, Pipe threads where pressure-tight joints are not made on the threads — Part 1: Dimensions, tolerances and designation (ISO 228-1:2000)

EN ISO 5211, Industrial valves — Part-turn valve actuator attachments (ISO 5211:2001)

EN ISO 9227, Corrosion tests in artificial atmospheres — Salt spray tests (ISO 9227:2006)

ISO 4406, Hydraulic fluid power — Fluids — Method for coding the level of contamination by solid particles

ISO 5599-2, Pneumatic fluid power — Five-port directional control valves — Part 2: Mounting interface surfaces with optional electrical connector

ASME B1.20.1:1983, Pipe Threads, General Purpose (Inch)

3 Classification and designation

3.1 General

Hydraulic part-turn actuators are designated by function, action and interface as detailed below.



Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation