This is a free page sample. Access the full version online.



Standard Recommendation S.R. CEN ISO/TS 21268-1:2009

Soil quality - Leaching procedures for subsequent chemical and ecotoxicological testing of soil and soil materials - Part 1: Batch test using a liquid to solid ratio of 2 I/kg dry matter (ISO/TS 21268-1:2007)

© NSAI 2009 No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda issued since publication:

This document replaces:	This document is b CEN ISO/TS 21268	<i>based on:</i> 3-1:2009	<i>Publish</i> 4 Nove	n <i>ed:</i> mber, 2009		
This document was published under the authority of the NSA and comes into effect on: 27 November, 2009				ICS number: 13.080.05		
NSAI 1 Swift Square, T Northwood, Santry F Dublin 9 E W	+353 1 807 3800 +353 1 807 3838 standards@nsai.ie ' NSAI.ie	Sales: T +353 1 8 F +353 1 8 W standar	57 6730 57 6729 ds.ie			
Údarás um Chaighdeáin Náisiúnta na hÉireann						

TECHNICAL SPECIFICATION SPÉCIFICATION TECHNIQUE TECHNISCHE SPEZIFIKATION

CEN ISO/TS	21268-1
-------------------	---------

November 2009

ICS 13.080.05

English Version

Soil quality - Leaching procedures for subsequent chemical and ecotoxicological testing of soil and soil materials - Part 1: Batch test using a liquid to solid ratio of 2 I/kg dry matter (ISO/TS 21268-1:2007)

Qualité du sol - Modes opératoires de lixiviation en vue d'essais chimiques et écotoxicologiques ultérieurs des sols et matériaux du sol - Partie 1: Essai en bâchée avec un rapport liquide/solide de 2 l/kg de matière sèche (ISO/TS 21268-1:2007) Bodenbeschaffenheit - Eluierungsverfahren für die anschließende chemische und ökotoxikologische Untersuchung von Boden und von Bodenmaterialien - Teil 1: Schüttelverfahren mit einem Flüssigkeits-/Feststoffverhältnis von 2 l/kg Trockenmasse (ISO/TS 21268-1:2007)

This Technical Specification (CEN/TS) was approved by CEN on 8 September 2009 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2009 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. CEN ISO/TS 21268-1:2009: E

Contents

Page

Foreword

The text of ISO/TS 21268-1:2007 has been prepared by Technical Committee ISO/TC 190 "Soil quality" of the International Organization for Standardization (ISO) and has been taken over as CEN ISO/TS 21268-1:2009 by Technical Committee CEN/TC 345 "Characterization of soils" the secretariat of which is held by NEN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of ISO/TS 21268-1:2007 has been approved by CEN as a CEN ISO/TS 21268-1:2009 without any modification.

This page is intentionally left BLANK.

S.R. CEN ISO/TS 21268-1:2009 TECHNICAL SPECIFICATION

ISO/TS 21268-1

First edition 2007-07-15

Soil quality — Leaching procedures for subsequent chemical and ecotoxicological testing of soil and soil materials —

Part 1:

Batch test using a liquid to solid ratio of 2 l/kg dry matter

Qualité du sol — Modes opératoires de lixiviation en vue d'essais chimiques et écotoxicologiques ultérieurs des sols et matériaux du sol —

Partie 1: Essai en bâchée avec un rapport liquide/solide de 2 l/kg de matière sèche



ISO/TS 21268-1:2007(E)

S.R. CEN ISO/TS 21268-1:2009

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

ISO/TS 21268-1:2007(E)

Contents

Forew	ord	iv
Introdu	uction	v
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Principle	3
5	Reagents	4
6	Apparatus	4
7	Sample pre-treatment	5
7.1	Sample size	5
7.2	Particle size reduction	6
7.3	Determination of dry matter content and water content	6 ء
7.4		0
8	Procedure	7
8.1 0 0	lesting conditions	7 7
0.Z 8 2 1	Leaching step	·····/ 7
8.2.2	Liquid-solid separation step	7
8.3	Further preparation of the eluate for analysis	8
8.4	Blank test for the application of the leaching procedure	9
9	Calculation	9
10	Test report	9
11	Analytical determination	10
11.1	General	10
11.2	Calculations and blank test information	10
12	Performance characteristics	10
Annex	A (informative) Information on the influence on the test results of the parameters that affect leaching	11
Annex	B (informative) Example of a specific liquid-solid separation procedure for soil samples (applying only to the leaching of inorganic constituents)	13
Bibliog	graphy	15

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

In other circumstances, particularly when there is an urgent market requirement for such documents, a technical committee may decide to publish other types of normative document:

- an ISO Publicly Available Specification (ISO/PAS) represents an agreement between technical experts in an ISO working group and is accepted for publication if it is approved by more than 50 % of the members of the parent committee casting a vote;
- an ISO Technical Specification (ISO/TS) represents an agreement between the members of a technical committee and is accepted for publication if it is approved by 2/3 of the members of the committee casting a vote.

An ISO/PAS or ISO/TS is reviewed after three years in order to decide whether it will be confirmed for a further three years, revised to become an International Standard, or withdrawn. If the ISO/PAS or ISO/TS is confirmed, it is reviewed again after a further three years, at which time it must either be transformed into an International Standard or be withdrawn.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/TS 21268-1 was prepared by Technical Committee ISO/TC 190, Soil quality, Subcommittee SC 7, Soil and site assessment.

ISO/TS 21268 consists of the following parts, under the general title *Soil quality* — *Leaching procedures for subsequent chemical and ecotoxicological testing of soil and soil materials*:

- Part 1: Batch test using a liquid to solid ratio of 2 l/kg dry matter
- Part 2: Batch test using a liquid to solid ratio of 10 l/kg dry matter
- Part 3: Up-flow percolation test
- Part 4: Influence of pH on leaching with initial acid/base addition

Introduction

In various countries, tests have been developed to characterise and assess the constituents which can be released from materials. The release of soluble constituents upon contact with water is regarded as a main mechanism of release, which results in a potential risk to the environment during the use or disposal of materials. The intent of these tests is to identify the leaching properties of materials. The complexity of the leaching process makes simplifications necessary.

Not all of the relevant aspects of leaching behaviour can be addressed in one standard.

Tests to characterise the behaviour of materials can generally be divided into three categories (EN 12920; EN 12457-2) and are addressed in ISO 18772^[9]. The relationships between these tests are summarised below.

- a) "Basic characterisation" tests are used to obtain information on the short- and long-term leaching behaviour and characteristic properties of materials. Liquid/solid (L/S) ratios, leachant composition, factors controlling leachability, such as pH, redox potential, complexing capacity, role of dissolved organic carbon (DOC), ageing of material and physical parameters are addressed in these defined tests.
- b) "Compliance" tests are used to determine whether the material complies with a specific behaviour or with specific reference values. These tests focus on key variables and leaching behaviour previously identified by basic characterisation tests.
- c) "On-site verification" tests are used as a rapid check to confirm that the material is the same as that which has been subjected to the compliance test(s). On-site verification tests are not necessarily leaching tests.

The test procedure described in this method belongs to category b): compliance tests.

NOTE Up to now, the test procedures described in this part of ISO/TS 21268 have not been validated.

This is a free page sample. Access the full version online.

S.R. CEN ISO/TS 21268-1:2009

Soil quality — Leaching procedures for subsequent chemical and ecotoxicological testing of soil and soil materials —

Part 1: Batch test using a liquid to solid ratio of 2 l/kg dry matter

1 Scope

This part of ISO/TS 21268 specifies a test providing information on leaching of soil and soil materials under the experimental conditions specified hereafter, and particularly at a liquid to solid ratio of 2 l/kg dry matter. It applies to soil and soil material with a particle size less than or equal to 4 mm.

This part of ISO/TS 21268 has been developed to measure the release of inorganic and organic constituents from soil and soil material and the ecotoxicological effects of eluates with respect to micro-organisms, fauna and flora. The test is not suitable for constituents that are volatile under ambient conditions. For ecotoxicological testing, see ISO 15799.

NOTE 1 Volatile organic constituents include the low-molecular-weight components in mixtures such as mineral oil.

NOTE 2 It is not always possible to optimise test conditions simultaneously for inorganic and organic constituents and optimum test conditions may also vary between different groups of organic constituents. Test requirements for organic constituents are generally more stringent than those for inorganic constituents. The test conditions suitable for measuring the release of organic constituents will generally also be applicable to inorganic constituents.

NOTE 3 For ecotoxicological testing, eluates representing the release of both inorganic and organic contaminants are needed. In this document, ecotoxicological testing is also meant to include genotoxicological testing.

The test procedure specified in this part of ISO/TS 21268 produces eluates, which are subsequently characterised by existing physical, chemical and ecotoxicological standard methods.

This procedure is not applicable to materials with a dry-matter-content ratio lower than 33 %.

This test is mainly aimed at being used for routine and control purposes, and it cannot be used alone to describe all leaching properties of a soil. Additional leaching tests are needed for that extended goal. This part of ISO/TS 21268 does not address issues related to health and safety. It only determines the leaching properties as outlined in Clause 4.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3696, Water for analytical laboratory use — Specification and test methods

ISO 5667-3, Water quality — Sampling — Part 3: Guidance on the preservation and handling of water samples

ISO 7027, Water quality — Determination of turbidity



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation