



**National Standards Authority of Ireland**

**IRISH STANDARD**

**I.S. EN 15049:2007**

ICS 45.060.01

National Standards  
Authority of Ireland  
Glasnevin, Dublin 9  
Ireland

Tel: +353 1 807 3800  
Fax: +353 1 807 3838  
<http://www.nsai.ie>

**Sales**

<http://www.standards.ie>

**RAILWAY APPLICATIONS - SUSPENSION**

**COMPONENTS - TORSION BAR, STEEL**

*This Irish Standard was  
published under the authority  
of the National Standards  
Authority of Ireland and  
comes into effect on:  
21 September 2007*

**NO COPYING WITHOUT NSAI  
PERMISSION EXCEPT AS  
PERMITTED BY COPYRIGHT  
LAW**

© NSAI 2007

**Price Code L**

Údarás um Chaighdeáin Náisiúnta na hÉireann

*This page is intentionally left BLANK.*

EUROPEAN STANDARD

**EN 15049**

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2007

---

ICS 45.060.01

English Version

## Railway applications - Suspension components - Torsion bar, steel

Applications ferroviaires - Éléments de suspension - Barre  
de torsion, en acier

Bahnanwendungen - Federungselemente - Drehstabfedern  
aus Stahl

This European Standard was approved by CEN on 13 July 2007.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**Management Centre: rue de Stassart, 36 B-1050 Brussels**

<b>Contents</b>	<b>Page</b>
Foreword.....	5
Introduction .....	6
1 Scope .....	6
2 Normative references .....	6
3 Terms and definitions .....	7
4 Symbols and abbreviations .....	8
5 Requirements .....	9
5.1 Introduction .....	9
5.2 Documents to be provided by the customer .....	9
5.3 Documents to be provided by the supplier.....	10
5.4 Design analysis.....	10
5.5 Arrangement and design .....	10
5.6 Straight torsion bar ends and connections .....	12
5.6.1 General.....	12
5.6.2 Design of the straight torsion bar end .....	12
6 Product definition .....	13
6.1 Geometrical characteristics and space envelope .....	13
6.2 Mechanical requirements.....	13
6.2.1 Loading and allowable stresses.....	13
6.2.2 Service life .....	13
6.2.3 Investigation of the strain .....	13
6.2.4 Evaluation of the strain .....	14
6.3 Physical requirements .....	14
6.3.1 Material grade.....	14
6.3.2 Internal integrity.....	14
6.3.3 Inclusion cleanliness.....	14
6.3.4 Forged torsion bar ends .....	14
6.3.5 Decarburization.....	15
6.3.6 Surface condition.....	15
6.3.7 Residual compressive stresses on the surface .....	15
6.3.8 Grain size.....	16
6.4 Surface protection .....	16
6.4.1 Generalities .....	16
6.4.2 Temporary protection.....	16
6.4.3 Permanent protection.....	16
6.5 Characteristic moment of torsion / angular displacement.....	17
6.6 Mass .....	18
7 Mechanical properties for manufacturing .....	18
7.1 Hardness.....	18
7.2 Tensile strength .....	18
7.3 Toughness.....	18
8 Tests and test procedures .....	19
8.1 General requirements.....	19
8.2 Measuring equipment.....	19
8.3 Tensile strength .....	19
8.4 Toughness .....	19
8.5 Hardness.....	19

8.6	Material .....	19
8.7	Depth of decarburization .....	20
8.8	Grain size.....	20
8.9	Forged torsion bar ends .....	20
8.10	Residual compressive stresses on the surface .....	20
8.11	Surface defects.....	20
8.12	Surface condition .....	20
8.13	Dimensional check .....	21
8.14	Characteristic moment of torsion / angular displacement.....	21
8.15	Mass.....	21
8.16	Internal integrity .....	21
8.17	Surface protection.....	21
8.18	Loading and allowable stresses .....	21
9	Quality assurance and final approval.....	22
9.1	Quality assurance system and staff qualification.....	22
9.2	Product qualification procedures and samples .....	22
9.3	Control and monitoring of production quality.....	23
9.3.1	General .....	23
9.3.2	Quality assurance plan .....	23
9.3.3	Control by sampling lots .....	23
9.4	Requirements for control and monitoring of production quality .....	24
9.4.1	General .....	24
9.4.2	Non-compliance.....	26
9.4.3	Documentation .....	26
9.5	Handling instructions.....	26
10	Marking of torsion bars.....	26
11	Packaging.....	27
Annex A	(normative) Material for hot formed and quenched and tempered torsion bars .....	28
A.1	General .....	28
A.2	Material for torsion bars, steel .....	28
Annex B	(normative) Inspection of torsion bars made of round bars by the magnetic crack detection method.....	30
B.1	Object.....	30
B.2	Tests .....	30
B.3	Safety measures .....	30
Annex C	(normative) Checking shot peening efficiency by ALMEN method .....	31
C.1	Field of application .....	31
C.2	Checking the procedure .....	31
C.3	Equipment and installations.....	31
C.3.1	ALMEN A2 test piece.....	31
C.3.2	Test piece holder .....	32
C.3.3	ALMEN measuring device .....	33
Annex D	(normative) Examination for inclusions.....	34
D.1	Object.....	34
D.2	Test methods .....	34
D.2.1	Test method according to DIN 50602 .....	34
D.2.2	Test method according to NF A 04-106.....	35
D.2.3	Test method according to SS 11116.....	35
Annex E	(normative) Taking of test pieces - Areas of the location of test pieces .....	36
	Bibliography.....	38

**EN 15049:2007 (E)**

**Figures**

**Figure 1 — Example for a straight torsion bar with mounted levers .....11**

**Figure 2 — Example for a bended torsion bar.....11**

**Figure 3 — Cylindrical or conical tooth system .....12**

**Figure 4 — Frictional shrink fit.....12**

**Figure 5 — Example of the distribution of stresses produced by shot peening as a function of depth .....16**

**Figure 6 — Torsion bar diagram .....17**

**Figure C.1 — ALMEN test arrangements.....32**

**Figure C.2 — ALMEN measuring sytem .....33**

**Figure E.1 — Area "e" with constant diameter of the torsion bar to take test pieces .....36**

**Figure E.2 — Location of the test pieces for the tensile strength test.....36**

**Figure E.3 — Location of the test pieces for the notch impact test .....37**

**Tables**

**Table 1 — Symbols and definitions .....8**

**Table 2 — Elements to be defined in the technical specification and agreed by the parties .....10**

**Table 3 — Checks and tests to be carried out.....24**

**Table 4 — Test pieces for statistical tests, number of tests .....25**

**Table A.1 — Guidance values for the maximum mechanical properties of quenched and tempered test pieces .....29**

**Table D.1 — Degree of cleanliness under the microscope according to DIN 50602 (procedure K), valid for non metallic oxide inclusions .....34**

**Table D.2 — Acceptable number of fields (small series and wide series) of each type.....35**

**Table D.3 — Degree of cleanliness by microscopic examination according to SS 111116 (maximum values).....35**

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
  - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-