

Irish Standard I.S. EN 1999-1-2:2007+NA:2010

# Eurocode 9 - Design of aluminium structures - Part 1-2: Structural fire design (Including Irish National Annex)

 $\ensuremath{\mathbb O}$  NSAI 2010  $\qquad$  No copying without NSAI permission except as permitted by copyright law.

This is a free page sample. Access the full version online.

# I.S. EN 1999-1-2:2007+NA:2010

*Incorporating amendments/corrigenda issued since publication:* EN 1999-1-2:2007/AC:2009 NA to I.S. EN 1999-1-2:2007

<i>This document replaces:</i> ENV 1999-1-2:1998	<i>This document is</i> EN 1999-1-2:200 ENV 1999-1-2:19	This document is based on:         Public           EN 1999-1-2:2007+NA:2010         28 Fe           ENV 1999-1-2:1998         20 N		n <i>ed:</i> ruary, 2007 1, 1998	
This document was publ under the authority of th and comes into effect or 25 March, 2010	ished e NSAI I:			ICS number: 91.010.30 91.080.10	
NSAI 1 Swift Square, T +353 1 807 3800 Northwood, Santry F +353 1 807 3838 Dublin 9 E standards@nsai.ie W NSAI.ie		<b>Sales:</b> T +353 1 8 F +353 1 8 W standard	57 6730 57 6729 ds.ie		
Údarás um Chaighdeáin Náisiúnta na hÉireann					

# EUROPEAN STANDARD

# EN 1999-1-2:2007/AC

# NORME EUROPÉENNE

# **EUROPÄISCHE NORM**

October 2009 Octobre 2009 Oktober 2009

**ICS** 91.010.30; 91.080.10

#### English version Version Française Deutsche Fassung

Eurocode 9 - Design of aluminium structures - Part 1-2: Structural fire design

Eurocode 9 - Calcul des structures en aluminium - Partie 1-2: Calcul du comportement au feu Eurocode 9 - Bemessung und Konstruktion von Aluminiumtragwerken - Teil 1-2: Tragwerksbemessung für den Brandfall

This corrigendum becomes effective on 14 October 2009 for incorporation in the three official language versions of the EN.

Ce corrigendum prendra effet le 14 octobre 2009 pour incorporation dans les trois versions linguistiques officielles de la EN.

Die Berichtigung tritt am 14.Oktober 2009 zur Einarbeitung in die drei offiziellen Sprachfassungen der EN in Kraft.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2009 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members. Tous droits d'exploitation sous quelque forme et de quelque manière que ce soit réservés dans le monde entier aux membres nationaux du CEN. Alle Rechte der Verwertung, gleich in welcher Form und in welchem Verfahren, sind weltweit den nationalen Mitgliedern

Alle Rechte der Verwertung, gleich in welcher Form und in welchem Verfahren, sind weltweit den nationalen Mitgliedern von CEN vorbehalten.

# EN 1999-1-2:2007/AC:2009 (E)

# 1) Modifications to 1.2

Paragraph "(1)", delete the whole reference to "ENV 13381-1".

```
Paragraph "(1)", end of the paragraph, add the following reference:
```

CEN/TS 13381- Test methods for determining the contribution to the fire resistance of structural members – Part 1: Horizontal protective membranes

Paragraph "(1)", reference to "EN 1090-3", delete Footnote "6".

# 2) Modification to 4.2

Replace equation numbers from "(4.7)" to "(4.16)" with equation numbers from "(4.5)" to "(4.14)".

# 3) Modification to 4.2.1

Paragraph "(1)P", Equation " $E_{fi,d} \le R_{fi,d,t}$ ", add the number "(4.1)" thus:

$$"E_{\mathrm{fi},\mathrm{d}} \leq R_{\mathrm{fi},\mathrm{d},\mathrm{t}} \tag{4.1}".$$

## 4) Modification to 4.2.2.2

Paragraph "(2)", Equation " $N_{f_{i,\theta,Rd}} = k_{o,\theta} N_{Rd} (\gamma_{Mx} / \gamma_{M,f_i})$ ", add the number "(4.3)" to the equation thus:

 $"N_{\rm fi,\theta,Rd} = k_{\rm o,\theta} N_{\rm Rd} (\gamma_{\rm Mx}/\gamma_{\rm M,fi})$ 

## 5) Modification to 4.2.2.3

Paragraph "(5)", "NOTE", replace "(4.7), (4.9) and (4.10)" with "(4.5), (4.7) and (4.8)".

## 6) Modification to 4.2.2.4

Paragraph "(5)", "NOTE", replace "(4.11)" with "(4.9)".

## 7) Modifications to 4.2.3.1

Paragraph "(5)", replace "(4.12)" with "(4.10)".

"Table 3", 3rd row, 2nd column, equation, replace "b+h" with "(b+h)".

"Table 3", 4th row, 2nd column, equation, replace "b+h" with "(b+h)".

## 8) Modifications to 4.2.3.3

Paragraph "(3)", replace "ENV 13381-1" with "CEN/TS 13381-1".

Paragraph "(4)", replace "ENV 13381-1" with "CEN/TS 13381-1".

Paragraph "(5)", replace "ENV 13381-1" with "CEN/TS 13381-1".

(4.3)".

EN 1999-1-2:2007/AC:2009 (E)

# 9) Modification to B.5.1.3

Paragraph "(3)", replace "EN1991-1.2" with "EN 1991-1-2".

# National Foreword

This Irish Standard is the official English language version of EN 1999-1-2:2007, prepared by Technical Committee CEN TC 250 "Structural Eurocodes". This document supersedes ENV 1999-1-2:1998.

This standard forms part of a package of 58 Eurocodes, which covers the basis of structural design, actions (loadings), the main structural materials, geotechnical design and design provisions for earthquakes. The European Commission document – Guidance Paper L – Application and Use of Eurocodes provides guidance on the elaboration, implementation and use of Eurocodes.

Where a normative part of this EN allows for a choice to be made at the national level the range, possible choices are given in the normative text, and a Note will qualify it as a Nationally Determined Parameter (NDP).

To enable EN 1999-1-2 to be used in Ireland the Nationally Determined Parameters will be published in a National Annex after public consultation has taken place.

Until the National Annex is available, publication of this European Standard is solely for education/training purposes and this standard should not be used in project design until the relevant National Annex is available.

Note: For use of this European Standard after publication of the Irish National Annex

I.S. EN 1999-1-2:2007 may now be used in Ireland. The Nationally Determined Parameters, which have been prepared by the NSAI National Eurocode Advisory Committee, are included as an informative annex to the standard.

The National Annex to I.S. EN 1999-1-2:2007 is also available as a separate publication as recommended in Guidance Paper L.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document

# EUROPEAN STANDARD NORME EUROPÉENNE

# EN 1999-1-2

# EUROPÄISCHE NORM

February 2007

ICS 91.010.30; 91.080.10

Supersedes ENV 1999-1-2:1998

**English Version** 

# Eurocode 9 - Design of aluminium structures - Part 1-2: Structural fire design

Eurocode 9 - Calcul des structures en aluminium - Partie 1-2: Calcul du comportement au feu Eurocode 9 - Bemessung und Konstruktion von Aluminiumtragwerken - Teil 1-2: Tragwerksbemessung für den Brandfall

This European Standard was approved by CEN on 18 September 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovakia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

© 2007 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN 1999-1-2:2007: E

EN 1999-1-2:2007 (E)

# Contents

Foreword4			
1         General	10 10 10 10 11		
<ul> <li>1.4 Distinction between principles and application rules</li></ul>	11 12 12 12 12 12 13 13		
2Basis of design2.1Requirements2.1.1Basic requirements2.1.2Nominal fire exposure2.1.3Parametric fire exposure2.1.3Parametric fire exposure2.2Actions2.3Design values of material properties2.4Verification methods2.4.1General2.4.2Member analysis2.4.3Analysis of part of the structure2.4.4Global structural analysis	15 15 15 16 16 16 16 17 18		
3       Material         3.1       General         3.2       Mechanical properties of aluminium alloys         3.2.1       Strength and deformation properties         3.2.2       Unit mass         3.3       Thermal properties         3.3.1       Aluminium alloys         3.3.2       Fire protection materials	19 19 19 22 22 22 24		
4       Structural fire design	24 25 25 25 34 35 35 36		
Annex A (informative) Properties of aluminium alloys and/or tempers not listed in EN 1999-1-1	37		
Annex B (informative) Heat transfer to external structural aluminium members         B.1       General	38 38		

B.1.1	Basis	38
B.1.2	Conventions for dimensions	38
B.1.3	Heat balance	38
B.1.4	Overall configuration factors	40
B.2	Column not engulfed in flame	41
B.2.1	Radiative heat transfer	41
B.2.2	Flame emissivity	42
B.2.3	Flame temperature	46
B.2.4	Flame absorptivity	47
B.3	Beam not engulfed in flame	47
B.3.1	Radiative heat transfer	47
B.3.2	Flame emissivity	49
B.3.3	Flame temperature	50
B.3.4	Flame absorptivity	50
B.4	Column engulfed in flame	50
B.5	Beam fully or partially engulfed in flame	53
B.5.1	Radiative heat transfer	53
B.5.2	Flame emissivity	57
B.5.3	Flame absorptivity	57

# Foreword

This European Standard (EN 1999-1-2:2007) has been prepared by Technical Committee CEN/TC 250 "Structural Eurocodes", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2007, and conflicting national standard shall be withdrawn at the latest by March 2010.

This European Standard supersedes ENV 1999-1-2:1998

CEN/TC 250 is responsible for all Structural Eurocodes

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

#### Background of the Eurocode programme

In 1975, the Commission of the European Community decided on an action programme in the field of construction, based on article 95 of the Treaty. The objective of the programme was the elimination of technical obstacles to trade and the harmonisation of technical specifications.

Within this action programme, the Commission took the initiative to establish a set of harmonised technical rules for the design of construction works which, in a first stage, would serve as an alternative to the national rules in force in the Member States and, ultimately, would replace them.

For fifteen years, the Commission, with the help of a Steering Committee with Representatives of Member States, conducted the development of the Eurocodes programme, which led to the first generation of European codes in the 1980s.

In 1989, the Commission and the Member States of the EU and EFTA decided, on the basis of an agreement<sup>1</sup> between the Commission and CEN, to transfer the preparation and the publication of the Eurocodes to the CEN through a series of Mandates, in order to provide them with a future status of European Standard (EN). This links de facto the Eurocodes with the provisions of all the Council's Directives and/or Commission's Decisions dealing with European standards (e.g. the Council Directive 89/106/EEC on construction products - CPD - and Council Directives 93/37/EEC, 92/50/EEC and 89/440/EEC on public works and services and equivalent EFTA Directives initiated in pursuit of setting up the internal market).

The Structural Eurocode programme comprises the following standards generally consisting of a number of Parts:

- EN 1990 Eurocode 0: Basis of Structural Design
- EN 1991 Eurocode 1: Actions on structures

Agreement between the Commission of the European Communities and the European Committee for Standardisation (CEN) concerning the work on EUROCODES for the design of building and civil engineering works (BC/CEN/03/89).

EN 1992	Eurocode 2:	Design of concrete structures
EN 1993	Eurocode 3:	Design of steel structures
EN 1994	Eurocode 4:	Design of composite steel and concrete structures
EN 1995	Eurocode 5:	Design of timber structures
EN 1996	Eurocode 6:	Design of masonry structures
EN 1997	Eurocode 7:	Geotechnical design
EN 1998	Eurocode 8:	Design of structures for earthquake resistance
EN 1999	Eurocode 9:	Design of aluminium structures

Eurocode standards recognise the responsibility of regulatory authorities in each Member State and have safeguarded their right to determine values related to regulatory safety matters at national level where these continue to vary from State to State.

#### Status and field of application of Eurocodes

......

The Member States of the EU and EFTA recognise that Eurocodes serve as reference documents for the following purposes:

- as a means to prove compliance of building and civil engineering works with the essential requirements of Council Directive 89/106/EEC, particularly Essential Requirement No.1 – Mechanical resistance and stability, and Essential Requirement No 2 – Safety in case of fire
- as a basis for specifying contracts for the execution of construction works and related engineering services
- as a framework for drawing up harmonised technical specifications for construction products (En's and ETA's)

The Eurocodes, as far as they concern the construction works themselves, have a direct relationship with the Interpretative Documents<sup>2</sup> referred to in Article 12 of the CPD, although they are of a different nature from harmonised product standards<sup>3</sup>. Therefore, technical aspects arising from the Eurocodes work need to be adequately considered by CEN Technical Committees and/or EOTA Working Groups working on product standards with a view to achieving full compatibility of these technical specifications with the Eurocodes.

The Eurocode standards provide common structural design rules for everyday use for the design of whole structures and component products of both a traditional and an innovative nature. Unusual forms of construction or design conditions are not specifically covered and additional expert consideration will be required by the designer in such cases.

<sup>&</sup>lt;sup>2</sup> According to Art. 3.3 of the CPD, the essential requirements (ERs) shall be given concrete form in interpretative documents for the creation of the necessary links between the essential requirements and the mandates for harmonised ENs and ETAGs/ETAs.

According to Art. 12 of the CPD the interpretative documents shall :

a) give concrete form to the essential requirements by harmonising the terminology and the technical bases and indicating classes or levels for each requirement where necessary;

b) indicate methods of correlating these classes or levels of requirement with the technical specifications, e.g. methods of calculation and of proof, technical rules for project design, etc.;

c) serve as a reference for the establishment of harmonised standards and guidelines for European technical approvals.

The Eurocodes, *de facto*, play a similar role in the field of the ER 1 and a part of ER 2.

#### National standards implementing Eurocodes

The National Standards implementing Eurocodes will comprise the full text of the Eurocode (including any Annexes), as published by CEN, which may be preceded by a National title page and National foreword, and may be followed by a National Annex (informative).

The National Annex (informative) may only contain information on those parameters which are left open in the Eurocode for national choice, known as Nationally Determined Parameters, to be used for the design of buildings and civil engineering works to be constructed in the country concerned, i.e.:

- values for partial factors and/or classes where alternatives are given in the Eurocode;
- values to be used where a symbol only is given in the Eurocode;
- geographical and climatic data specific to the Member State, e.g. snow map;
- the procedure to be used where alternative procedures are given in the Eurocode;
- references to non-contradictory complementary information to assist the user to apply the Eurocode.

#### Links between Eurocodes and harmonised technical specifications (EN's and ETA's) for products

There is a need for consistency between the harmonised technical specifications for construction products and the technical rules for works<sup>4</sup>. Furthermore, all the information accompanying the CE Marking of the construction products which refer to Eurocodes shall clearly mention which Nationally Determined Parameters have been taken into account.

#### Additional information specific to EN 1999-1-2

EN 1999-1-2 describes the principles, requirements and rules for the structural design of buildings exposed to fire, including the following aspects.

#### Safety requirements

EN 1999-1-2 is intended for owners of construction works (e.g. for the formulation of their specific requirements), designers, contractors and relevant authorities.

The general objectives of fire protection are to limit risks with respect to the individual and society, neighbouring property, and where required, environment or directly exposed property, in the case of fire.

Construction Products Directive 89/106/EEC gives the following essential requirement for the limitation of fire risks:

"The construction works must be designed and build in such a way, that in the event of an outbreak of fire

- the load bearing resistance of the construction can be assumed for a specified period of time;
- the generation and spread of fire and smoke within the works are limited;
- the spread of fire to neighbouring construction works is limited;

see Art.3.3 and Art.12 of the CPD, as well as clauses 4.2, 4.3.1, 4.3.2 and 5.2 of ID 1.

- the occupants can leave the works or can be rescued by other means;
- the safety of rescue teams is taken into consideration".

According to the Interpretative Document N° 2 "Safety in case of fire<sup>5</sup>" the essential requirement may be observed by following various possibilities for fire safety strategies prevailing in the Member States like conventional fire scenarios (nominal fires) or "natural" (parametric) fire scenarios, including passive and/or active fire protection measures.

The fire parts of Structural Eurocodes deal with specific aspects of passive fire protection in terms of designing structures and parts thereof for adequate load bearing resistance and for limiting fire spread as relevant.

Required functions and levels of performance can be specified either in terms of nominal (standard) fire resistance rating, generally given in national fire regulations or by referring to fire safety engineering for assessing passive and active measures.

Supplementary requirements concerning, for example

- the possible installation and maintenance of sprinkler systems;
- conditions on occupancy of building or fire compartment;
- the use of approved insulation and coating materials, including their maintenance.

are not given in this document, because they are subject to specification by the competent authority.

Numerical values for partial factors and other reliability elements are given as recommended values that provide an acceptable level of reliability. They have been selected assuming that an appropriate level of workmanship and of quality management applies.

#### Design procedures

A full analytical procedure for structural fire design would take into account the behaviour of the structural system at elevated temperatures, the potential heat exposure and the beneficial effects of active and passive fire protection systems, together with the uncertainties associated with these three features and the importance of the structure (consequences of failure).

At the present time it is possible to undertake a procedure for determining adequate performance which incorporates some, if not all, of these parameters and to demonstrate that the structure, or its components, will give adequate performance in a real building fire. However, where the procedure is based on a nominal (standard) fire the classification system, which call for specific periods of fire resistance, takes into account (though not explicitly), the features and uncertainties described above.

The design procedure for structural fire design is illustrated in Figure 0.1. The prescriptive approach and the performance-based approach are identified. The prescriptive approach uses nominal fires to generate thermal actions. The performance-based approach, using fire safety engineering, refers to thermal actions based on physical and chemical parameters.

NOTE Tabulated data, as shown in Figure 0.1, are not available for aluminium components.

For design according to this part, EN 1991-1-2 is required for the determination of thermal and mechanical actions to the structure.

<sup>&</sup>lt;sup>5</sup> see clause 2.2, 3.2(4) and 4.2.3.3

EN 1999-1-2:2007 (E)

#### Design aids

It is expected, that design aids based on the calculation models given in EN 1999-1-2, will be prepared by interested external organizations.

The main text of EN 1999-1-2 together with normative Annexes includes most of the principal concepts and rules necessary for structural fire design of aluminium structures.

### National Annex for EN 1999-1-2

This standard gives alternative procedures, values and recommendations for classes with notes indicating where national choices may have to be made. Therefore the National Standard implementing EN 1999-1-2 should have a National Annex containing the Eurocode all Nationally Determined Parameters to be used for the design of buildings and civil engineering works to be constructed in the relevant country.

National choice is allowed in EN 1999-1-2 through clauses:

2.3 (1)

2.3 (2)

- 2.4.2 (3)
- 4.2.2.1 (1)
- 4.2.2.3 (5)
- 4.2.2.4 (5)



Figure 0.1 – A general illustration of the design procedure for structural fire design

### 1 General

### 1.1 Scope

#### 1.1.1 Scope of EN 1999

(1)P EN 1999 applies to the design of buildings and civil engineering works in aluminium. It complies with the principles and requirements for the safety and serviceability of structures, the basis of their design and verification that are given in EN 1990 – Basis of structural design.

(2)P EN 1999 is only concerned with requirements for resistance, serviceability, durability and fire resistance of aluminium structures. Other requirements, e.g. concerning thermal or sound insulation, are not considered.

- (3) EN 1999 is intended to be used in conjunction with:
- EN 1990 "Basis of structural design"
- EN 1991 "Actions on structures", all relevant parts
- European Standards for construction products relevant for aluminium structures
- EN 1998 "Design of structures for earthquake resistance", where aluminium structures are built in seismic regions
- (4) EN 1999 is subdivided in five parts:
- EN 1999-1-1 Design of aluminium structures: General structural rules
- EN 1999-1-2 Design of aluminium structures: Structural fire design
- EN 1999-1-3 Design of aluminium structures: Structures susceptible to fatigue
- EN 1999-1-4 Design of aluminium structures: Cold formed structural sheeting
- EN 1999-1-5 Design of aluminium structures: Shell structures

### 1.1.2 Scope of EN 1999-1-2

(1) EN 1999-1-2 deals with the design of aluminium structures for the accidental situation of fire exposure and is intended to be used in conjunction with EN 1999-1-1 and EN 1991-1-2. EN1999-1-2 only identifies differences from, or supplements to, normal temperature design.

(2) EN 1999-1-2 deals only with passive methods of fire protection. Active methods are not covered.

(3) EN 1999-1-2 applies to aluminium structures that are required to fulfil load bearing function if exposed to fire, in terms of avoiding premature collapse of the structure.

NOTE This part does not include rules for separating elements.

(4) EN 1999-1-2 gives principles and application rules for design of structures for specified requirements in respect of the load bearing function and the levels of performance.

(5) EN 1999-1-2 applies to structures, or parts of structures, that are within the scope of EN 1999-1-1 and are designed accordingly.

(6) The aluminium alloy properties given in the Part 1-2 of EN 1999 apply to the following aluminium alloys:

EN AW-3004 – H34	EN AW-5083 – O and H12	EN AW-6063 – T5 and T6
EN AW-5005 – O and H34	EN AW-5454 – O and H34	EN AW-6082 – T4 and T6
EN AW-5052 – H34	EN AW-6061 – T6	

(7) The methods given in EN 1999-1-2 are applicable also to the other aluminium alloy/tempers of EN 1999-1-1 if reliable material properties at elevated temperatures are available or the simplified assumptions in 3.2.1 are applied.

### **1.2 Normative references**

(1) This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only if incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

- EN 485-2 Aluminium and aluminium alloys. Sheet, strip and plate. Part 2: Mechanical properties
- EN 755-2 Aluminium and aluminium alloys. Extruded rod/bar, tube and profiles. Part 2: Mechanical properties
- EN 1990 Basis of structural design
- EN 1991-1-2 Basis of design and actions on structures Part 1-2: Actions on structures exposed to fire
- EN 1999-1-1 Design of aluminium structures: Part 1-1: General structural rules
- EN 1090-3<sup>6</sup> Execution of steel structures and aluminium structures Part 3: Technical requirements for aluminium structures
- EN 13501-2 Fire classification of construction products and building elements. Part 2 Classification using data from fire resistance tests
- ENV 13381-1 Fire tests on elements of building construction: Part 1: Test method for determining the contribution to the fire resistance of structural members: By horizontal protective membranes
- ENV 13381-2 Fire tests on elements of building construction. Part 2: Test method for determining the contribution to the fire resistance of structural members: By vertical protective membranes.
- ENV13381-4 Fire tests on elements of building construction. Part 4: Test method for determining the contribution to the fire resistance of structural members: By applied protection to steel structural elements.

### 1.3 Assumptions

(1) In addition to the general assumptions of EN 1990 the following assumption applies: Any passive fire protection systems taken into account in the design will be adequately maintained.

### **1.4** Distinction between principles and application rules

(1) The rules given in EN 1990 1.4 apply.

<sup>&</sup>lt;sup>6</sup> to be published



This is a free preview. Purchase the entire publication at the link below:

**Product Page** 

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation