



National Standards Authority of Ireland

IRISH STANDARD

I.S. EN 50090-4-1:2004

ICS 35.100.70;9

National Standards
Authority of Ireland
Dublin 9
Ireland

Tel: (01) 807 3800
Tel: (01) 807 3838

HOME AND BUILDING ELECTRONIC

SYSTEMS (HBES), PART 4-1: MEDIA

INDEPENDENT LAYERS - APPLICATION

LAYER FOR HBES CLASS 1

This Irish Standard was published under the authority of the National Standards Authority of Ireland and comes into effect on:

March 26, 2004

**NO COPYING WITHOUT NSAI
PERMISSION EXCEPT AS
PERMITTED BY COPYRIGHT
LAW**

© NSAI 2004

Price Code W

Údarás um Chaighdeán Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 50090-4-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2004

ICS 35.100.70; 97.120

Supersedes R205-007:1996

English version

**Home and Building Electronic Systems (HBES)
Part 4-1: Media independent layers –
Application layer for HBES Class 1**

Systèmes électroniques pour les foyers
domestiques et les bâtiments (HBES)
Partie 4-1: Couches indépendantes
des media –
Couche application pour HBES Classe 1

Elektrische Systemtechnik für Heim
und Gebäude (ESHG)
Teil 4-1: Medienunabhängige Schicht –
Anwendungsschicht für ESHG Klasse 1

This European Standard was approved by CENELEC on 2003-12-02. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in one official version (English). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official version.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Contents

Foreword.....	4
Introduction	5
1 Scope	5
2 Normative references	5
3 Terms, definitions and abbreviations	5
3.1 Terms and definitions.....	5
3.2 Abbreviations	6
4 Services of the application layer	6
4.1 Communication modes	6
4.2 Service primitives of the application layer.....	7
5 Application layer Protocol Data Unit (APDU)	8
6 Application layer services.....	11
6.1 Application layer services on multicast communication mode.....	11
6.2 Application layer services on broadcast communication mode	17
6.3 Application layer services on point-to-point connection-less communication mode.....	36
6.4 Application layer services on point-to-point connection-oriented communication mode	51
6.5 Router-specific application layer services on point-to-point connection-oriented communication mode	79
7 Parameters of application layer.....	80
7.1 Association table	80
7.2 Verify flag	80
Figure 1 – Interaction of the application layer for services that are not remote confirmed	7
Figure 2 – Interaction of the application layer for services that are remote confirmed	8
Figure 3 – APDU (example)	8
Figure 4 – Mapping the ASAP to the TSAP (example)	11
Figure 5 – Mapping a TSAP to an ASAP	11
Figure 6 – Handling requests and responses.....	11
Figure 7 – Message flow for the A_Group_Value_Read service	12
Figure 8 – A_GroupValue_Read-PDU (example)	12
Figure 9 – A_GroupValue_Response-PDU (example), length of ASAP data is more than 6 bit	13
Figure 10 – A_GroupValue_Response-PDU (example) length of ASAP data is 6 bit or less.....	13
Figure 11 – Message flow for the A_Group_Value_Write service	15
Figure 12 – A_GroupValue_Write-PDU (example), length of ASAP data is more than 6 bit	16
Figure 13 – A_GroupValue_Write-PDU (example), length of ASAP data is 6 bit or less	16
Figure 14 – A_IndividualAddress_Write-PDU (example)	17
Figure 15 – A_IndividualAddress_Read-PDU (example).....	19
Figure 16 – A_IndividualAddress_Response-PDU (example)	19
Figure 17 – Message flow for the A_IndividualAddressSerialNumber_Read service.....	21
Figure 18 – A_IndividualAddressSerialNumber_Read-PDU (example).....	22
Figure 19 – A_IndividualAddressSerialNumber_Response-PDU (example)	22
Figure 20 – A_IndividualAddressSerialNumber_Write-PDU (example).....	24
Figure 21 – A_ServiceInformation_Indication_Write-PDU (example)	26

Figure 22 – A_DomainAddress_Write-PDU	27
Figure 23 – A_DomainAddress_Read-PDU (example).....	29
Figure 24 – A_DomainAddress_Response-PDU (example).....	29
Figure 25 – A_DomainAddressSelective_Read-PDU (example).....	31
Figure 26 – A_NetworkParameter_Read-PDU (example)	32
Figure 27 – A_NetworkParameter_Response-PDU (example).....	33
Figure 28 – A_NetworkParameter_Write-PDU (example)	35
Figure 29 – A_PropertyValue_Read-PDU (example)	37
Figure 30 – A_PropertyValue_Response-PDU (example)	37
Figure 31 – A_PropertyValue_Write-PDU (example).....	40
Figure 32 – A_PropertyDescription_Read-PDU (example).....	43
Figure 33 – A_PropertyDescription_Response-PDU (example)	43
Figure 34 – A_DeviceDescriptor_Read-PDU (example)	46
Figure 35 – A_DeviceDescriptor_Response-PDU (example)	47
Figure 36 – Message flow for A_Link_Read Service	48
Figure 37 – A_Link_Read-PDU (example).....	49
Figure 38 – A_Link_Response-PDU	49
Figure 39 – Message flow for A_Link_Write Service	50
Figure 40 – A_Link_Write-PDU	50
Figure 41 – A_ADC_Read-PDU (example).....	52
Figure 42 – A_ADC_Response-PDU (example)	52
Figure 43 – A_Memory_Read-PDU (example)	54
Figure 44 – A_Memory_Response-PDU (example)	55
Figure 45 – A_Memory_Write-PDU (example).....	57
Figure 46 – A_MemoryBit_Write-PDU	60
Figure 47 – A_UserMemory_Read-PDU (example).....	63
Figure 48 – A_UserMemory_Response-PDU	63
Figure 49 – A_UserMemory_Write-PDU	66
Figure 50 – A_UserMemoryBit_Write-PDU (example).....	69
Figure 51 – A_UserManufacturerInfo_Read-PDU (example)	72
Figure 52 – A_UserManufacturerInfo_Response-PDU	72
Figure 53 – A_Restart-PDU (example)	74
Figure 54 – A_Authorize_Request-PDU (example)	75
Figure 55 – A_Authorize_Response-PDU (example)	76
Figure 56 – A_Key_Write-PDU (example)	78
Figure 57 – A_Key_Response-PDU (example)	78
Table 1 – APCI overview	9
Table 2 – Function table for A_MemoryBit_Write-Services	59
Table 3 – Function table for A_UserMemoryBit_Write-Services.....	68
Table 4 – Association table of keys to access levels	77



This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- Looking for additional Standards? Visit Intertek Inform Infostore
- Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation