



National Standards Authority of Ireland
Údarás um Chaighdeán Náisiúnta na hÉireann

IRISH STANDARD

I.S. 54-24:2008

ICS 13.310

National Standards
Authority of Ireland
Northwood, Dublin 9
Ireland

Tel: +353 1 807 3800
Fax: +353 1 807 3838
<http://www.nsai.ie>

Sales

<http://www.standards.ie>

**FIRE DETECTION AND FIRE ALARM
SYSTEMS - PART 24: COMPONENTS OF
VOICE ALARM SYSTEMS - LOUDSPEAKERS**

*This Irish Standard was
published under the authority
of the National Standards
Authority of Ireland and
comes into effect on:
25 June 2008*

**NO COPYING WITHOUT NSAI
PERMISSION EXCEPT AS
PERMITTED BY COPYRIGHT
LAW**

© NSAI 2008

Price Code Q

Údarás um Chaighdeán Náisiúnta na hÉireann

This page is intentionally left BLANK.

ICS 13.310

English Version

Fire detection and fire alarm systems - Part 24: Components of voice alarm systems - Loudspeakers

Systèmes de détection et d'alarme incendie - Composants des systèmes d'alarme vocale - Partie 24 : Haut-parleurs

Brandmeldeanlagen - Teil 24: Komponenten für Sprachalarmierungssysteme - Lautsprecher

This European Standard was approved by CEN on 23 February 2008.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

Page

Foreword.....	4
Introduction	6
1 Scope	7
2 Normative references	7
3 Terms, definitions and abbreviations	8
3.1 Terms and definitions	8
3.2 Abbreviations	11
4 Requirements	11
4.1 Compliance.....	11
4.2 Frequency response limits	11
4.3 Durability	12
4.4 Construction.....	12
4.4.1 Provision for external conductors	12
4.4.2 Materials	12
4.4.3 Enclosure protection	12
4.4.4 Access	12
4.5 Marking and data	12
4.5.1 Marking	12
4.5.2 Information in the product data sheet	13
5 Tests.....	14
5.1 General.....	14
5.1.1 Atmospheric conditions for tests	14
5.1.2 Operating conditions for tests	14
5.1.3 Mounting arrangements	14
5.1.4 Tolerances	14
5.1.5 Frequency response measurement and sensitivity calculation	14
5.1.6 Frequency response measurement and sensitivity calculation for loudspeakers requiring dedicated system equalization.....	16
5.1.7 Provision for tests	16
5.1.8 Test schedule	16
5.2 Reproducibility.....	18
5.2.1 Object of the test.....	18
5.2.2 Test procedure	18
5.2.3 Test requirements.....	18
5.3 Rated impedance	18
5.3.1 Object of the test.....	18
5.3.2 Test procedure	18
5.3.3 Test requirements.....	19
5.4 Horizontal and vertical coverage angles	19
5.4.1 Object of the test.....	19
5.4.2 Test procedure	19
5.4.3 Test requirement.....	20
5.5 Maximum sound pressure level	20
5.5.1 Object of the test.....	20
5.5.2 Test procedure	20
5.5.3 Test requirements.....	20
5.6 Rated noise power (durability)	21
5.6.1 Object of the test.....	21
5.6.2 Test procedure	21

5.6.3	Test requirement:	21
5.7	Dry heat (operational)	21
5.7.1	Object of the test	21
5.7.2	Test procedure.....	22
5.7.3	Test requirements	22
5.8	Dry heat (endurance).....	22
5.8.1	Object of the test	22
5.8.2	Test procedure.....	23
5.8.3	Test requirements	23
5.9	Cold (operational).....	23
5.9.1	Object of the test	23
5.9.2	Test procedure.....	24
5.9.3	Test requirements	24
5.10	Damp heat, cyclic (operational)	25
5.10.1	Object of the test	25
5.10.2	Test procedure.....	25
5.10.3	Test requirements	25
5.11	Damp heat, steady state (endurance).....	26
5.11.1	Object of the test	26
5.11.2	Test procedure.....	26
5.11.3	Test requirements	26
5.12	Damp heat, cyclic (endurance)	27
5.12.1	Object of the test	27
5.12.2	Test procedure.....	27
5.12.3	Test requirements	27
5.13	Sulfur dioxide (SO ₂) corrosion (endurance)	28
5.13.1	Object of the test	28
5.13.2	Test procedure.....	28
5.13.3	Test requirements	28
5.14	Shock (operational)	29
5.14.1	Object of the test	29
5.14.2	Test procedure.....	29
5.14.3	Test requirements	29
5.15	Impact (operational)	30
5.15.1	Object of the test	30
5.15.2	Test procedure.....	30
5.15.3	Test requirements	30
5.16	Vibration, sinusoidal (operational)	31
5.16.1	Object of the test	31
5.16.2	Test procedure.....	31
5.16.3	Test requirements	32
5.17	Vibration, sinusoidal (endurance)	32
5.17.1	Object of the test	32
5.17.2	Test procedure.....	32
5.17.3	Test requirements	33
5.18	Enclosure protection.....	33
5.18.1	Object of the tests	33
5.18.2	Enclosure of the loudspeaker	33
5.18.3	Test procedures.....	33
5.18.4	Test requirements	34
Annex A (normative) Acoustical measurements		35
Annex B (normative) Measuring rated noise power (durability).....		41
Annex C (informative) Loudspeaker references.....		48
Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive (89/106/EEC)		50

Foreword

This document (EN 54-24:2008) has been prepared by Technical Committee CEN/TC 72 "Fire detection and fire alarm systems", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2008, and conflicting national standards shall be withdrawn at the latest by April 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

EN 54 *Fire detection and fire alarm systems* consists of the following parts:

- *Part 1: Introduction*
- *Part 2: Control and indicating equipment*
- *Part 3: Fire alarm devices – Sounders*
- *Part 4: Power supply equipment*
- *Part 5: Heat detectors – Point detectors*
- *Part 7: Smoke detectors – Point detectors using scattered light, transmitted light or ionization*
- *Part 10: Flame detectors – Point detectors*
- *Part 11: Manual call points*
- *Part 12: Smoke detectors – Line detectors using an optical light beam*
- *Part 13: Compatibility assessment of system components*
- *Part 14: Guidelines for planning, design, installation, commissioning, use and maintenance*
- *Part 15: Point detectors using a combination of detected phenomena*
- *Part 16: Voice alarm control and indicating equipment*
- *Part 17: Short-circuit isolators*
- *Part 18: Input/output devices*
- *Part 20: Aspirating smoke detectors*
- *Part 21: Alarm transmission and fault warning routine equipment*

- *Part 22: Resettable line-type heat detectors*
- *Part 23: Fire alarm devices – Visual alarms*
- *Part 24: Components of voice alarm systems – Loudspeakers*
- *Part 25: Components using radio links*
- *Part 26: Point fire detectors using carbon monoxide sensors¹⁾*
- *Part 27: Duct smoke detectors¹⁾*

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

1) Under preparation.

Introduction

The purpose of a voice alarm loudspeaker as a component of a voice alarm system is to provide intelligible warning to person(s) within, or in the vicinity of, a building in which a fire emergency has occurred and to enable such person(s) to take appropriate measures against a pre-determined evacuation plan.

The primary reason for using a voice alarm system instead of the coded warnings given by sounders is to reduce the time taken for those at risk to recognize that an emergency exists, and to give clear instructions on what to do next. This means that voice alarm loudspeakers need to achieve a minimum acoustical performance, as well as constructional and environmental requirements, to be suitable for use in fire detection and fire alarm systems.

This standard recognizes that the exact nature of the acoustical requirements for voice alarm loudspeakers will vary according to the nature of the space into which there are installed. It therefore specifies the minimum requirements that apply to voice alarm loudspeakers and a common method for testing their operational performance against parameters specified by the manufacturers.

This European Standard gives common requirements for the construction and robustness of voice alarm loudspeakers as well as their performance under climatic and mechanical conditions which are likely to occur in the service environment. As the types of loudspeaker considered in this European Standard are passive electromechanical devices not involving sensitive electronic circuits, electromagnetic compatibility (EMC) tests have not been included. The loudspeakers have been classified in either an indoor or an outdoor application environment category.

This European Standard requires that manufacturers specify certain characteristics in a consistent manner so that designers can make objective decisions about which loudspeaker to use in specific applications.

1 Scope

This European Standard specifies requirements, test methods and performance criteria for loudspeakers intended to broadcast a warning of fire between a fire detection and fire alarm system and the occupants of a building.

This European Standard specifies loudspeakers for two types of application environment: type A, generally for indoor use and type B, generally for outdoor use.

This European Standard does not cover loudspeakers for special applications, for example loudspeaker for use in hazardous applications, if such applications require additional or other requirements or tests than those given in this European Standard.

This European Standard is not intended to cover addressable loudspeakers, loudspeakers with active components.

Voice alarm sounders are covered in EN 54-3:2001.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 54-1:1996, *Fire detection and fire alarm systems — Part 1: Introduction*

EN 54-3:2001, *Fire detection and fire alarm systems — Part 3: Fire alarm devices — Sounders*

EN 60068-1:1994, *Environmental testing — Part 1: General and guidance (IEC 60068-1:1988 + Corrigendum 1988 + A1:1992)*

EN 60068-2-1:2007, *Environmental testing — Part 2-1: Tests — Test A: Cold (IEC 60068-2-1:2007)*

EN 60068-2-2:1993, *Basic environmental testing procedures — Part 2-2: Tests — Tests B — Dry heat (IEC 60068-2-2:1974 + IEC 60068-2-2 A:1976)*

EN 60068-2-2:1993/A1:1993, *Basic environmental testing procedures — Part 2-2: Tests — Tests B — Dry heat — (IEC 60068-2-2:1974/A1:1993)*

EN 60068-2-2:1993/A2:1994, *Basic environmental testing procedures — Part 2-2: Tests — Tests B — Dry heat — (IEC 60068-2-2:1974/A2:1994)*

EN 60068-2-6:1995, *Environmental testing — Part 2-6: Tests — Test Fc: Vibration (sinusoidal) (IEC 60068-2-6:1995 + Corrigendum 1995)*

EN 60068-2-27:1993, *Basic environmental testing procedures — Part 2: Tests — Test Ea and guidance: Shock (IEC 60068-2-27:1987)*

EN 60068-2-30:2005, *Environmental testing — Part 2-30: Tests — Test Db: Damp heat, cyclic (12 h + 12 h cycle) (IEC 60068-2-30:2005)*

EN 60068-2-42:2003, *Environmental testing — Part 2-42: Tests — Test Kc: Sulphur dioxide test for contacts and connections (IEC 60068-2-42:2003)*

EN 60068-2-75:1997, *Environmental testing — Part 2-75: Tests — Test Eh: Hammer (IEC 60068-2-75:1997)*

EN 60068-2-78:2001, *Environmental testing — Part 2-78: Tests — Test Cab: Damp heat, steady state (IEC 60068-2-78:2001)*

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-