



NSAI
Standards

Irish Standard
I.S. EN ISO 13606-5:2010

Health informatics - Electronic health record communication - Part 5: Interface specification (ISO 13606-5:2010)

I.S. EN ISO 13606-5:2010

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i>	<i>This document is based on:</i> EN ISO 13606-5:2010	<i>Published:</i> 1 March, 2010
This document was published under the authority of the NSAI and comes into effect on: 31 March, 2010		ICS number: 35.240.80
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeán Náisiúnta na hÉireann		

ICS 35.240.80

English Version

Health informatics - Electronic health record communication - Part 5: Interface specification (ISO 13606-5:2010)

Informatique de santé - Communication du dossier de
santé informatisé - Partie 5: Spécification d'interfaces (ISO
13606-5:2010)

Medizinische Informatik - Kommunikation von
Patientendaten in elektronischer Form - Teil 5: Nachrichten
für den Informationsaustausch (ISO 13606-5:2010)

This European Standard was approved by CEN on 13 February 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	3
----------------------	----------

Foreword

This document (EN ISO 13606-5:2010) has been prepared by Technical Committee CEN/TC 251 "Health informatics", the secretariat of which is held by NEN, in collaboration with Technical Committee ISO/TC 215 "Health informatics".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2010, and conflicting national standards shall be withdrawn at the latest by September 2010.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

This page is intentionally left BLANK.

I.S. EN ISO 13606-5:2010
**INTERNATIONAL
STANDARD**

**ISO
13606-5**

First edition
2010-03-01

**Health informatics — Electronic health
record communication —**

**Part 5:
Interface specification**

*Informatique de santé — Communication du dossier de santé
informatisé —*

Partie 5: Spécification d'interfaces



Reference number
ISO 13606-5:2010(E)

© ISO 2010

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope	1
2 Conformance	1
3 Terms and definitions	2
4 Abbreviated terms	5
5 Interactions	6
6 Interfaces.....	8
6.1 Interface: REQUEST_EHR_EXTRACT	8
6.2 Interface: REQUEST_ARCHETYPES	10
6.3 Interface: REQUEST_EHR_AUDIT_LOG_EXTRACT	12
6.4 Term lists.....	14
Bibliography.....	15

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 13606-5 was prepared by Technical Committee ISO/TC 215, *Health informatics*, and by Technical Committee CEN/TC 251, *Health informatics* in collaboration.

ISO 13606 consists of the following parts, under the general title *Health informatics — Electronic health record communication*:

- *Part 1: Reference model*
- *Part 2: Archetype interchange specification*
- *Part 3: Reference archetypes and term lists*
- *Part 4: Security* [Technical Specification]
- *Part 5: Interface specification*

Introduction

This part of ISO 13606 defines the interfaces by which an EHR_EXTRACT, an ARCHETYPE or an EHR_AUDIT_LOG_EXTRACT may be requested and provided.

The scope of this part of ISO 13606 has been considered carefully in order to achieve several objectives:

- to specify those interfaces that are unique to the ISO 13606 context, and not to include more generic health information communication interfaces that might be the scope of other standards and specifications;
- to specify the interfaces in ways that are compatible with the HISA standard (ISO 12967) and, in particular, to define these interfaces as specializations of HISA ISO 12967-3 interfaces;
- to specify the interfaces as a pure RM-ODP Computational Viewpoint, in order to support the wide range of engineering viewpoints that might be adopted by individual vendors or eHealth programmes; (it should be noted that ISO 13606-1, ISO 13606-2 and ISO 13606-4 define the corresponding Information Viewpoints, and that ISO/TS 18308 defines the corresponding Enterprise Viewpoint);
- to construct these interfaces such that they might easily be implemented as specializations of standard interfaces within the commonly used engineering languages such as Java, Visual Basic, dotnet, SOAP, ebXML, etc.;
- to work through the Joint SDO Initiative and Council on the production of Engineering Viewpoint Implementation Guides, that will define more specifically how to implement these interfaces; (e.g. in HL7 3); these guides will be published separately from this part of ISO 13606, to enable them to be maintained and updated more frequently (to reflect implementation experience) than is possible for a standard;
- to recognise that EHR communication will be implemented within a healthcare communications infrastructure, usually nationally, that will define a generalized approach to many other complementary and necessary services such as patient demographics registries, provider registries, authentication and authorization policies and services, etc.; these are therefore not part of the formal scope of this part of ISO 13606 but are referred to as being assumed and necessary complementary services;
- to assume that an ISO/TS 22600 (PMAC) compatible architecture or its equivalent will be used for managing security services, and not to duplicate or conflict with these services in this part of ISO 13606;
- to further support the protection of patient privacy by avoiding the need to reveal whether any EHR data have been withheld by the provider when responding to a request;
- to enable each interface and term set to be extended locally to cater for specialized circumstances of EHR communication, in which additional requirement constraints might apply.

This part of ISO 13606 defines a set of interfaces by which the artefacts defined in ISO 13606-1, ISO 13606-2 and ISO 13606-4 can be requested and provided:

- a) ISO 13606-1 defines a reference model for an EHR_EXTRACT: part or all of the EHR of a subject of care;
- b) ISO 13606-2 defines an information model for an ARCHETYPE, and optionally a serialized form represented using Archetype Definition Language;
- c) ISO 13606-4 defines an EHR_AUDIT_LOG_EXTRACT to communicate the audit log activity history pertaining to part or all of an EHR.

ISO 13606-5:2010(E)

(ISO 13606-3 defines term lists and reference archetypes, to which a direct interface is not required. ISO 13606-4 defines an access policy model to which a direct interface is also not required.)

This part of ISO 13606 defines three interfaces, one for each of a) to c) above, as a communication between an *EHR_requester* (wishing to and authorizing the communication of the artefact), an *EHR_provider* (a repository service that contains and can return the requested artefact) and an *EHR_recipient* who is intended and authorized to receive the artefact (usually but not always the same as the *EHR_requester*). In terms of the HISA standard, ISO 12967, these interfaces are all specializations of the Detail Basic Methods defined in ISO 12967-3.

These interfaces are all expressed as ODP Computational Viewpoint specifications, and aim to support implementation through many different Engineering Viewpoint (transport) formalisms, such as message protocols (e.g. EDIFACT, HL7 3) or service protocols (e.g. SOAP, Java RMI). This part of ISO 13606 therefore specifies only the “payload” information to be communicated at each interface. Attributes such as message identifiers, message time-stamping and message version management are normally defined and handled by each kind of transport protocol in particular ways, and this part of ISO 13606 therefore does not define its own duplication of this kind of information. It should be noted that the *EHR_EXTRACT* defined in ISO 13606-1, the *ARCHETYPE* defined in ISO 13606-2, and the *EHR_AUDIT_LOG_EXTRACT* defined in ISO 13606-4 all include time-stamping, authorship and version management information of the payload data as part of their information models.

Request acknowledgements and system/communication error messages are routinely handled by most engineering transport protocols. It is therefore not appropriate that this part of ISO 13606 duplicate these. An optional exception is defined to communicate back to the *EHR_requester* a reason why a request has been received but refused, if it is legitimate to reveal this without breaching confidentiality.

The *EHR_requester* will need to authenticate to the *EHR_provider* in ways that are to be locally determined, and will present authorization credentials that are also beyond the scope of this part of ISO 13606 but are specified in ISO/TS 22600 (PMAC). It is recognised that there may be times when an *EHR_requester* wishes the *EHR_provider* to “send” the *EHR_EXTRACT* to a third party. This part of ISO 13606 may be used within a delegation architecture, in which an *EHR_requester* acts on behalf of another party, but the representation and communication of the hierarchy of authorizations involved in delegation is a matter for the privilege management and access control architecture and does not directly impact on this part of ISO 13606. Alternatively, local arrangements may be made to securely communicate to a third party a unique reference for any particular *RECORD_COMPONENT* (e.g. for a particular letter or discharge summary, via the *ehr-id* and *rc_id* of the *COMPOSITION*) that the third party is recommended to and has permission to access directly, without therefore requiring the use of delegation.

A set of Implementation Guides is being developed to define how this part of ISO 13606 should be implemented within particular communications/transport standards. The first of these is expected to be for HL7 3, to be published and maintained by HL7.

Health informatics — Electronic health record communication —

Part 5: Interface specification

1 Scope

This part of ISO 13606 specifies the information architecture required for interoperable communications between systems and services that need or provide EHR data. This part of ISO 13606 is not intended to specify the internal architecture or database design of such systems.

The subject of the record or record extract to be communicated is an individual person, and the scope of the communication is predominantly with respect to that person's care.

Uses of healthcare records for other purposes such as administration, management, research and epidemiology, which require aggregations of individual people's records, are not the focus of this part of ISO 13606, but such secondary uses could also find this document useful.

This part of ISO 13606 defines a set of interfaces to request and provide:

- an EHR_EXTRACT for a given subject of care as defined in ISO 13606-1;
- one or more ARCHETYPE(s) as defined in ISO 13606-2;
- an EHR_AUDIT_LOG_EXTRACT for a given subject of care as defined in ISO/TS 13606-4.

This part of ISO 13606 defines the set of interactions for requesting each of these artefacts, and for providing the data to the requesting party or declining the request. An interface to query an EHR or populations of EHRs, for example for clinical audit or research, are beyond its scope, although provision is made for certain selection criteria to be specified when requesting an EHR_EXTRACT which might also serve for population queries.

This part of ISO 13606 defines the Computational Viewpoint for each interface, without specifying or restricting particular engineering approaches to implement these as messages or as service interfaces.

This part of ISO 13606 effectively defines the payload to be communicated at each interface. It does not specify the particular information that different transport protocols will additionally require, nor the security or authentication procedures that might be agreed between the communicating parties or required by different jurisdictions.

2 Conformance

2.1 A message or service interface that serves to request part or all of the EHR of a subject of care shall include all of the information specified as mandatory in 6.1, and may include any of the information specified as optional in 6.1. An EHR_provider shall be able to receive and process all of the mandatory and optional parameters in the request. The provision of an EHR_EXTRACT in response to this request, or the refusal to do so, shall conform to 6.1.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-