This is a free page sample. Access the full version online.



Irish Standard I.S. EN ISO 15136-1:2009

Petroleum and natural gas industries -Progressing cavity pump systems for artificial lift - Part 1: Pumps (ISO 15136 -1:2009)

© NSAI 2009 No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda issued since publication:

| <i>This document replaces:</i> EN ISO 15136-1:2001 | <i>This document is b</i> EN ISO 15136-1:20 EN ISO 15136-1:20 | | | <i>hed:</i> vember, 2009 cember, 2001 | |
|---|---|---|--|---|--|
| This document was published under the authority of the NS. and comes into effect on: 17 December, 2009 | | | | ICS number: 75.180.10 | |
| Northwood, Santry Dublin 9 | 7 +353 1 807 3800 7 +353 1 807 3838 8 standards@nsai.ie W NSAI.ie | Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie | | | |
| Údarás um Chaighdeáin Náisiúnta na hÉireann | | | | | |

EUROPEAN STANDARD

EN ISO 15136-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

November 2009

ICS 75.180.10

Supersedes EN ISO 15136-1:2001

English Version

Petroleum and natural gas industries - Progressing cavity pump systems for artificial lift - Part 1: Pumps (ISO 15136-1:2009)

Industries du pétrole et du gaz naturel - Pompes de fond à cavités progressantes pour activation des puits - Partie 1: Pompes (ISO 15136-1:2009) Bohrloch-Ausrüstung für die Erdöl- und Erdgasindustrie -Exenterschneckentiefpump-Fördersysteme - Teil 1: Pumpen (ISO 15136-1:2009)

This European Standard was approved by CEN on 28 October 2009.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovakia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 15136-1:2009 (E)

Contents

Page

Foreword

This document (EN ISO 15136-1:2009) has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" in collaboration with Technical Committee CEN/TC 12 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2010, and conflicting national standards shall be withdrawn at the latest by May 2010.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 15136-1:2001.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of ISO 15136-1:2009 has been approved by CEN as a EN ISO 15136-1:2009 without any modification.

This page is intentionally left BLANK.



ISO 15136-1

Second edition 2009-11-15

Petroleum and natural gas industries — Progressing cavity pump systems for artificial lift —

Part 1: Pumps

Industries du pétrole et du gaz naturel — Pompes de fond à cavités progressantes pour activation des puits —

Partie 1: Pompes



Reference number ISO 15136-1:2009(E)

ISO 15136-1:2009(E)

I.S. EN ISO 15136-1:2009

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

Contents

| Forew | ord | v |
|--------------|---|-----|
| Introdu | iction | .vi |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 2 |
| 4 | Abbreviated terms and symbols | 8 |
| 5 | Functional specification | 10 |
| 5.1 | General | 10 |
| 5.2 | PCP type description | 10 |
| 5.3 | Functional requirements | 10 |
| 5.4 | Design validation | 14 |
| 5.5 | Product functional evaluation | 15 |
| 5.6 | Quality control grades | 15 |
| 5.7 | Additional documentation | 15 |
| 5.8 | Additional requirements | 15 |
| 6 | Technical specification | |
| 6.1 | General | |
| 6.2 | Technical characteristics | |
| 6.3 | Design criteria | |
| 6.4 | Dimensional information | |
| 6.5 | Performance ratings | |
| 6.6 | Design verification | |
| 6.7 | Design validation | |
| 6.8 | Functional evaluation requirements | |
| 6.9 | Allowable design changes | |
| 6.10 | Scaling of design validation | |
| 7 | Supplier/manufacturer requirements | |
| 7.1 | General | |
| 7.2 | Documentation and data control | |
| 7.3 | Product identification | |
| 7.4 | Quality | |
| 7.5 | Raw materials certification | |
| 7.6 7.7 | Additional processes applied to components | |
| | Traceability | |
| 7.8 7.9 | Calibration systems Examination and inspection | |
| 7.9 7.10 | Manufacturing non-conformance | |
| | User/purchaser complaint returns | |
| 7.11 7.12 | Product functional testing | |
| | • | |
| 8 | Repair | |
| 9 | Shipping, handling and storage | |
| 9.1 | General | |
| 9.2 | Preparation for shipment | |
| 9.3 | Handling | |
| 9.4 | Storage | |
| Annex | A (normative) Requirements for progressing cavity pump elastomers | 34 |

| Annex B (normative) Design validation | 38 |
|---|-----|
| Annex C (normative) Functional evaluation | 42 |
| Annex D (informative) Optional information for PCP elastomer testing and selection | 48 |
| Annex E (informative) Installation guidelines | 59 |
| Annex F (informative) Operational guidelines | 62 |
| Annex G (informative) Supplemental information for PCP performance characteristics | 70 |
| Annex H (informative) Example user/purchaser PCP functional specification form | 76 |
| Annex I (informative) Analysis after use | 79 |
| Annex J (informative) Selection and use of drive-string equipment in PCP applications | 93 |
| Annex K (informative) Repair and reconditioning | 100 |
| Annex L (informative) Auxiliary equipment | 103 |
| Bibliography | 108 |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 15136-1 was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures* for petroleum, petrochemical and natural gas industries, Subcommittee SC 4, Drilling and production equipment.

This second edition cancels and replaces the first edition (ISO 15136-1:2001), which has been technically revised.

ISO 15136 consists of the following parts, under the general title *Petroleum and natural gas industries* — *Progressing cavity pump systems for artificial lift*:

— Part 1: Pumps

— Part 2: Surface-drive systems

ISO 15136-1:2009(E)

Introduction

This part of ISO 15136 has been developed by users/purchasers and suppliers/manufacturers of progressing cavity pumps and is intended for use in the petroleum and natural gas industry worldwide. This part of ISO 15136 provides requirements and information to both parties in the selection, manufacturing, testing, and using progressing cavity pumps as defined in the scope. Further, this part of ISO 15136 addresses supplier requirements, which set the minimum parameters with which it is necessary that suppliers comply to claim conformity with this part of ISO 15136.

This part of ISO 15136 provides grades of requirements for design validation, quality control and functional evaluations allowing the user/purchaser to select each for a specific application. There are three grades of design validation and quality control, and two grades of functional testing. Design validation grade V3 is restricted to legacy products, the basic grade is V2 and the highest grade is V1. Quality control grade 3 is the standard grade and grades 2 and 1 provide additional requirements. Functional evaluation grade F1 requires a hydraulic test of the PCP and grade F2 does not. The user/purchaser has the option of specifying requirements supplemental to these grades.

It is necessary that the users of this part of ISO 15136 be aware that requirements above those outlined in this part of ISO 15136 can be needed for individual applications. This part of ISO 15136 is not intended to inhibit a supplier/manufacturer from offering, or the user/purchaser from accepting, alternative equipment or engineering solutions. This can be particularly applicable where there is innovative or developing technology. Where an alternative is offered, it is the responsibility of the supplier/manufacturer to clearly and completely identify any variations from the requirements of this part of ISO 15136.

Petroleum and natural gas industries — Progressing cavity pump systems for artificial lift —

Part 1: **Pumps**

IMPORTANT — The electronic file of this document contains colours which are considered to be useful for the correct understanding of the document. Users should therefore consider printing this document using a colour printer.

1 Scope

This part of ISO 15136 provides requirements for the design, design verification and validation, manufacturing and data control, performance ratings, functional evaluation, repair, handling and storage of progressing cavity pumps for use in the petroleum and natural gas industry. This part of ISO 15136 is applicable to those products meeting the definition of progressing cavity pumps (PCP) included herein. Connections to the drive string and tubulars are not covered by this part of ISO 15136.

This part of ISO 15136 includes normative annexes that establish requirements for characterization and testing of stator elastomer material, design validation and functional evaluation. Additionally, informative annexes provide information for PCP elastomer selection and testing, installation, start-up and operation guidelines, equipment selection and application guidelines, functional specification form, used pump evaluation, drive string selection and use, repair and reconditioning procedures and auxiliary equipment.

Equipment not covered by the requirements of this part of ISO 15136 includes bottom-drive systems except for the PCP components, drive-string components and auxiliary equipment such as tag bars, gas separators and torque anchors. These items might or might not be covered by other International Standards. Surface-drive systems are covered in ISO 15136-2.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 34-1, Rubber, vulcanized or thermoplastic — Determination of tear strength — Part 1: Trouser, angle and crescent test pieces

ISO 37, Rubber, vulcanized or thermoplastic — Determination of tensile stress-strain properties

ISO 815-1:2008, Rubber, vulcanized or thermoplastic — Determination of compression set — Part 1: At ambient or elevated temperatures

ISO 2977, Petroleum products and hydrocarbon solvents — Determination of aniline point and mixed aniline point

ISO 4662, Rubber, vulcanized or thermoplastic — Determination of rebound resilience



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation