



NSAI
Standards

Standard Recommendation
S.R. CEN ISO/TS 14253-4:2010

Geometrical product specifications (GPS) - Inspection by measurement of workpieces and measuring equipment - Part 4: Background on functional limits and specification limits in decision rules (ISO/TS 14253-4:2010)

S.R. CEN ISO/TS 14253-4:2010

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i>	<i>This document is based on:</i> CEN ISO/TS 14253-4:2010	<i>Published:</i> 15 May, 2010
This document was published under the authority of the NSAI and comes into effect on: 4 June, 2010		ICS number: 17.040.01
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		

ICS 17.040.01

English Version

**Geometrical product specifications (GPS) - Inspection by
measurement of workpieces and measuring equipment - Part 4:
Background on functional limits and specification limits in
decision rules (ISO/TS 14253-4:2010)**

Spécification géométrique des produits (GPS) - Vérification
par la mesure des pièces et des équipements de mesure -
Partie 4: Informations de base sur les limites fonctionnelles
et les limites de spécification dans les règles de décision
(ISO/TS 14253-4:2010)

Geometrische Produktspezifikationen (GPS) - Prüfung von
Werkstücken und Messgeräten durch Messen - Teil 4:
Grundlagen für Funktionsgrenzen und
Spezifikationsgrenzen in Entscheidungsregeln (ISO/TS
14253-4:2010)

This Technical Specification (CEN/TS) was approved by CEN on 4 April 2010 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	3
----------------------	----------

Foreword

This document (CEN ISO/TS 14253-4:2010) has been prepared by Technical Committee ISO/TC 213 "Dimensional and geometrical product specifications and verification" in collaboration with Technical Committee CEN/TC 290 "Dimensional and geometrical product specification and verification" the secretariat of which is held by AFNOR.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of ISO/TS 14253-4:2010 has been approved by CEN as a CEN ISO/TS 14253-4:2010 without any modification.

This page is intentionally left BLANK.

**Geometrical product specifications
(GPS) — Inspection by measurement of
workpieces and measuring equipment —**

Part 4:

**Background on functional limits and
specification limits in decision rules**

*Spécification géométrique des produits (GPS) — Vérification par la
mesure des pièces et des équipements de mesure —*

*Partie 4: Informations de base sur les limites fonctionnelles et les limites
de spécification dans les règles de décision*



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope	1
2 Normative references	1
3 Definitions	1
4 Relationship between functional limits and specification limits.....	2
4.1 General	2
4.2 The one-sided case	2
4.3 The two-sided case	6
5 How functional limits are determined	9
5.1 Ideal situation	9
5.2 Use of earlier models	9
5.3 Reverse engineering	9
5.4 Trial and error	10
5.5 Method based on a set of working examples	10
6 Specification limits and how specification limits are determined relative to functional limits	10
6.1 General	10
6.2 Ideal situation	10
6.3 Specification reduced by assumed measurement uncertainty	10
6.4 Specification reduced by an arbitrary amount	11
7 Shape of assumed functional deterioration curve.....	11
7.1 Ideal situation	11
7.2 Gradual deterioration	11
8 Determining specification limits	12
8.1 Ideal situation	12
8.2 Batch parts made by desired process	12
9 Alternative basis for decision rules.....	12
9.1 General	12
9.2 Alternative decision rules.....	12
9.3 Choice of alternative decision rules.....	13
Annex A (informative) Relation to the GPS matrix model.....	14
Bibliography.....	16

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

In other circumstances, particularly when there is an urgent market requirement for such documents, a technical committee may decide to publish other types of document:

- an ISO Publicly Available Specification (ISO/PAS) represents an agreement between technical experts in an ISO working group and is accepted for publication if it is approved by more than 50 % of the members of the parent committee casting a vote;
- an ISO Technical Specification (ISO/TS) represents an agreement between the members of a technical committee and is accepted for publication if it is approved by 2/3 of the members of the committee casting a vote.

An ISO/PAS or ISO/TS is reviewed after three years in order to decide whether it will be confirmed for a further three years, revised to become an International Standard, or withdrawn. If the ISO/PAS or ISO/TS is confirmed, it is reviewed again after a further three years, at which time it must either be transformed into an International Standard or be withdrawn.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/TS 14253-4 was prepared by Technical Committee ISO/TC 213, *Dimensional and geometrical product specifications and verification*.

ISO 14253 consists of the following parts, under the general title *Geometrical product specifications (GPS) — Inspection by measurement of workpieces and measuring equipment*:

- *Part 1: Decision rules for proving conformance or non-conformance with specifications*
- *Part 2: Guidance for the estimation of uncertainty in GPS measurement, in calibration of measuring equipment and in product verification*
- *Part 3: Guidelines for achieving agreements on measurement uncertainty statements*
- *Part 4: Background on functional limits and specification limits in decision rules* [Technical Specification]

Introduction

This part of ISO 14253 is a geometrical product specifications (GPS) standard and is to be regarded as a global GPS standard (see ISO/TR 14638). It influences the chain links 3, 4, 5 and 6 of all chains of general GPS standards.

For more detailed information on the relation of this part of ISO 14253 to other standards and the GPS matrix model, see Annex A.

The decision rules given in ISO 14253-1, which apply unless otherwise specified, are designed to ensure that workpieces and measuring equipment are within the specification and that disputes over whether workpieces and measuring equipment are within the specification can be avoided.

In order for the decision rules to work as designed, it is important to first give proof of conformance. In other words, the user/buyer of the product in question should always require the manufacturer/supplier/seller of the product to provide proof of conformance with the product.

If subsequent incoming inspection proves nonconformance, uncertainty budgets can be examined according to ISO 14253-3 for mutual assurance of their validity. If it is concluded that both uncertainty budgets are valid, the only conclusion is that one or the other or both measurement results are unrepresentative for the measurement process in question.

If, for some reason, the user of the product does not want the supplier to provide the first proof, but instead relies on incoming inspection, the user should reduce the functional limits by the measurement uncertainty of the incoming inspection to arrive at the contractual specification limits that are communicated to, and negotiated and agreed with, the supplier.

A separate problem is that of the reseller, who purchases product from a manufacturer and resells it to the user. The decision rules given in ISO 14253-1 will function correctly if the reseller requires the manufacturer of the product to provide proof of conformance and subsequently provides that proof to the user. If the reseller for some reason decides to prove conformance to the user independently, there will be cases where neither conformance nor nonconformance can be proven, so the reseller can neither return nor resell the product based on the original specification. Consequently, this approach is not recommended.

The decision rules in ISO 14253-1 are also based on a number of assumptions. When these assumptions are not true, these decision rules may not be economically optimal. This part of ISO 14253 outlines these assumptions and discusses why they are the theoretically ideal assumptions.

For workpieces, only the creator of the specification (the designer) can be expected to know whether the assumptions are true. Therefore, any deviations from the ISO 14253-1 decision rules can only be initiated and documented by the specification owner.

For measuring equipment, a specification may be based on a standard, written unilaterally by the manufacturer or purchaser of the equipment or written in cooperation between the manufacturer and the purchaser of the equipment. If the specification is based on an ISO standard, and the standard does not indicate other decision rules, the rules of ISO 14253-1 apply. In other cases, the decision rules can only be documented by the specification author(s).

It must be recognized that the decision rules, whether they are given implicitly or explicitly, are part of the specification.

It must further be recognized that the issues involved in choosing the optimal set of decision rules are complicated and that it is unrealistic to expect that simple rules can suit every circumstance. Parties should ensure access to competent technical resources before deviating from the ISO 14253-1 decision rules.

S.R. CEN ISO/TS 14253-4:2010

ISO/TS 14253-4:2010(E)

In this case, the specification owner must explicitly recognize that decision rules other than those defined in ISO 14253-1 apply, and that documentation of this policy needs to be prepared and be made available to trading partners (customers and/or suppliers) and be referenced in the technical product documentation.

Geometrical product specifications (GPS) — Inspection by measurement of workpieces and measuring equipment —

Part 4: Background on functional limits and specification limits in decision rules

1 Scope

This part of ISO 14253 outlines the main assumptions behind the theoretically ideal decision rules established in ISO 14253-1. It discusses why these rules have to be the default rules and what considerations should be taken into account before applying different decision rules.

This part of ISO 14253 applies to all specifications defined in general GPS standards (see ISO/TR 14638), i.e. standards prepared by ISO/TC 213, including

- workpiece specifications (usually given as specification limits), and
- measuring equipment specifications (usually given as maximum permissible errors).

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14253-1:1998, *Geometrical Product Specifications (GPS) — Inspection by measurement of workpieces and measuring equipment — Part 1: Decision rules for proving conformance or non-conformance with specifications*

3 Definitions

3.1

reverse engineering

design process that consists in analysing the shape, dimensions and function of a finished part or prototype and using this information to produce a similar product

3.2

product functional level

how well the product functions overall

3.3

product attribute functional level

how well the product functions with regard to a particular attribute

NOTE The overall product functional level depends on the product attribute functional levels for all the product attributes.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-