

Irish Standard I.S. EN 60728-7-3:2009

Cable networks for television signals, sound signals and interactive services -- Part 7-3: Hybrid fibre coax outside plant status monitoring - Power supply to transponder interface bus (PSTIB) (IEC 60728-7-3:2009 (EQV))

© NSAI 2009

No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda issued since publication:

This document replaces: EN 60728-7-3:2005

This document is based on: EN 60728-7-3:2009 EN 60728-7-3:2005 Published: 10 December, 2009 2 March, 2005

This document was published under the authority of the NSAI and comes into effect on:

9 February, 2010

ICS number: 33.040 33.160

NSAI 1 Swift Square, Northwood, Santry Dublin 9 T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie

T +353 1 857 6730 F +353 1 857 6729 W standards.ie

Sales:

W NSAl.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 60728-7-3

NORME EUROPÉENNE EUROPÄISCHE NORM

December 2009

ICS 33.040; 33.160

Supersedes EN 60728-7-3:2005

English version

Cable networks for television signals, sound signals and interactive services Part 7-3: Hybrid fibre coax outside plant status monitoring Power supply to transponder interface bus (PSTIB)

(IEC 60728-7-3:2009)

Réseaux de distribution par câbles pour signaux de télévision, signaux de radiodiffusion sonore et services interactifs Partie 7-3: Surveillance de l'état des installations extérieures des réseaux hybrides à fibre optique et câble coaxial Alimentation du bus d'interface du répéteur (CEI 60728-7-3:2009)

Kabelnetze für Fernsehsignale, Tonsignale und interaktive Dienste -Teil 7-3: Zustandsüberwachung Hybrid-Faser-Koax-Netze (HFC) -Schnittstellenbus von Fernspeise-Stromversorgung zu Transponder (PSTIB) (IEC 60728-7-3:2009)

This European Standard was approved by CENELEC on 2009-11-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: Avenue Marnix 17, B - 1000 Brussels

EN 60728-7-3:2009

Foreword

- 2 -

The text of document 100/1464/CDV, future edition 2 of IEC 60728-7-3, prepared by technical area 5: Cable networks for television signals, sound signals and interactive services, of IEC TC 100, Audio, video and multimedia systems and equipment, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60728-7-3 on 2009-11-01.

This European Standard supersedes EN 60728-7-3:2005.

EN 60728-7-3:2009 includes the following significant technical changes with respect to EN 60728-7-3:2005:

- all changes from standard ANSI/SCTE 25-3 v1.0 to standard ANSI/SCTE 25-3 v1.1 (2005) have been taken into account in EN 60728-7-3:2009;
- Clause 7 is based on standard ANSI/SCTE 110 (2005);
- addition of informative Annex A concerning hybrid management sub-layer.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2010-08-01

 latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2012-11-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 60728-7-3:2009 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

 IEC 60728-7-1
 NOTE
 Harmonized as EN 60728-7-1:2005 (not modified).

 IEC 60728-7-2
 NOTE
 Harmonized as EN 60728-7-2:2005 (not modified).

 IEC 60728-7-3
 NOTE
 Harmonized as EN 60728-7-3:2005 (not modified).

- 3 -

EN 60728-7-3:2009

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60603-7	_1)	Connectors for electronic equipment - Part 7: Detail specification for 8-way, unshielded, free and fixed connectors	EN 60603-7	2009 ²⁾

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

This is a free page sample. Access the full version online.

I.S. EN 60728-7-3:2009

This page is intentionally left BLANK.

- 2 - 60728-7-3 © IEC:2009(E)

CONTENTS

FO	REW	ORD		5
INT	ROD	UCTION		7
1	Scop	e		8
2	Norn	native re	eferences	9
3	Term	ns, defin	itions and abbreviations	9
	3.1		and definitions	
	3.2		viations	
4	Refe		rchitecture forward and return channel specifications	
5			y to transponder interface bus specification overview	
	5.1		al	
	5.2		ce compliance	
	5.3		nentation compliance	
	5.4	Revisio	on control	12
6	Pow	er suppl	y to transponder interface bus – Physical layer specification	12
	6.1	Interfa	ce requirements	12
		6.1.1	Connector type	12
		6.1.2	Communications interface	12
		6.1.3	Connector signals	12
		6.1.4	Transponder power	12
		6.1.5	Line balance	
		6.1.6	Cable length	
		6.1.7	Data encoding	
		6.1.8	Bit rate	
		6.1.9	Duplex	
		6.1.10	Method of communications	
	0.0		Indicators	
7	6.2		ce diagramover supply to transponder interface bus – Physical layer	14
′				15
	•		iction to alternative	
	7.2		ce requirements	
		7.2.1	Connector type	
		7.2.2	Communications interface	
		7.2.3	Connector signals	
		7.2.4	Transponder power	
		7.2.5	Line balance	16
		7.2.6	Cable length	16
		7.2.7	Data encoding	16
		7.2.8	Bit rate	16
		7.2.9	Duplex	
		7.2.10	Method of communication	
			Indicators	
_	7.3		ce diagram	
8			y to transponder interface bus – Data link layer specification	
	8.1	DLL pa	acket structure	18

60728-7	-3 © IE0	C:2009(E) - 3 -	
	8.1.1	General	18
	8.1.2	Start	
	8.1.3	Destination Address	
	8.1.4	Source Address	19
	8.1.5	Identification	19
	8.1.6	Datagram	19
	8.1.7	End	19
	8.1.8	Checksum	
8.2		equence	
8.3		ace timing	
	8.3.1	Message synchronization and interaction	
	8.3.2	Transmission timing requirements	
8.4		atagrams	
	8.4.1	Structure	
	8.4.2 8.4.3	Resolution versus accuracy	
Anney A		DLL datagram typesative) HMS specification documents	
	,	ative) Third specification documents	
Бірііодга	ірпу		30
Figure 1	– Refer	rence architecture diagram	11
_		ole PSTIB RS-485 interface	
		ole PSTIB RS-485 interface	
_	-	oacket structure	
•	•	B data and timing diagram	
_		datagram structure	
_		ry string naming conventions	
rigure r	- Datte	ry string naming conventions	
Table 1 -	- Transı	ponder type classifications	8
Table 2 -	– RJ-45	Connector pin assignment	12
Table 3 -	- Sampl	le PSTIB RS-485 interface – Reference signals	14
		Connector pin assignment	
		le PSTIB RS-485 interface – Reference signals	
	•	ic DLL packet structure	
		ved destination address ranges	
		3 timing specifications	
		ic DLL datagram structure	
		datagrams	
		mand: Get_Configuration datagram	
	•	oonse: Get_Configuration datagram	
Table 13	– Resp	oonse: Get_Configuration datagram variable binding (general)	25

 This is a free page sample. Access the full version online.

I.S. EN 60728-7-3:2009

-4-	60728-7-3 © IEC:2009(E)
Table 19 – Command: Power_Supply_Control datagram	33
Table 20 – Command: Get_Generator_Data datagram	33
Table 21 – Response: Get_Generator_Data datagram	34
Table 22 – Response: Get_Generator_Data Datagram variable bir	nding34
Table 23 – Command: Generator_Control datagram	35
Table 24 – Response: Invalid_Request datagram	35
Table 25 – Response: Request_Processed datagram	36
Table A.1 – HMS document family	37

60728-7-3 © IEC:2009(E)

- 5 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

Part 7-3: Hybrid fibre coax outside plant status monitoring – Power supply to transponder interface bus (PSTIB)

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60728-7-3 has been prepared by technical area 5: Cable networks for television signals, sound signals and interactive services, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This second edition cancels and replaces the first edition published in 2003 of which it constitutes a technical revision. This edition includes the following significant technical changes with respect to the previous edition:

- All changes from standard ANSI/SCTE 25-3 v1.0 to standard ANSI/SCTE 25-3 v1.1 (2005) have been taken into account in this second edition.
- Clause 7 is based on standard ANSI/SCTE 110 (2005).
- Addition of informative Annex A concerning hybrid management sub-layer.

-6-

60728-7-3 © IEC:2009(E)

The text of this standard is based on the following documents:

CDV	Report on voting	
100/1464/CDV	100/1599/RVC	

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60728 series, under the general title *Cable networks for television signals, sound signals and interactive services*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- · amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

60728-7-3 © IEC:2009(E)

-7-

INTRODUCTION

Standards of the IEC 60728 series deal with cable networks including equipment and associated methods of measurement for headend reception, processing and distribution of television signals, sound signals and their associated data signals and for processing, interfacing and transmitting all kinds of signals for interactive services using all applicable transmission media

This includes

- CATV1-networks;
- MATV-networks and SMATV-networks;
- individual receiving networks;

and all kinds of equipment, systems and installations installed in such networks.

The extent of this standardization work is from the antennas and/or special signal source inputs to the head-end or other interface points to the network up to the terminal input.

The standardization of any user terminals (i.e. tuners, receivers, decoders, multimedia terminals, etc.) as well as of any coaxial, balanced and optical cables and accessories thereof is excluded.

The following differences exist in some countries:

The Japanese *de facto* standard (NCTEA S-006) concerning requirements for the HFC outside plant management, which was published in 1995, has already been available in Japan. The purpose of this standard is to support the design and implementation of interoperable management systems for HFC cable networks used in Japan.

¹ This word encompasses the HFC networks used nowadays to provide telecommunications services, voice, data, audio and video both broadcast and narrowcast.

- 8 -

60728-7-3 © IEC:2009(E)

CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES -

Part 7-3: Hybrid fibre coax outside plant status monitoring – Power supply to transponder interface bus (PSTIB)

1 Scope

This part of IEC 60728 specifies requirements for the Hybrid Fibre Coax (HFC) Outside Plant (OSP) Power Supplies (PS). This standard is part of a series developed to support the design and implementation of interoperable management systems for evolving HFC cable networks. The purpose of the standards is to support the design and implementation of interoperable management systems for evolving HFC cable networks. The Power Supply to Transponder Interface Bus (PSTIB) specification describes the physical (PHY) interface and related messaging and protocols implemented at the Data Link Layer (DLL), layers 1 and 2 respectively in the 7-layer ISO-OSI reference model, that support communications between compliant transponders and the managed OSP power supplies and other related power equipment to which they interface.

This standard describes the PSTIB PHY and DLL layer requirements and protocols that shall be implemented to support reliable communications between all type 2 and type 3 compliant OSP transponders on the HFC plant and managed OSP power supplies and related hardware. Any exceptions to compliance with this standard will be specifically noted as necessary.

Transponder type classifications referenced within the HMS series of standards are defined in Table 1.

Table 1 - Transponder type classifications

Туре	Description	Application	
	Refers to legacy transponder equipment which is incapable of supporting the specifications	This transponder interfaces with legacy network equipment through proprietary means.	
Type 0		This transponder could be managed through the same management applications as the other types through proxies or other means at the head-end.	
	Refers to stand-alone transponder equipment (legacy or new), which can be upgraded to support the specifications	This transponder interfaces with legacy network equipment through proprietary means.	
Type 1		 Type 1 is a standards-compliant transponder (either manufactured to the standard or upgraded) that con- nects to legacy network equipment via a proprietary interface. 	
Type 2	Refers to a stand-alone, compliant transponder	This transponder interfaces with network equipment designed to support the electrical and physical specifications defined in the standards.	
		It can be factory or field-installed.	
		Its RF connection is independent of the monitored NE.	
Type 3	Refers to a stand-alone or embedded, compliant transponder	This transponder interfaces with network equipment designed to support the electrical specifications defined in the standards.	
		It may or may not support the physical specifications defined in the standards.	
		It can be factory-installed. It may or may not be field-installed.	
		Its RF connection is through the monitored NE.	

60728-7-3 © IEC:2009(E)

_ 9 _

A list of documents in the HMS specifications family is provided in informative Annex A.

2 **Normative references**

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60603-7, Connectors for electronic equipment – Part 7: Detail specification for 8-way, unshielded, free and fixed connectors

Terms, definitions and abbreviations

3.1 Terms and definitions

For the purposes of this document, the following definitions apply.

3.1.1

data link layer

DLL

layer 2 in the Open System Interconnection (OSI) architecture; the layer that provides services to transfer data over the physical transmission link between open systems

3.1.2

network element

NE

an active element in the outside plant (OSP) that is capable of receiving commands from a head-end element (HE) in the head-end and, as necessary, providing status information and alarms back to the HE

3.1.3

open system interconnection

OSI

framework of International Organization for Standardization (ISO) standards for communication between multi-vendor systems that organizes the communication process into seven different categories that are placed in a layered sequence based on the relationship to the user. Each layer uses the layer immediately below it and provides services to the layer above. Layers 7 through 4 deal with end-to-end communication between the message source and destination, and layers 3 through 1 deal with network functions

3.1.4

physical layer

PHY

layer 1 in the Open System Interconnection (OSI) architecture; the layer that provides services to transmit bits or groups of bits over a transmission link between open systems and which entails electrical, mechanical and handshaking procedures

3.1.5

transponder

device that interfaces to outside plant (OSP) NEs and relays status and alarm information to the HE. It can interface with an active NE via an arrangement of parallel analogue, parallel digital and serial ports



The is a new provider i arenade and chare publication at the limit below	This is a free preview.	Purchase the	entire publication	at the link below:
--	-------------------------	--------------	--------------------	--------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation