

Irish Standard I.S. EN ISO 1452-3:2010

Plastics piping systems for water supply and for buried and above-ground drainage and sewerage under pressure -Unplasticized poly(vinyl chloride) (PVC-U) - Part 3: Fittings (ISO 1452-3:2009, corrected version 2010-03-01)

© NSAI 2010

No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda/National Annexes issued since publication:				

# The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

*This document replaces:* EN ISO 1452-3:2009

This document is based on: EN ISO 1452-3:2010 EN ISO 1452-3:2009 Published: 6 October, 2010 1 December, 2009

This document was published under the authority of the NSAI and comes into effect on: 21 October, 2010 ICS number: 93.025 91.140.60 23.040.20 23.040.45

NSAI

1 Swift Square, Northwood, Santry Dublin 9 T +353 1 807 3800 F +353 1 807 3838

E standards@nsai.ie W **NSAI.ie**  Sales:

T +353 1 857 6730 F +353 1 857 6729 W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

# EUROPEAN STANDARD

## **EN ISO 1452-3**

# NORME EUROPÉENNE EUROPÄISCHE NORM

October 2010

ICS 93.025; 91.140.60; 23.040.20; 23.040.45

Supersedes EN ISO 1452-3:2009

#### **English Version**

Plastics piping systems for water supply and for buried and above-ground drainage and sewerage under pressure - Unplasticized poly(vinyl chloride) (PVC-U) - Part 3: Fittings (ISO 1452-3:2009, corrected version 2010-03-01)

Systèmes de canalisations en plastique pour l'alimentation en eau, pour branchements et collecteurs d'assainissement enterrés et aériens avec pression - Poly(chlorure de vinyle) non plastifié (PVC-U) - Partie 3: Raccords (ISO 1452-3:2009, version corrigée 2010-03-01) Kunststoff-Rohrleitungssysteme für die Wasserversorgung und für erdverlegte und nicht erdverlegte Entwässerungsund Abwasserdruckleitungen - Weichmacherfreies Polyvinylchlorid (PVC-U) - Teil 3: Formstücke (ISO 1452-3:2009, korrigierte Fassung 2010-03-01)

This European Standard was approved by CEN on 23 September 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

## EN ISO 1452-3:2010 (E)

Contents	Page
Foreword	3

#### **Foreword**

The text of ISO 1452-3:2009, corrected version 2010-03-01 has been prepared by Technical Committee ISO/TC 138 "Plastics pipes, fittings and valves for the transport of fluids" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 1452-3:2010 by Technical Committee CEN/TC 155 "Plastics piping systems and ducting systems" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2011, and conflicting national standards shall be withdrawn at the latest by April 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 1452-3:2009.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

#### **Endorsement notice**

The text of ISO 1452-3:2009, corrected version 2010-03-01 has been approved by CEN as a EN ISO 1452-3:2010 without any modification.

This is a free page sample. Access the full version online.

I.S. EN ISO 1452-3:2010

This page is intentionally left BLANK.

This is a free page sample. Access the full version online.

## I.S. EN ISO 1452-3:2010 INTERNATIONAL STANDARD

ISO 1452-3

First edition 2009-12-01

Corrected version 2010-03-01

Plastics piping systems for water supply and for buried and above-ground drainage and sewerage under pressure — Unplasticized poly(vinyl chloride) (PVC-U) —

Part 3: Fittings

Systèmes de canalisations en plastique pour l'alimentation en eau, pour branchements et collecteurs d'assainissement enterrés et aériens avec pression — Poly(chlorure de vinyle) non plastifié (PVC-U) —

Partie 3: Raccords



ISO 1452-3:2009(E)

#### PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



#### **COPYRIGHT PROTECTED DOCUMENT**

#### © ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Page

## Contents

Forew	ord	iv
Introd	uction	ν
1	Scope	1
2	Normative references	2
3	Terms, definitions, symbols and abbreviated terms	
3.1	Terms and definitions	3
3.2	Symbols	3
4	Material	3
4.1	Fitting material	
4.2 4.3	DensityMRS-value	
5	General characteristics	
5 5.1	Appearance	
5.2	Colour	
5.3	Opacity of fittings intended for the above-ground conveyance of water	
6	Geometrical characteristics	
6.1 6.2	Measurement of dimensions  Nominal diameters	
6.3	Fittings for solvent cementing	
6.4	Adapter fittings	
6.5 6.6	Tapping saddlesFlange adapters and flanges	
6.7	Elastomeric ring seal fittings	
6.8	End-load-bearing double-sockets with elastomeric seals	
7	Classification and operating conditions	29
7.1	Classification	
7.2 7.3	Selection of nominal pressure and pipe series S for water up to and including 25 °C  Determination of the allowable operating pressure for water up to 45 °C	
8 8.1	Mechanical characteristicsResistance to internal pressure of fittings or parts of fittings	
8.2	Crushing test	
9	Physical characteristics	31
10	Sealing rings	32
11	Adhesives	32
12	Performance requirements	32
13	Marking	
13.1	General	
13.2 13.3	Minimum required markingAdditional marking	
	x A (normative) Imperial(inch)-sized fittings	
	graphy	

ISO 1452-3:2009(E)

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 1452-3 was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 155, *Plastics piping systems and ducting systems*, in collaboration with ISO Technical Committee ISO/TC 138, *Plastics pipes, fittings and valves for the transport of fluids*, Subcommittee SC 2, *Plastics pipes and fittings for water supplies*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This first edition cancels and replaces ISO 4422-3:1996, ISO 264:1976, ISO 264:1976/Add.1:1982, ISO 2045:1988, ISO 2048:1990, ISO 3460:1975, ISO 4434:1977 and ISO 6455:1983, which have been technically revised.

ISO 1452 consists of the following parts, under the general title *Plastics piping systems for water supply and for buried and above-ground drainage and sewerage under pressure* — *Unplasticized poly(vinyl chloride)* (*PVC-U*):

- Part 1: General
- Part 2: Pipes
- Part 3: Fittings
- Part 4: Valves
- Part 5: Fitness for purpose of the system

Guidance for the assessment of conformity is to form the subject of a part 7.

This corrected version of ISO 1452-3:2009 incorporates the correction of Figure 8 c).

#### Introduction

The System Standard, of which this is Part 3, specifies the requirements for a piping system and its components made from unplasticized poly(vinyl chloride) (PVC-U). The piping system is intended to be used for water supply and for buried and above-ground drainage and sewerage under pressure.

In respect of potential adverse effects on the quality of water intended for human consumption, caused by the products covered by this part of ISO 1452, the following are relevant.

- a) This part of ISO 1452 provides no information as to whether the products may be used without restriction.
- b) Existing national regulations concerning the use and/or the characteristics of these products remain in force.

Requirements and test methods for material and components, other than fittings, are specified in ISO 1452-1, ISO 1452-2 and ISO 1452-4. Characteristics for fitness for purpose (mainly for joints) are established in ISO 1452-5.

This part of ISO 1452 specifies the characteristics of fittings.

Guidance for installation is given in ISO/TR 4191<sup>[1]</sup>.

Guidance for the assessment of conformity is provided in ENV 1452-7<sup>[2]</sup>.

For the convenience of users of this part of ISO 1452, marking on fittings and flanges according to withdrawn International Standards (e.g. ISO 4422-3:1996) may be considered valid for a period, e.g. up to three years from the date of publication of this part of ISO 1452.

This is a free page sample. Access the full version online.

I.S. EN ISO 1452-3:2010

# Plastics piping systems for water supply and for buried and above-ground drainage and sewerage under pressure — Unplasticized poly(vinyl chloride) (PVC-U) —

# Part 3: **Fittings**

#### 1 Scope

This part of ISO 1452 specifies the characteristics of fittings made from unplasticized poly(vinyl chloride) (PVC-U) for piping systems intended for water supply and for buried and above-ground drainage and sewerage under pressure.

It also specifies the test parameters for the test methods referred to in this part of ISO 1452.

In conjunction with ISO 1452-1, ISO 1452-2 and ISO 1452-5, it is applicable to PVC-U fittings and to joints with components of PVC-U, other plastics and non-plastics materials intended to be used for the following:

- a) water mains and services buried in the ground;
- b) conveyance of water above ground for both outside and inside buildings;
- c) buried and above-ground drainage and sewerage under pressure.

It is applicable to fittings in piping systems intended for the supply of water under pressure up to and including 25 °C (cold water), intended for human consumption and for general purposes as well as for waste water under pressure.

This part of ISO 1452 is also applicable to components for the conveyance of water and waste water up to and including 45 °C. For temperatures between 25 °C and 45 °C, Figure A.1 of ISO 1452-2:2009 applies.

NOTE 1 The producer and the end-user can come to agreement on the possibilities of use for temperatures above 45 °C on a case-by-case basis.

Depending on the jointing method, this part of ISO 1452 is applicable to the following types of fittings:

- fittings for solvent cementing;
- elastomeric ring seal fittings.

PVC-U fittings can be manufactured by injection-moulding and/or be fabricated from pipe.

This part of ISO 1452 is also applicable to PVC-U flange adapters and to the corresponding flanges made from various materials.

This part of ISO 1452 covers a range of fitting sizes and pressure classes and gives requirements concerning colours.

NOTE 2 It is the responsibility of the purchaser or specifier to make the appropriate selections from these aspects, taking into account their particular requirements and any relevant national regulations and installation practices or codes.



	This is a free preview.	Purchase the e	entire publication	at the link below:
--	-------------------------	----------------	--------------------	--------------------

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation