

Irish Standard I.S. EN 61158-3-7:2008

Industrial communication networks - Fieldbus specifications - Part 3-7: Data-link layer service definition -Type 7 elements (IEC 61158-3 -7:2007 (EQV))

© NSAI 2008 No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda issued since publication:

This document replaces: I.S. EN 61158-3:2004 This document is based on: EN 61158-3-7:2008

EN 61158-3:2004

Published:

22 February, 200824 August, 2004

This document was published under the authority of the NSAI and comes into effect on:

17 September, 2009

ICS number: 25.040.40 35.100.20

Price Code:

NSAI1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie

W **NSAI.ie**

Sales: T +353 1 857 6730 F +353 1 857 6729

W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 61158-3-7

NORME EUROPÉENNE EUROPÄISCHE NORM

February 2008

ICS 35.100.20; 25.040.40

Partially supersedes EN 61158-3:2004

English version

Industrial communication networks Fieldbus specifications Part 3-7: Data-link layer service definition Type 7 elements

(IEC 61158-3-7:2007)

Réseaux de communication industriels -Spécifications des bus de terrain -Partie 3-7: Définition des services des couches de liaison de données -Eléments de type 7 (CEI 61158-3-7:2007) Industrielle Kommunikationsnetze -Feldbusse -Teil 3-7: Dienstfestlegungen des Data Link Layer (Sicherungsschicht) -Typ 7-Elemente (IEC 61158-3-7:2007)

This European Standard was approved by CENELEC on 2008-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

EN 61158-3-7:2008

- 2 -

Foreword

The text of document 65C/473/FDIS, future edition 1 of IEC 61158-3-7, prepared by SC 65C, Industrial networks, of IEC TC 65, Industrial-process measurement, control and automation, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61158-3-7 on 2008-02-01.

This and the other parts of the EN 61158-3 series supersede EN 61158-3:2004.

With respect to EN 61158-3:2004 the following changes were made:

- deletion of Type 6 fieldbus, and the placeholder for a Type 5 fieldbus data-link layer, for lack of market relevance;
- addition of new fieldbus types;
- partition into multiple parts numbered 3-1, 3-2, ..., 3-19.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2008-11-01

 latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2011-02-01

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in type combinations as specified explicitly in the EN 61784 series. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61158-3-7:2007 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61158-2	NOTE	Harmonized as EN 61158-2:2008 (not modified).
IEC 61158-4-7	NOTE	Harmonized as EN 61158-4-7:2008 (not modified).
IEC 61158-5-7	NOTE	Harmonized as EN 61158-5-7:2008 (not modified).
IEC 61158-6-7	NOTE	Harmonized as EN 61158-6-7:2008 (not modified).
IEC 61784-1	NOTE	Harmonized as EN 61784-1:2008 (not modified).

EN 61158-3-7:2008

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
ISO/IEC 7498-1	_1)	Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model	EN ISO/IEC 7498-1	1995 ²⁾
ISO/IEC 7498-3	_1)	Information technology - Open Systems Interconnection - Basic Reference Model: Naming and addressing	-	-
ISO/IEC 10731	_1)	Information technology - Open Systems Interconnection - Basic Reference Model - Conventions for the definition of OSI services	-	-

-

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

- 2 - 61158-3-7 © IEC:2007(E)

CONTENTS

FOI	REWO	ORD	4
INT	RODI	JCTION	6
1	Scope		
	1.1	Overview	7
	1.2	Specifications	7
	1.3	Conformance	
2		native references	
3	Term	s, definitions, symbols, abbreviations and conventions	8
	3.1	Reference model terms and definitions	
	3.2	Service convention terms and definitions	
	3.3	Data-link service terms and definitions	
	3.4	Symbols and abbreviations	
4	3.5	Common conventionslink layer services and concepts	
4	4.1		
	4.1	Field of application, object	
	4.3	Sequences of primitives	
	4.4	Buffer writing	
	4.5	Buffer reading	
	4.6	Buffer transfer	25
	4.7	Explicit request for buffer transfer	26
	4.8	Unacknowledged message transfer	30
	4.9	Acknowledged message transfer	
Bib	liogra	phy	35
_		 Relationships of DLSAPs, DLSAP-addresses and group DL-addresses 	
Fig	ure 2	General description of medium allocation	20
Fig	ure 3	- Primitives associated with the buffer writing service	23
Fig	ure 4	Primitives associated with the buffer reading service	24
Fig	ure 5	- Primitives associated with the buffer transfer service	25
Fig	ure 6	 Primitives associated with the specified explicit request for a buffer transfer 	28
Fig	ure 7	 Primitives associated with the free explicit request for a buffer transfer 	29
Fig	ure 8	Primitives associated with the unacknowledged message transfer request	
		service	31
Fig		 Primitives associated with the acknowledged message transfer request 	
		service	33
- .			
		- Summary of DL-services and primitives for buffer transfers	
		- Summary of DL-services and primitives for message exchanges	
		- DL-Put primitives and parameters	
Tab	le 4 -	- DL-Get primitives and parameters	24
Tab	le 5 -	- DL-Buffer-Sent primitive and parameter	26
Tab	le 6 -	- DL-Buffer-Received primitive and parameter	26
Tab	le 7 –	- DL-Spec-Update primitives and parameters	28
Tab	le 8 -	- DL-Free-Update primitives and parameters	30

This is a free page sample. Access the full version online.

I.S. EN 61158-3-7:2008

61158-3-7 © IEC:2007(E)	- 3 -	
Table 9 – DL-Message primitives and param	eters	31
Table 10 – DL-Message-Ack primitives and p	parameters3	33

-4-

61158-3-7 © IEC:2007(E)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 3-7: Data-link layer service definition - Type 7 elements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in type combinations as specified explicitly in the IEC 61784 series. Use of the various protocol types in other combinations may require permission of their respective intellectual-property-right holders.

International Standard IEC 61158-3-7 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This first edition and its companion parts of the IEC 61158-3 subseries cancel and replace IEC 61158-3:2003. This edition of this part constitutes an editorial revision.

This edition includes the following significant changes with respect to the previous edition:

- a) deletion of the former Type 6 fieldbus, and the placeholder for a Type 5 fieldbus data-link layer, for lack of market relevance;
- b) addition of new types of fieldbuses;
- c) division of this part into multiple parts numbered 3-1, 3-2, ..., 3-19.

61158-3-7 © IEC:2007(E)

- 5 -

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/473/FDIS	65C/484/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under http://webstore.iec.ch in the data related to the specific publication. At this date, the publication will be:

- reconfirmed;
- withdrawn;
- · replaced by a revised edition, or
- amended.

NOTE The revision of this standard will be synchronized with the other parts of the IEC 61158 series.

The list of all the parts of the IEC 61158 series, under the general title *Industrial* communication networks – Fieldbus specifications, can be found on the IEC web site.

This is a free page sample. Access the full version online.

I.S. EN 61158-3-7:2008

-6-

61158-3-7 © IEC:2007(E)

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the "three-layer" fieldbus reference model described in IEC/TR 61158-1.

Throughout the set of fieldbus standards, the term "service" refers to the abstract capability provided by one layer of the OSI Basic Reference Model to the layer immediately above. Thus, the data-link layer service defined in this standard is a conceptual architectural service, independent of administrative and implementation divisions.

61158-3-7 © IEC:2007(E)

-7-

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 3-7: Data-link layer service definition – Type 7 elements

1 Scope

1.1 Overview

This part of IEC 61158 provides common elements for basic time-critical messaging communications between devices in an automation environment. The term "time-critical" is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This standard defines in an abstract way the externally visible service provided by the Type 7 fieldbus data-link layer in terms of

- a) the primitive actions and events of the service;
- b) the parameters associated with each primitive action and event, and the form which they take; and
- c) the interrelationship between these actions and events, and their valid sequences.

The purpose of this standard is to define the services provided to

- the Type 7 fieldbus application layer at the boundary between the application and data-link layers of the fieldbus reference model, and
- systems management at the boundary between the data-link layer and systems management of the fieldbus reference model.

1.2 Specifications

The principal objective of this standard is to specify the characteristics of conceptual data-link layer services suitable for time-critical communications, and thus supplement the OSI Basic Reference Model in guiding the development of data-link protocols for time-critical communications. A secondary objective is to provide migration paths from previously-existing industrial communications protocols.

This specification may be used as the basis for formal DL-Programming-Interfaces. Nevertheless, it is not a formal programming interface, and any such interface will need to address implementation issues not covered by this specification, including

- a) the sizes and octet ordering of various multi-octet service parameters, and
- b) the correlation of paired request and confirm, or indication and response, primitives.

1.3 Conformance

This standard does not specify individual implementations or products, nor does it constrain the implementations of data-link entities within industrial automation systems.

There is no conformance of equipment to this data-link layer service definition standard. Instead, conformance is achieved through implementation of the corresponding data-link protocol that fulfills the Type 7 data-link layer services defined in this standard.



This is a free preview	 Purchase the entire 	e publication at the link below:
------------------------	---	----------------------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation