

Irish Standard I.S. EN 500-4:2011

Mobile road construction machinery -Safety - Part 4: Specific requirements for compaction machines

© NSAI 2011

No copying without NSAI permission except as permitted by copyright law.

Incorporat	ing amendments/corrigenda/National Annexes issued since publication:
The National 9 documents:	Standards Authority of Ireland (NSAI) produces the following categories of formal
I.S. xxx: subject to pub	Irish Standard – national specification based on the consensus of an expert panel and lic consultation.
S.R. xxx:	Standard Recommendation - recommendation based on the consensus of an expert

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the

participants of an NSAI workshop.

This document replaces: EN 500-4:2006+A1:2009

panel and subject to public consultation.

This document is based on:

Published:

EN 500-4:2011

23 February, 2011

This document was published under the authority of the NSAI and comes into effect on: 23 February, 2011 ICS number: 93.080.10

NSAI

T +353 1 807 3800

Sales:

1 Swift Square, Northwood, Santry Dublin 9

F +353 1 807 3838 E standards@nsai.ie T +353 1 857 6730 F +353 1 857 6729

W standards.ie

W NSAl.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

## EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 500-4

February 2011

ICS 93.080.10

Supersedes EN 500-4:2006+A1:2009

#### **English Version**

# Mobile road construction machinery - Safety - Part 4: Specific requirements for compaction machines

Machines mobiles pour la construction de routes - Sécurité - Partie 4: Prescriptions spécifiques pour compacteurs

Bewegliche Straßenbaumaschinen - Sicherheit - Teil 4: Besondere Anforderungen an Verdichtungsmaschinen

This European Standard was approved by CEN on 9 January 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

## EN 500-4:2011 (E)

Cont	Contents		
Forewo	ord	6	
Introdu	ıction	8	
1	Scope	8	
2	Normative references	8	
3	Terms and definitions	9	
4	List of significant hazards	11	
5 5.1 5.2 5.2.1 5.2.2 5.3 5.4 5.5 5.5.1 5.5.2 5.5.3 5.5.4 5.6 5.7 5.7.1 5.7.2 5.7.3 5.8 5.9 5.10	Safety requirements and/or protective measures  Lighting, signalling and marking lights and reflex-reflector devices  Operation and handling	11 11 11 13 13 13 13 13 14 14 14 15 15	
5.10.1 5.10.2 5.10.3	Noise measurement of vibratory plates and vibratory rammers	16 16	
6 7 7.1 7.2 7.3	Verification of safety requirements and/or protective measures	17 17 17	
Annex A.1 A.2 A.3 A.4 A.5	A (normative) Remote infrared controls for rollers with attending operator	19 19 19 19	
Annex B.1 B.2 B.2.1 B.2.2 B.2.3 B.2.4	B (normative) Noise-test-code for vibratory plates and vibratory rammers	23 23 23 24 28	

B.3	Determination of the A-weighted emission sound pressure level at the operator's position	
B.3.1	General	.29
B.3.2	Operator's position	
B.3.3	Test procedure	.29
B.3.4	Repetition of the test and calculation of the emission sound pressure level	.29
B.3.5	Determination of emission sound pressure spectra	
B.3.6	Sound pressure level as a function of time	
B.4	Installation and mounting conditions	
B.4.1	General	
B.4.2	Design of the test surface	
B.4.3	Design of the test site	
B.5	Operating conditions	
B.6	Uncertainty	
B.7	Information to be recorded	
B.8	Information to be recorded	
B.9	Declaration and verification of noise emission values	
_		. ၁၁
Annex	C (normative) Measurement of the hand-arm vibration of hand-guided vibratory ground	
	compaction machines	.36
C.1	General	
C.2	Terminology	.36
C.3	Quantities to be measured	
C.3.1	R.m.s. value of the weighted acceleration	
C.3.2	Frequency analysis	
C.3.3	Time records	
C.3.4	Other quantities to be measured	
C.4	Measuring equipment	
C.4.1	Requirements for the acceleration transducers	
C.4.1	Fastening of the acceleration transducers	
C.4.3	Frequency weighting filter	
C.4.4	R.m.s. detector	
C.4.4 C.4.5	Calibration	
C.4.5 C.5	Measurement direction and measurement location	
C.5.1	Measurement direction and measurement location	
-		
C.5.2	Measurement location	
C.6	Specification of working procedure	
C.6.1	Operator	
C.6.2	Other quantities to be determined (forces)	
C.6.3	Operating conditions	
C.6.4	Requirements for the test site	
C.6.5	Measurement procedure	
C.7	Test report	
C.7.1	Reference	
C.7.2	Description of the object to be measured	
C.7.3	List of measuring equipment	
C.7.4	Fastening of the acceleration transducers	
C.7.5	Operating conditions	.41
C.7.6	Further specifications	.41
C.7.7	Results	.42
C.8	Report of results	
C.9	Measurement uncertainty	
•	•	
	D (normative) Noise test code for vibratory rollers	
D.1	Scope	
D.2	Determination of the A-weighted sound power level	
D.2.1	General	
D.2.2	Measurement surface	
D.2.3	Positioning of the machine	
D.2.4	Repetition of the test	.49

## EN 500-4:2011 (E)

D.3	Determination of the A-weighted emission sound pressure level at the operators	40
	positions for vibratory rollers	
D.3.1	General	
D.3.2	Operator's positions Enclosed operator's positions	
D.3.3 D.3.4	Quantities to be determined	
D.3.4 D.3.5	Microphone position(s)	
D.3.5 D.3.6	Test procedure	
D.3.6 D.3.7	Repetition of the test	
D.3.7 D.4	Test conditions	
D.4.1	Installation and mounting conditions	
D.4.2	Operating conditions	
D.5	Uncertainty	
D.6	Information to be recorded	
D.7	Information to be reported	
D.8	Declaration and verification of noise emission values	
	E (normative) Noise test code for non-vibrating rollers	
E.1	Scope	
E.2 E.2.1	Determination of the A-weighted sound power level	
E.2.1 E.2.2	General Measurement surface	
E.2.2 E.2.3	Positioning of the machine	
E.2.3 E.2.4	Repetition of the test	
⊑.∠. <del>4</del> E.3	Determination of the A-weighted emission sound pressure level at operator's positions	56
⊏.ა	for non-vibrating rollers	EG
E.3.1	General	
E.3.1 E.3.2	Operators positions	
E.3.2	Enclosed operator's positions	
E.3.4	Quantities to be determined	
E.3.5	Microphone position(s)	
E.3.6	Test procedure	
E.3.7	Repetition of the test	
E.4	Test conditions	
E.4.1	Installation and mounting conditions	
E.4.2	Operating conditions	
E.5	Uncertainty	57
E.6	Information to be recorded	58
E.7	Information to be reported	58
E.8	Declaration and verification of noise emission values	59
Annov	ZA (informative) Relationship between this European Standard and the Essential	
	Requirements of EU Directive 2006/42/EC	60
	·	
Bibliog	graphy	61
Figure	S	
Figure	1 — Vertical swinging of single-drum walk-behind rollers	12
Figure	2 — Position of the stopping device at pedestrian-controlled rollers	13
	3 — Minimum clearance of lower limbs at access to the operator's station on machines with artic	
ste	eering	15
Eia	4 Deflection limiting volume front view side view	40
rigure	4 — Deflection-limiting volume, front view, side view	ο۱
Eiguro	5 — Warning decal	17
iguit	J — vvairiing uccal	17

rammers	
Figure B.2 — Arrangement of test positions for remote controlled vibratory plates	27
Figure B.3 — Grading-size diagram of the material to be compacted (gravel)	31
Figure B.4 — Test site and arrangement with test track	32
Figure C.1 — Directions of measurement and examples for attachment of the acceleration transducer	39
Figure C.2 — Arrangement of the coupling device on the drawbar	40
Figure D.1 — Basic length <i>L</i>	44
Figure D.2 — Arrangement of test positions for ride-on vibratory rollers	45
Figure D.3 — Arrangement of test positions for hand-guided vibratory rollers	46
Figure D.4 — Arrangement of test positions for remote controlled vibratory rollers	47
Figure D.5 — Arrangement of test positions for towed vibratory rollers	48
Figure E.1 — Basic length <i>L</i>	54
Figure E.2 — Microphone positions	55
Tables	
Table B.1 — Coordinates of microphones	28
Table B.2 — Operating conditions	33
Table B.3 — Uncertainties applicable to gravel course	33
Table D.2 — Uncertainties applicable to cushion mounted machines	50
Table E.1 — Coordinates of microphone positions	54
Table E.2 — Uncertainties	57

### **Foreword**

This document (EN 500-4:2011) has been prepared by Technical Committee CEN/TC 151 Building material construction machinery and equipment — Safety", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2011, and conflicting national standards shall be withdrawn at the latest by August 2011.

This document supersedes EN 500-4:2006+A1:2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive.

For relationship with EU Directive, see informative Annex ZA which is an integral part of this document.

The following changes have been introduced during the revision of EN 500-4:2006+A1:2009:

- exclusion of machines for seated ride-on operated rollers with a drum width less than nominal 0,8 m;
- addition of warnings and instructions regarding use of machines with a drum width less than nominal 1 m;
- vibrating rollers, irrespective whether they are intended for ride-on operation, pedestrian- or remotecontrolled are measured on a cushion/elastic underlay;
- non-vibrating rollers, irrespective whether they are intended for ride-on operation, pedestrian- or remotecontrolled are measured on a rigid reflecting plane without load and engine operating at nominal poweroutput;
- vibratory rammers are measured on the gravel-track;
- vibratory plates are measured on the gravel-track;
- for pragmatic reasons the deletion of explosion rammers and non-vibrating towed rollers/equipment is suggested ancillary, because today explosion-rammers cannot be found in the market any longer and non-vibrating towed rollers/equipment represent a passive attachment without any power-source and a function based on static-load only.

EN 500 "Mobile road construction machinery — Safety" comprise the following parts:

- Part 1: Common requirements;
- Part 2: Specific requirements for road-milling machines;
- Part 3: Specific requirements for soil-stabilising machines and recycling machines;
- Part 4: Specific requirements for compaction machines;
- Part 6: Specific requirements for paver-finishers.

EN 500-4:2011 (E)

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

EN 500-4:2011 (E)

## Introduction

This European Standard is a type C standard as stated in EN ISO 12100.

The machinery concerned and the extent to which hazards, hazardous situations and events are covered are indicated in the scope of this European Standard.

When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard.

## 1 Scope

This part of EN 500 specifies the safety requirements for compaction machines as defined in Clause 3 and deals with all significant hazards, hazardous situations and events relevant to compaction machines, when they are used as intended and under conditions of misuse which are reasonably foreseeable.

This document specifies additional requirements to and/or exceptions from EN 500-1 "Common requirements".

This part of EN 500 is not applicable for seated ride-on operated rollers with a drum width less than nominal 0,8 m.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 500-1:2006+A1:2009, Mobile road construction machinery — Safety — Part 1: Common requirements

EN 954-1:1996, Safety of machinery — Safety-related parts of control systems — Part 1: General principles for design

EN 60204-1:2006, Safety of machinery — Electrical equipment of machines — Part 1: General requirements (IEC 60204-1:2005, modified)

EN 60664 (all parts), Insulation coordination for equipment within low-voltage systems

EN ISO 3164:2008, Earth-moving machinery — Laboratory evaluations of protective structures — Specifications for deflection-limiting volume (ISO 3164:1995)

EN ISO 3450:2008, Earth-moving machinery — Braking systems of rubber-tyred machines — Systems and performance requirements and test procedures (ISO 3450:1996)

EN ISO 3471:2008, Earth-moving machinery — Roll-over protective structures — Laboratory tests and performance requirements (ISO 3471:2008)

EN ISO 3744:2010 Acoustics — Determination of sound power levels and sound energy levels of noise sources using sound pressure — Engineering methods for an essentially free field over a reflecting plane (ISO 3744:2010)



This is a free preview	<ul> <li>Purchase the entire</li> </ul>	e publication at the link below:
------------------------	---	----------------------------------

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation