

Irish Standard I.S. EN 61400-24:2010

Wind turbines -- Part 24: Lightning protection (IEC 61400-24:2010 (EQV))

© NSAI 2010

No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:	<i>This document is</i> EN 61400-24:201	04364 077	<i>lished:</i> ly, 2010
This document was publish under the authority of the comes into effect on: 19 July, 2010			ICS number: 27.180
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie	Sales: T +353 1 857 67 F +353 1 857 67 W standards.ie	

Údarás um Chaighdeáin Náisiúnta na hÉireann

W NSALie

EUROPEAN STANDARD

EN 61400-24

NORME EUROPÉENNE EUROPÄISCHE NORM

July 2010

ICS 27.180

English version

Wind turbines Part 24: Lightning protection (IEC 61400-24:2010)

Eoliennes -Partie 24: Protection contre la foudre (CEI 61400-24:2010) Windenergieanlagen -Teil 24: Blitzschutz (IEC 61400-24:2010)

This European Standard was approved by CENELEC on 2010-07-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

EN 61400-24:2010

- 2 -

Foreword

The text of document 88/366/FDIS, future edition 1 of IEC 61400-24, prepared by IEC TC 88, Wind turbines, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61400-24 on 2010-07-01.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2011-04-01

 latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2013-07-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61400-24:2010 was approved by CENELEC as a European Standard without any modification.

EN 61400-24:2010

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication	Year	Title	EN/HD	<u>Year</u>
-	-	Power installations exceeding 1 kV a.c.	HD 637 S1 + corr. June	1999 2005
-	-	Lightning Protection Components (LPC) - Part 1: Requirements for connection components	EN 50164-1	-
IEC 60060-1	1989	High-voltage test techniques - Part 1: General definitions and test requirements	HD 588.1 S1	1991
IEC 60068	Series	Environmental testing	EN 60068	Series
IEC 60071	Series	Insulation co-ordination	EN 60071	Series
IEC 60071-2	1996	Insulation co-ordination - Part 2: Application guide	EN 60071-2	1997
IEC 60099-4	-	Surge arresters - Part 4: Metal-oxide surge arresters without gaps for a.c. systems	EN 60099-4	-
IEC 60099-5	-	Surge arresters - Part 5: Selection and application recommendations	EN 60099-5	-
IEC 60204-1	-	Safety of machinery - Electrical equipment of machines - Part 1: General requirements	EN 60204-1	-
IEC 60204-11	-	Safety of machinery - Electrical equipment of machines - Part 11: Requirements for HV equipment for voltages above 1 000 V a.c. or 1 500 V d.c. and not exceeding 36 kV	EN 60204-11	-
IEC 60243-1	-	Electrical strength of insulating materials - Test methods - Part 1: Tests at power frequencies	EN 60243-1	-
IEC 60243-3	-	Electrical strength of insulating materials - Test methods - Part 3: Additional requirements for 1,2/50 μs impulse tests	EN 60243-3	-
IEC 60364-4-44	-	Low voltage electrical installations - Part 4-44: Protection for safety - Protection against voltage disturbances and electromagnetic disturbances	HD 60364-4-444	-

EN 61400-24:2010

- 4 -

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60364-5-53 + A1 (mod)	2001 2002	Electrical installations of buildings - Part 5-53: Selection and erection of electrical equipment - Isolation, switching and control	-	-
IEC 60464-2	-	Varnishes used for electrical insulation - Part 2: Methods of test	EN 60464-2	-
IEC/TS 60479-1	-	Effects of current on human beings and livestock - Part 1: General aspects	-	-
IEC/TR 60479-4	-	Effects of current on human beings and livestock - Part 4: Effects of lightning strokes on human beings and livestock	-	-
IEC 60587	-	Electrical insulating materials used under severe ambient conditions - Test methods for evaluating resistance to tracking and erosion	EN 60587	-
IEC 60664-1	-	Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests	EN 60664-1	-
IEC 61000-4-5	-	Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test	EN 61000-4-5	-
IEC/TR 61000-5-2	-	Electromagnetic compatibility (EMC) - Part 5: Installation and mitigation guidelines - Section 2: Earthing and cabling	-	-
IEC/TS 61400-23	-	Wind turbine generator systems - Part 23: Full-scale structural testing of rotor blades	-	-
IEC 61643-1	-	Low-voltage surge protective devices - Part 1: Surge protective devices connected to low-voltage power distribution systems - Requirements and tests	-	-
IEC 61643-12	-	Low-voltage surge protective devices - Part 12: Surge protective devices connected to low-voltage power distribution systems - Selection and application principles	CLC/TS 61643-12	-
IEC 61643-21	-	Low voltage surge protective devices - Part 21: Surge protective devices connected to telecommunications and signalling networks - Performance requirements and testing methods	EN 61643-21	-
IEC 61643-22	-	Low-voltage surge protective devices - Part 22: Surge protective devices connected to telecommunications and signalling networks - Selection and application principles	CLC/TS 61643-22	-
IEC 62153-4-3	-	Metallic communication cable test methods - Part 4-3: Electromagnetic Compatibility (EMC) - Surface transfer impedance - Triaxial method		-
IEC 62305-1	2006	Protection against lightning - Part 1: General principles	EN 62305-1 + corr. November	2006 2006
IEC 62305-2	2006	Protection against lightning - Part 2: Risk management	EN 62305-2 + corr. November	2006 2006

- 5 -

EN 61400-24:2010

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 62305-3 (mod) -	2006	Protection against lightning - Part 3: Physical damage to structures and life hazard	EN 62305-3 + corr. September + corr. November + A11	2006 2008 2006 2009
IEC 62305-4	2006	Protection against lightning - Part 4: Electrical and electronic systems within structures	EN 62305-4 + corr. November	2006 2006
ITU-T Recommendation K.20	-	Resistibility of telecommunication equipment installed in a telecommunications centre to overvoltages and overcurrents	-	-
ITU-T Recommendation K.21	-	Resistibility of telecommunication equipment installed in customer premises to overvoltages and overcurrents		-
ITU-T Recommendation K46	-	Protection of telecommunication lines using metallic symmetric conductors against lightning-induced surges	-	-

This is a free page sample. Access the full version online.

I.S. EN 61400-24:2010

This page is intentionally left BLANK.

- 2 - 61400-24 © IEC:2010(E)

CONTENTS

FO	REW	ORD		8	
1	Scop	e		10	
2	Normative references				
3	Terms and definitions				
4	Syml	ools and	I units	18	
5	-		S		
6			vironment for wind turbine		
-	6.1	•	al		
	6.2		ng current parameters and lightning protection levels (LPL)		
7		-	posure assessment		
	7.1		al		
	7.2		sing the frequency of lightning affecting a wind turbine		
	7.3	Assess	sing the risk of damage	26	
		7.3.1	Basic equation	26	
		7.3.2	Assessment of risk components due to flashes to the wind turbine (S1)	27	
		7.3.3	Assessment of the risk component due to flashes near the wind turbine (S2)	27	
		7.3.4	Assessment of risk components due to flashes to a service line connected to the wind turbine (S3)	27	
		7.3.5	Assessment of risk component due to flashes near a service line connected to the wind turbine (S4)	28	
8	Light	ning pro	otection of subcomponents	29	
	8.1	Genera	al	29	
	8.2	Blades	·	29	
		8.2.1	General		
		8.2.2	Requirements		
		8.2.3	Verification		
		8.2.4	Protection design considerations		
	0.0	8.2.5	Test methods		
	8.3		e and other structural components		
		8.3.1	General		
		8.3.2	Hub		
		8.3.3	Spinner Nacelle		
		8.3.4 8.3.5	Tower		
		8.3.6	Testing methods		
	8.4		nical drive train and yaw system		
	0.4	8.4.1	General		
		8.4.2	Bearings		
		8.4.3	Hydraulic systems		
		8.4.4	Spark gaps and sliding contacts		
		8.4.5	Testing		
	8.5		cal low-voltage systems and electronic systems and installations		
	5	8.5.1	General		
		8.5.2	LEMP protection measures (LPMS)		
		8.5.3	Lightning protection zones (LPZ)		

61400-24 © IEC:2010(E)	
------------------------	--

- 3 -

		8.5.4	Equipotential bonding within the wind turbine	37
		8.5.5	Shielding and line routing	37
		8.5.6	Coordinated SPD protection	38
		8.5.7	Testing methods for system immunity tests	41
	8.6	Electri	cal high-voltage (HV) power systems	41
9	Earth	ing of v	vind turbines and wind farms	43
	9.1	Genera	al	43
		9.1.1	Basic requirements	43
		9.1.2	Earth electrode arrangements	43
		9.1.3	Earthing system impedance	44
	9.2	Equipo	tential bonding	44
		9.2.1	General	44
		9.2.2	Lightning equipotential bonding for metal installations	44
		9.2.3	Electrically insulated LPS	45
	9.3	Structu	ıral components	45
		9.3.1	General	45
		9.3.2	Metal tubular type tower	45
		9.3.3	Metal reinforced concrete towers	45
		9.3.4	Lattice tower	46
		9.3.5	Systems inside the tower	46
		9.3.6	Concrete foundation	
		9.3.7	Rocky area foundation	
		9.3.8	Metal mono-pile foundation	
		9.3.9	Offshore foundation	
	9.4		ode shape dimensions	
	9.5		arms	
	9.6		ion and maintenance of the earthing system	
10	Perso	onal saf	ety	49
11	Docu	mentati	on of lightning protection system	50
			al	
	11.2	Docum	entation necessary during assessment for design evaluation	50
		11.2.1	General documentation	50
		11.2.2	Documentation for rotor blades	51
		11.2.3	Documentation of mechanical systems	51
		11.2.4	Documentation of electrical and electronic systems	51
		11.2.5	Documentation of earthing and bonding systems	51
		11.2.6	Documentation of nacelle cover, hub and tower lightning protection	- 4
	44.0	Cito on	systems	
		•	ecific information	
	11.4		rentation to be provided for LPS inspections	
			Visual LPS inspection report.	
	11 5		Complete LPS inspection report	
12				
12	-		f lightning protection system	
		•	of inspection	
	12.2		of inspections	
			General	
			Inspection during production of the wind turbine	
		12.2.3	INSPECTION QUING INSTANTATION OF THE WING TURDINE	ეპ

- 4 - 61400-24 © IEC:2010(E)

12.2.4 Inspection during commissioning of the wind turbine and periodic inspection	52
12.2.5 Inspection after dismantling or repair of main parts	
12.3 Maintenance	
Annex A (informative) The lightning phenomenon in relation to wind turbines	
Annex B (informative) Lightning exposure assessment	66
Annex C (informative) Protection methods for blades	84
Annex D (informative) Test specifications	96
Annex E (informative) Application of lightning protection zones (LPZ) concept at a wind turbine	119
Annex F (informative) Selection and installation of a coordinated SPD protection in wind turbines	124
Annex G (informative) Additional information on bonding and shielding and installation technique	128
Annex H (informative) Testing methods for system level immunity tests	133
Annex I (informative) Earth termination system	135
Annex J (informative) Example of defined measuring points	143
Annex K (informative) Typical lightning damage questionnaire	145
Annex L (informative) Monitoring systems	148
Annex M (informative) Guidelines for small wind turbines – Microgeneration	149
Bibliography	150
Figure 1 – Collection area of the wind turbine	24
Figure 2 – Effective height, <i>H</i> , of wind turbine exposed on a hill	
Figure 3 – Collection area of wind turbine of height H_a and another structure of height	47
H_{b} connected by underground cable of length L_{c}	26
Figure 4a – Squirel cage induction generator (SCIG)	42
Figure 4b – Wound rotor induction generator (WRIG)	42
Figure 4 – Examples of placement of HV arresters in two typical main electrical circuits of wind turbines	42
Figure A.1 – Processes involved in the formation of a cloud-to-ground flash	57
Figure A.2 – Typical profile of a negative cloud-to-ground flash (not to scale)	58
Figure A.3 – Definitions of short stroke parameters (typically $T_2 < 2 \text{ ms}$)	58
Figure A.4 – Definitions of long stroke parameters (typically 2 ms $< T_{long} < 1$ s) (Figure A.2 in IEC 62305-1)	59
Figure A.5 – Possible components of downward flashes (typical in flat territory and to lower structures) (Figure A.3 in IEC 62305-1)	60
Figure A.6 – Typical profile of a positive cloud-to-ground flash	60
Figure A.7 – Typical profile of a negative upward initiated flash	61
Figure A.8 – Possible components of upward flashes (typical to exposed and/or higher structures) (Figure A.4 in IEC 62305-1)	63
Figure C.1 – Types of wind turbine blades	85
Figure C.2 – Lightning protection concepts for large modern wind turbine blades	87
Figure C.3 – Lightning induced voltages between lightning conductor or structure and sensor wiring	90
Figure D.1 – Initial leader attachment test setup A (specimen should be tested in several positions representing different directions of the approaching leader)	99

61400-24 © IEC:2010	(E) – 5
---------------------	---------

Figure D.2 – Possible orientations for the initial leader attachment test setup A	100
Figure D.3 – Leader connection point must be away from test specimen	101
Figure D.4 – Initial leader attachment test setup B	102
Figure D.5 – Arrangement for local protection device (e.g. diverter) – Evaluations test setup C	103
Figure D.6 – Typical switching impulse voltage rise to flashover (100 μs per division)	104
Figure D.7 – Swept channel test arrangement	108
Figure D.8 – Lightning impulse voltage waveform (Figure 6 in IEC 60060-1)	
Figure D.9 – Lightning impulse voltage waveform showing flashover on the wave front (Figure 7 in IEC 60060-1)	109
Figure D.10 – Typical jet diverting test electrodes	112
Figure D.11 – High-current test arrangement for non-conductive surfaces	114
Figure D.12 – Example of an arrangement for conducted current tests	117
Figure E.1 – Rolling sphere model	120
Figure E.2 – Mesh with large mesh dimension for nacelle with GFRP cover	121
Figure E.3 – Mesh with small mesh dimension for nacelle with GFRP cover	121
Figure E.4 – Two cabinets both defined as LPZ 2 connected via the shield of a shielded cable	122
Figure E.5 – Example: Division of wind turbine into different lightning protection zones	123
Figure E.6 – Example of how to document LPMS division of electrical system into protection zones with indication of where circuits cross LPZ boundaries and showing the long cables running between tower base and nacelle	123
Figure F.1 – Point-to-point installation scheme (Figure 53E in IEC 60364-5-53)	
Figure F.2 – Earthing connection installation scheme (Figure A.1 in IEC 60364-5-53)	
Figure G.1 – Two control cabinets located on different metallic planes inside a nacelle	128
Figure G.2 – Magnetic coupling mechanism	129
Figure G.3 – Measuring of transfer impedance	131
Figure H.1 – Example circuit of a SPD discharge current test under service conditions	134
Figure H.2 – Example circuit of an induction test due to lightning currents	134
Figure I.1 – Minimum length (l_1) of each earth electrode according to the class of LPS (Figure 2 in IEC 62305-3)	138
Figure I.2 – Frequency dependence on the impedance to earth (adapted from Cigré WG C.4.4.02 July 2005 [49])	139
Figure J.1 – Example of measuring points	143
Figure K.1 – Blade outlines for marking locations of damage	147
Table 1 – Maximum values of lightning parameters according to LPL (Table 5 in IEC 62305-1)	21
Table 2 – Minimum values of lightning parameters and related rolling sphere radius corresponding to LPL (Table 6 in IEC 62305-1)	22
Table 3 – Collection areas A_{\parallel} and A_{\parallel} of service line depending on whether aerial or buried (corresponds to Table A.3 in IEC 62305-2)	26
Table 4 – Parameters relevant to the assessment of risk components for wind turbine (corresponds to Table 8 in IEC 62305-2)	28

- 6 - 61400-24 © IEC:2010(E)

Table 5 – Minimum dimensions of conductors connecting different bonding bars/points or connecting bonding bars/points to the earth termination system (Table 8 in IEC 62305-3)	45
Table 6 – Minimum dimensions of conductors connecting internal metal installations to the bonding bar/point (Table 9 in IEC 62305-3)	45
	54
Table A.1 – Cloud-to-ground lightning current parameters (adapted from Table A.1 in IEC 62305-1)	59
Table A.2 – Upward initiated lightning current parameters	62
Table A.3 – Summary of the lightning threat parameters to be considered in the calculation of the test values for the different LPS components and for the different LPL (Table D.1 in IEC 62305-1)	64
Table B.1 – Sources of damage, types of damage and types of loss according to point of strike (corresponds to Table 1 in IEC 62305-2)	67
Table B.2 – Risk in a wind turbine for each type of damage and of loss (corresponds to Table 2 in IEC 62305-2)	68
Table B.3 – Values of probability, P_A , that a lightning flash to a wind turbine will cause shock to living beings due to dangerous touch and step voltages (corresponds to Table B.1 in IEC 62305-2)	71
Table B.4 – Values of probability, P_{B} , depending on the protection measures to reduce physical damage (corresponds to Table B.2 in IEC 62305-2)	71
Table B.5 – Values of probability $P_{\mbox{SPD}}$ as a function of the LPL for which the SPDs are designed (Table B.3 in IEC 62305-2)	72
Table B.6 – Values of probability, P_{LD} , depending on the resistance, R_S , of the cable screen and the impulse withstand voltage, U_W , of the equipment (Table B.6 in IEC 62305-2)	73
Table B.7 – Values of probability, P_{LI} , depending on the resistance, R_{S} , of the cable screen and the impulse withstand voltage, U_{W} , of the equipment (Table B.7 in IEC 62305-2)	74
Table B.8 – Values of reduction factors r_a and r_u as a function of the type of surface of soil or floor (corresponds to Table C.2 in IEC 62305-2)	76
Table B.9 – Values of reduction factor $r_{\rm p}$ as a function of provisions taken to reduce the consequences of fire (Table C.3 in IEC 62305-2)	76
Table B.10 – Values of reduction factor r_f as a function of risk of fire of the wind turbine (corresponds to Table C.4 in IEC 62305-2)	76
Table B.11 – Values of factor h_Z increasing the relative amount of loss in presence of a special hazard (corresponds to Table C.5 in IEC 62305-2)	77
Table B.12 – Typical mean values of L_{t},L_{f} and L_{O} (corresponds to Table C.7 in IEC 62305-2)	77
Table B.13 – Values of factor K_d as a function of the characteristics of the shielded service line (corresponds to Table D.1 in IEC 62305-2)	79
Table B.14 – Values of factor K_{p} as a function of the protection measures (Table D.2 in IEC 62305-2)	79
Table B.15 – Impulse withstand voltage $U_{\hbox{W}}$ as a function of the type of cable (Table D.3 in IEC 62305-2)	79
Table B.16 – Impulse withstand voltage $U_{ m W}$ as a function of the type of apparatus (Table D.4 in IEC 62305-2)	79
Table B.17 – Values of probability P'_{B} , P'_{C} , P'_{V} and P'_{W} as function of the failure current I_{a} (Table D.5 in IEC 62305-2)	80
Table C.1 – Material, configuration and minimum nominal cross-sectional area of airtermination conductors, air-termination rods and down conductors (corresponds to Table 6 in IEC 62305-3, future edition 2)	92

61400-24 © IEC:2010(E)

-7 -

Table C.2 – Physical characteristics of typical materials used in lightning protection systems (Table D.2 in IEC 62350-1)	93
Table C.3 – Temperature rise [K] for different conductors as a function of W/R (Table D.3 in IEC 62305-1)	94
Table E.1 – Definition of lightning protection zones according to IEC 62305-1	119
Table F.1 – Discharge and impulse current levels for TN systems given in IEC 60364- 5-53	127
Table F.2 – Example of increased discharge and impulse current levels for TN systems	127
Table I.1 – Impulse efficiency of several ground rod arrangements relative to a 12 m vertical ground rod (100 %) (adapted from Cigré WG C.4.4.02 July 2005)	140
Table I.2 – Symbols used in Tables I.3 to I.6	140
Table I.3 – Formulae for different earthing electrode configurations	141
Table I.4 – Formulae for buried ring electrode combined with vertical rods	142
Table I.5 – Formulae for buried ring electrode combined with radial electrodes	142
Table I.6 – Formulae for buried straight horizontal electrode combined with vertical rods	142
Table J.1 – Measuring points and resistances to be recorded	144

-8-

61400-24 © IEC:2010(E)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

WIND TURBINES -

Part 24: Lightning protection

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international
 consensus of opinion on the relevant subjects since each technical committee has representation from all
 interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61400-24 has been prepared by IEC technical committee 88: Wind turbines.

This first edition replaces IEC/TR 61400-24, published in 2002. It constitutes a technical revision. It is restructured with a main normative part, while informative information is placed in annexes.

The text of this standard is based on the following documents:

FDIS	Report on voting	
88/366/FDIS	88/369/RVD	

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This is a free page sample. Access the full version online.

I.S. EN 61400-24:2010

61400-24 © IEC:2010(E)

-9-

A list of all parts of the IEC 61400 series, under the general title: *Wind turbines*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.



The is a new provider i arenade and chare publication at the limit below	This is a free preview.	Purchase the	entire publication	at the link below:
--	-------------------------	--------------	--------------------	--------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation