

Irish Standard I.S. EN 12542:2010

LPG equipment and accessories - Static welded steel cylindrical tanks, serially produced for the storage of Liquefied Petroleum Gas (LPG) having a volume not greater than 13 m_β - Design and manufacture

© NSAI 2010

No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda/National Annexes issued since publication:	

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces: EN 12542:2002, EN 14075:2002 This document is based on: EN 12542:2010

Published: 4 August, 2010

This document was published under the authority of the NSAI and comes into effect on: 16 August, 2010 ICS number: 23.020.30

NSAI

1 Swift Square, Northwood, Santry Dublin 9 T +353 1 807 3800

F +353 1 807 3838 E standards@nsai.ie

W NSAl.ie

Sales:

T +353 1 857 6730 F +353 1 857 6729 W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD NORME EUROPÉENNE

EN 12542

EUROPÄISCHE NORM

August 2010

ICS 23.020.30

Supersedes EN 12542:2002, EN 14075:2002

English Version

LPG equipment and accessories - Static welded steel cylindrical tanks, serially produced for the storage of Liquefied Petroleum Gas (LPG) having a volume not greater than 13 m³ - Design and manufacture

Equipements pour gaz de pétrole liquéfié et leurs accessoires - Réservoirs cylindriques fixes, aériens, en acier soudé, fabriqués en série pour le stockage de gaz de pétrole liquéfié (GPL) ayant un volume inférieur ou égal à 13 m³ - Conception et fabrication

Flüssiggas-Geräte und Ausrüstungsteile - Ortsfeste, geschweißte zylindrische Behälter aus Stahl, die serienmäßig für die Lagerung von Flüssiggas (LPG) hergestellt werden, mit einem Fassungsvermögen bis 13 m³ - Gestaltung und Herstellung

This European Standard was approved by CEN on 26 June 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 12542:2010 (E)

Cont	nts Page		tents	
Forew	ord	5		
Introdu	uction	6		
1	Scope			
-	·			
2	Normative references			
3	Terms and definitions	9		
4	Materials	. 10		
4.1	Environmental			
4.2	Shells and ends	. 10		
4.3	Pressure parts other than shell or ends	. 12		
4.4	Parts welded to the tank	. 13		
4.5	Welding consumables	. 13		
4.6	Inspection documents for materials	. 13		
4.7	Non metallic materials (gaskets)	. 13		
5	Design	12		
5 5.1	General			
5.1	Temperature			
5.2	Pressure			
5.4	Vacuum conditions			
5.5	Support loadings			
5.6	Lifting lugs loadings			
0.0				
6	Openings			
6.1	General			
6.2	Reinforcement			
6.3	Position of welds and openings	. 15		
7	Workmanship and manufacture	. 15		
7.1	General			
7.2	Environment	. 15		
7.3	Control and traceability of materials	. 16		
7.4	Manufacturing tolerances	. 16		
7.5	Acceptable weld details	. 16		
7.5.1	General	. 16		
7.5.2	Longitudinal welds			
7.5.3	Joggle joints			
7.6	Formed pressure parts			
7.6.1	General			
7.6.2	Heat treatment after forming			
7.6.3	Testing of formed parts			
7.6.4	Repeated tests			
7.6.5	Visual examination and dimensional check			
7.6.6	Marking			
7.6.7	Test certificate			
7.7	Welding			
7.7.1	General			
7.7.2	Welding procedure specification (WPS)			
7.7.3	Qualification of WPS	. 19		
7.7.4	Qualification of welders and welding operators			
7.7.5	Preparation of edges to be welded			
7.7.6	Execution of welded joints	. 20		

7.7.7 7.7.8	Attachments and supports Preheating	
7.7.0 7.8	Post weld heat treatment	
7.9	Repairs	.20
7.9.1	Repairs of surface imperfections in the parent metal	
7.9.2	Repair of weld imperfections	
8	Non-pressure attachments	
8.1 8.2	Attachments	
8.3	Position Vent hole	
9 9.1	Inspection and testing Visual examination of welds	
9.2	Non-destructive testing (NDT)	
9.3	Non-destructive testing techniques	
9.3.1	General	
9.3.2	Radiographic techniques	
9.3.3 9.3.4	Ultrasonic techniques	
9.3.4 9.3.5	Penetrant techniques	
9.3.3 9.4	Marking for non-destructive testing	. 23 . 23
9.5	Qualification of personnel	
9.6	Acceptance criteria	
9.7	Production test plates (coupon plates)	
9.8 9.8.1	Final assessment Pressure test	
9.8.2	Final examination	
10 10.1	Surface treatment and finishing Environmental considerations	
10.1	Above ground tanks	
10.2.1	General	
10.2.2	Reflectivity	
10.3	Underground tanks	
10.4	Finishing operations	
11	Marking and certification	
12	Records and documentation	
12.1 12.2	Records to be obtained by the manufacturer Documents to be prepared by the manufacturer	
	• • •	
Annex A.1	A (informative) Design pressure and filling conditions	
A.1.1	Design pressure (p)	
A.1.2	Filling conditions	
A.1.3	Calculation of maximum fill	.31
A.2	Underground tanks	
A.2.1	Design pressure	
	B (normative) Tolerances on tanks	
B.1	Mean external diameter	
B.2 B.3	Out of roundness Deviation from the straight line	
в.з В.4	Irregularities in circular profile	
B.5	Thickness tolerance	
B.6	Profile	.33
B.7	Surface alignment	
B.8	Attachments, nozzles and fittings	.34
	C (normative) Hydraulic pressure test	
C.1	Temporary fittings	.35

EN 12542:2010 (E)

C.2	Pressure gauges	35
C.3	Pressurising agent	
C.4	Avoidance of shocks	35
C.5	Test procedure	35
_		
Annex	D (normative) Imperfections	36
Annex	E (normative) Design formulae for tanks	38
E.1	Allowable stresses	
E.2	Design formulae	
E.2.1	General	
E.2.1 E.2.2	Cylindrical shell calculation	
E.2.2 E.2.3	Torispherical end calculation	
E.2.3 E.2.4		
	Ellipsoidal end calculation	
E.2.5	Hemispherical ends	40
E.2.6	Equations for calculating β	
E.3	Nozzle reinforcement	
E.3.1	General	
E.3.2	Size of openings	
E.3.3	Distance between openings or branches	42
E.3.4	Openings and branches	43
E.3.5	Cylindrical shells and ends with openings	43
E.3.6	Shell reinforcement	43
E.3.7	Extent of reinforcement	43
E.3.8	Elliptical openings	43
E.3.9	Welded branches	
E.3.10	Compensating plates	
E.3.11	Reinforcement - General	
E.3.12	Reinforcement by pads	
	Reinforcement by branches	
	Branch connections normal to the tank wall	
E.J. 14	Dialicii connections normal to the tank wall	44
Annex	F (informative) Measurement of shell peaking	49
F.1	Profile gauge	
F.2	Peaking survey	
	•	
Annex	G (informative) Examples of joints	52
Δηηργ	H (informative) Method of determining reflectivity indices (above ground tanks)	56
H.1	Method	
		-
Annex	I (normative) External protection of underground tanks	
l.1	General	57
I.2	Unmonitored protection systems	57
I.3	Monitored protection systems	
I.3.1	Systems incorporating cathodic protection	
1.3.2	Systems incorporating a protective envelope	
I.3.3	Other systems	
	•	
Annex .	J (informative) Environmental check list	59
Annov	ZA (informative) Relationship between this European Standard and the Essential	
AIIIIEX	Requirements of EU Directive 97/23/EC	61
	Requirements of EO Directive 37/23/EO	υı
Biblioa	raphy	62

EN 12542:2010 (E)

Foreword

This document (EN 12542:2010) has been prepared by Technical Committee CEN/TC 286 "Liquefied petroleum gas equipment and accessories", the secretariat of which is held by NSAI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2011, and conflicting national standards shall be withdrawn at the latest by February 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12542:2002, EN 14075:2002.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

The main technical changes in this revision include:

- widening of the Scope to include requirements for underground tanks;
- addition of environmental considerations;
- reference to the latest welding standards; and
- introduction of radioscopy as a permitted alternative to radiographic examination of welds.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

EN 12542:2010 (E)

Introduction

This European Standard calls for the use of substances and procedures that may be injurious to health and/or the environment if adequate precautions are not taken. It refers only to technical suitability and does not absolve the user from legal obligations at any stage.

Protection of the environment is a key political issue in Europe and elsewhere. Protection of the environment is taken in a very broad sense. What is meant is the total life cycle aspects of e.g. a product on the environment, including expenditure of energy and during all phases from mining of raw materials, fabrication, packaging, distribution, use, scrapping, recycling of materials, etc.

NOTE 1 Annex J indicates which clauses in this standard address environmental issues.

Provisions should be restricted to a general guidance. Limit values are specified in national laws.

It is recommended that manufacturers develop an environmental management policy. For guidance see ISO 14000 series

It has been assumed in the drafting of this European Standard that the execution of its provisions is entrusted to appropriately qualified and experienced people.

All pressures are gauge pressures unless otherwise stated.

NOTE 2 This European Standard requires measurement of material properties, dimensions and pressures. All such measurements are subject to a degree of uncertainty due to tolerances in measuring equipment, etc. It may be beneficial to refer to the leaflet "Measurement Uncertainty Leaflet (SP INFO 2000 27 uncertainty.pdf)".



This is a free preview. Purchase the entire publication at the link below

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation