



NSAI
Standards

Irish Standard
I.S. EN 60939-1:2010

Passive filter units for electromagnetic interference suppression -- Part 1: Generic specification (IEC 60939-1:2010 (EQV))

I.S. EN 60939-1:2010

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i> EN 60939-1:2005	<i>This document is based on:</i> EN 60939-1:2010 EN 60939-1:2005	<i>Published:</i> 15 October, 2010 8 April, 2005
This document was published under the authority of the NSAI and comes into effect on: 27 October, 2010		ICS number: 31.160
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60939-1

October 2010

ICS 31.160

Supersedes EN 60939-1:2005 + corr. Apr.2009

English version

Passive filter units for electromagnetic interference suppression -
Part 1: Generic specification
(IEC 60939-1:2010)

Filtres passifs d'antiparasitage -
Partie 1: Spécification générique
(CEI 60939-1:2010)

Passive Filter für die Unterdrückung von
elektromagnetischen Störungen -
Teil 1: Fachgrundspezifikation
(IEC 60939-1:2010)

This European Standard was approved by CENELEC on 2010-10-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 40/2046/FDIS, future edition 3 of IEC 60939-1, prepared by IEC TC 40, Capacitors and resistors for electronic equipment, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60939-1 on 2010-10-01.

This European Standard supersedes EN 60939-1:2005 + corr. Apr.2009.

This EN 60939-1:2010 includes the following significant technical changes with respect to EN 60939-1:2005 + corr. Apr.2009:

- a) Table 3 has been updated, specifying how to handle the Neutral by 3-phase filter with Neutral;
- b) all details about "Quality assessment" have been deleted in this edition, because this standard is a safety standard;
- c) filters shall be subjected to Test Aa of EN 60068-2-1 for 16 h, using the degree of severity of the lower category temperature as prescribed in the relevant specification;
- d) since EN 60068-2-20 does no longer make a difference between Method 1A and 1B, but only describes Method 1, references to the method to be used are updated.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

- | | | |
|--|-------|------------|
| – latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 2011-07-01 |
| – latest date by which the national standards conflicting with the EN have to be withdrawn | (dow) | 2013-10-01 |

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 60939-1:2010 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 60990	NOTE Harmonized as EN 60990.
-----------	------------------------------

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60027	Series	Letter symbols to be used in electrical technology	-	-
IEC 60050	Series	International Electrotechnical Vocabulary	-	-
IEC 60062	-	Marking codes for resistors and capacitors	EN 60062	-
IEC 60068-1	1988	Environmental testing - Part 1: General and guidance	EN 60068-1 ¹⁾	1994
IEC 60068-2-1	-	Environmental testing - Part 2-1: Tests - Test A: Cold	EN 60068-2-1	-
IEC 60068-2-2	-	Environmental testing - Part 2-2: Tests - Test B: Dry heat	EN 60068-2-2	-
IEC 60068-2-6	-	Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	-
IEC 60068-2-13	-	Environmental testing - Part 2-13: Tests - Test M: Low air pressure	EN 60068-2-13	-
IEC 60068-2-14	-	Environmental testing - Part 2-14: Tests - Test N: Change of temperature	EN 60068-2-14	-
IEC 60068-2-17	-	Environmental testing - Part 2-17: Tests - Test Q: Sealing	EN 60068-2-17	-
IEC 60068-2-20	-	Environmental testing - Part 2-20: Tests - Test T: Test methods for solderability and resistance to soldering heat of devices with leads	EN 60068-2-20	-
IEC 60068-2-21	-	Environmental testing - Part 2-21: Tests - Test U: Robustness of terminations and integral mounting devices	EN 60068-2-21	-
IEC 60068-2-27	-	Environmental testing - Part 2-27: Tests - Test Ea and guidance: Shock	EN 60068-2-27	-
IEC 60068-2-29	-	Environmental testing - Part 2: Tests - Test Eb and guidance: Bump	EN 60068-2-29 ²⁾	-

¹⁾ EN 60068-1 includes A1 to IEC 60068-1 + corr. October .

²⁾ EN 60068-2-29 is superseded by EN 60068-2-27:2009, which is based on IEC 60068-2-27:2008.

I.S. EN 60939-1:2010

EN 60939-1:2010

- 4 -

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-30	2005	Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)	EN 60068-2-30	2005
IEC 60068-2-45	1980	Environmental testing - Part 2: Tests - Test Xa and guidance: Immersion in cleaning solvents	EN 60068-2-45	1992
IEC 60068-2-78	-	Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state	EN 60068-2-78	-
IEC 60085	-	Electrical insulation - Thermal evaluation and designation	EN 60085	-
IEC 60294	-	Measurement of the dimensions of a cylindrical component having two axial terminations	-	-
IEC 60384-14	2005	Fixed capacitors for use in electronic equipment - Part 14: Sectional specification - Fixed capacitors for electromagnetic interference suppression and connection to the supply mains	EN 60384-14	2005
IEC 60410	-	Sampling plans and procedures for inspection - by attributes		-
IEC 60695-11-5	-	Fire hazard testing - Part 11-5: Test flames - Needle-flame test method - Apparatus, confirmatory test arrangement and guidance	EN 60695-11-5	-
CISPR 17	-	Methods of measurement of the suppression characteristics of passive radio interference filters and suppression components	EN 55017	-
ISO 1000	-	SI units and recommendations for the use of their multiples and of certain other units	-	-

CONTENTS

FOREWORD.....	5
1 General	7
1.1 Scope.....	7
1.2 Normative references	7
2 Terms, definitions and technical data	8
2.1 Units, symbols and terminology	8
2.2 Terms and definitions	9
2.3 Preferred values	11
2.4 Marking	11
2.4.1 General	11
2.4.2 Coding	11
2.5 Components	11
3 Test and measurement procedures.....	11
3.1 General	11
3.2 Standard atmospheric conditions.....	12
3.2.1 Standard atmospheric conditions for testing	12
3.2.2 Recovery conditions	12
3.2.3 Referee conditions	12
3.2.4 Reference conditions	13
3.3 Drying	13
3.4 Visual examination and check of dimensions	13
3.4.1 Visual examination	13
3.4.2 Dimensions (gauging)	13
3.4.3 Dimensions (detail).....	13
3.4.4 Creepage distances and clearances	13
3.5 Insulation resistance	13
3.5.1 Measuring voltage	14
3.5.2 Application of measuring voltage	14
3.5.3 Mean time to measuring	15
3.5.4 Temperature correction factor.....	15
3.5.5 Information to be given in a detail specification.....	15
3.6 Voltage proof.....	16
3.6.1 Test circuit and procedure for a d.c. test.....	17
3.6.2 Test circuit and procedure for an a.c. test.....	17
3.6.3 Tests	18
3.6.4 Requirements	18
3.6.5 Repetition of the voltage proof test	19
3.6.6 Information to be given in a detail specification.....	19
3.7 Insertion loss	19
3.8 Discharge resistance	19
3.9 Robustness of terminations	19
3.9.1 General	19
3.9.2 Test Ua1 – Tensile	19
3.9.3 Test Ub – Bending	20
3.9.4 Test Uc – Torsion	20
3.9.5 Test Ud – Torque.....	20

I.S. EN 60939-1:2010

60939-1 © IEC:2010

– 3 –

3.9.6	Visual examination	20
3.10	Resistance to soldering heat	21
3.10.1	Applicability of the test	21
3.10.2	The measurements prescribed in the relevant specification shall be made	21
3.10.3	The filters shall undergo Test Tb of IEC 60068-2-20 with the following requirements:.....	21
3.10.4	When the test has been carried out, the filters shall be visually examined.....	21
3.11	Solderability	21
3.11.1	Applicability of the test	21
3.12	Rapid change of temperature	22
3.12.1	The measurement prescribed in the relevant specification shall be made	22
3.12.2	The filters shall be subjected to Test Na of IEC 60068-2-14 using the degree of severity as prescribed in the relevant specification	22
3.12.3	After recovery, the filters shall be visually examined. There shall be no visible damage.....	22
3.13	Vibration.....	22
3.14	Bump	22
3.15	Shock.....	22
3.16	Container sealing	23
3.17	Climatic sequence	23
3.17.1	Initial measurements	23
3.17.2	Dry heat	23
3.17.3	Damp heat, cyclic, first cycle	23
3.17.4	Cold	23
3.17.5	Low air pressure.....	23
3.17.6	Damp heat, cyclic, remaining cycles	24
3.17.7	Final measurements	24
3.18	Damp heat, steady state.....	24
3.19	Temperature rise	24
3.20	Current overload	25
3.21	Endurance.....	25
3.22	Charge and discharge test.....	25
3.22.4	The following information shall be given in the relevant specification:.....	27
3.23	Passive flammability.....	27
3.24	Active flammability	28
3.25	Solvent resistance of marking.....	28
3.26	Component solvent resistance.....	29
3.26.1	Initial measurements	29
3.27	Leakage current	29
3.28	Impedance of protective conductor.....	29
Annex A (informative)	Calculation of leakage current.....	30
Bibliography.....		34
Figure 1	Asymmetrical and symmetrical test circuit	10
Figure 2	Examples of the application of Table 3	16
Figure 3	Test circuit for d.c. test	17

Figure 4 – Relay circuit	26
Figure 5 – Thyristor circuit	26
Figure 6 – Voltage and current waveforms	27
Figure A.1 – Leakage current for 1-line filters	30
Figure A.2 – Leakage current for 2-line filters	31
Figure A.3 – Leakage current for 3-line filters	32
Figure A.4 – Leakage current for 4-line filters	33
 Table 1 – Standard atmospheric conditions.....	 12
Table 2 – DC voltage for insulation resistance	14
Table 3 – Measuring points	16
Table 4 – Force for wire terminations	20
Table 5 – Torque	20
Table 6 – Number of cycles	24
Table 7 – Categories of flammability	28

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PASSIVE FILTER UNITS FOR ELECTROMAGNETIC INTERFERENCE SUPPRESSION –

Part 1: Generic specification

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60939-1 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment.

This third edition cancels and replaces the second edition published in 2005. It constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) table 3 has been updated, specifying how to handle the Neutral by 3-phase filter with Neutral;
- b) all details about "Quality assessment" have been deleted in this edition, because this standard is a safety standard;
- c) filters shall be subjected to Test Aa of IEC 60068-2-1 for 16 h, using the degree of severity of the lower category temperature as prescribed in the relevant specification;

- d) since IEC 60068-2-20 does no longer make a difference between Method 1A and 1B, but only describes Method 1, references to the method to be used are updated.

The text of this standard is based on the following documents:

FDIS	Report on voting
40/2046/FDIS	40/2061/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60939 series, under the general title *Passive filter units for electromagnetic interference suppression*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

PASSIVE FILTER UNITS FOR ELECTROMAGNETIC INTERFERENCE SUPPRESSION –

Part 1: Generic specification

1 General

1.1 Scope

This generic specification relates to passive filter units for electromagnetic interference suppression for use within, or associated with, electronic or electrical equipment and machines.

Both single and multi-channel filters within one enclosure are included within the scope of this generic specification.

Filters constructed of capacitive elements where the inductance is inherent in the construction of the filter are within the scope of this specification. Similarly, filters constructed of inductive elements where the capacitance is inherent in the construction of the filter are also within the scope of this generic specification. The manufacturer should state whether a given component is to be designed as a capacitor, an inductor or a filter.

The filter units within the scope of this generic specification are further distinguished as those for which safety tests are appropriate (e.g. those connected to mains supplies) and those for which such tests are not appropriate. A separate sectional specification covers the passive filter units for which safety tests are appropriate.

This generic specification establishes standard terms, inspection procedures and methods of test for use in sectional and detail specifications within the IECQ-CECC system for electronic components.

1.2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60027 (all parts), *Letter symbols to be used in electrical technology*

IEC 60050 (all parts), *International Electrotechnical Vocabulary (IEV)*

IEC 60062, *Marking codes for resistors and capacitors*

IEC 60068-1:1988, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-1, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-2, *Environmental testing – Part 2-2: Tests – Test B: Dry Heat*

IEC 60068-2-6, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-13, *Environmental testing – Part 2-13: Tests – Test M: Low air pressure*

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-