

Irish Standard I.S. EN 13922:2011

Tanks for transport of dangerous goods -Service equipment for tanks - Overfill prevention systems for liquid fuels

© NSAI 2011

No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda/National Annexes issued since publication:	

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces: EN 13922:2003

This document is based on: Published:

EN 13922:2011 14 September, 2011

This document was published under the authority of the NSAI and comes into effect on: 14 September, 2011

ICS number:

13.300 23.020.20

NSAI T +353 1 807 3800 Sales:

 1 Swift Square,
 F +353 1 807 3838
 T +353 1 857 6730

 Northwood, Santry
 E standards@nsai.ie
 F +353 1 857 6729

 Dublin 9
 W standards.ie

W NSAl.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 13922

September 2011

ICS 13.300; 23.020.20

Supersedes EN 13922:2003

English Version

Tanks for transport of dangerous goods - Service equipment for tanks - Overfill prevention systems for liquid fuels

Citernes destinées au transport de matières dangereuses -Equipement de service pour citernes - Systèmes antidébordement au remplissage pour carburants pétroliers liquides Tanks für die Beförderung gefährlicher Güter -Bedienungsausrüstung von Tanks -Überfüllsicherungssysteme für flüssige Kraft- und Brennstoffe

This European Standard was approved by CEN on 18 June 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 13922:2011 (E)

Co	ontents	Page
For	eword	4
Intr	oduction	5
1	Scope	6
2	Normative references	6
3	Terms and definitions	6
4	Functions	8
5	Major components	8
5.1	Vehicle mounted equipment	8
5.2	Equipment fitted at the gantry	9
6	Characteristics	9
6.1	Overfill prevention system working characteristics	9
6.1.	1 Overfill	9
6.1.	2 Bonding	9
6.1.	3 Severe environmental condition	9
6.2	Sensors	9
6.2.	1 General	9
6.2.	2 NTC thermistor, two-wire optic or other compatible sensor	10
6.2.	3 A five-wire optic or compatible sensor	10
6.2.	4 Sensor circuit	10
6.2.	5 Response time	10
6.2.	6 Materials of construction	10
6.2.	7 Electrical requirements	10
6.3	Overfill prevention controller characteristics	11
6.3.	1Interface	11
6.3.	2 Outputs	11
6.3.	3 Response time	11
6.3.	4 Status indicators	11
6.3.	5 Materials of construction	11
6.3.	6 Temperature range	11
6.3.	7 Electrical requirements	11
6.4	Cable and plug interface characteristics	12
6.4.	1 Plug	12
6.4.	2 Cable	12
6.4.	3 Temperature range	12
7	Tooting	12

EN 13922:2011 (E)

7.1 General	12
7.2 Type tests	12
7.2.1 General	12
7.2.2 Performance tests	13
7.2.3 Electromagnetic compatibility (EMC) test	13
7.2.4 Fail safe testing	13
7.3 Production tests	13
8 Marking	13
9 Installation, operation and maintenance instructions	13
Annex A (normative) Electrical specifications	
A.1 Electrical specifications	14
A.2 Functional tests	18
Bibliography	32

EN 13922:2011 (E)

Foreword

This document (EN 13922:2011) has been prepared by Technical Committee CEN/TC 296 "Tanks for transport of dangerous goods", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2012, and conflicting national standards shall be withdrawn at the latest by March 2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13922:2003.

Significant changes have been made to the following sections since the last edition:

- requirement concerning bonding of the tank shell to the vehicle's chassis added in 4.2;
- marking for equipment in hazardous areas updated and a note added in 6.3.7;
- referred standards updated.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

EN 13922:2011 (E)

Introduction

The overfill prevention system prevents the maximum filling level of a compartment of a tank vehicle from being exceeded by interrupting the filling operation on the loading site.

It is not the function of an overfill prevention system to prevent volume or weight overloading. The function of the overfill prevention system is the final means of containing loaded product within a compartment and preventing a dangerous condition. It is therefore of critical importance that all components have a high degree of reliability and that all European gantries provide a compatible system with the tank trucks.

Not all the components of an overfill prevention system are necessarily supplied by one manufacturer but may include cross-compatibility parts supplied by different manufacturers/suppliers.



Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation