



NSAI
Standards

Irish Standard
I.S. EN ISO 75-2:2004

Plastics - Determination of temperature of deflection under load - Part 2: Plastics and ebonite (ISO 75-2:2004)

I.S. EN ISO 75-2:2004

Incorporating amendments/corrigenda issued since publication:

EN ISO 75-2:2004/AC:2006

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:

EN ISO 75-2:1996

This document is based on:

EN ISO 75-2:2004

EN ISO 75-2:1996

Published:

15 May, 2004

22 November, 1996

This document was published
under the authority of the NSAI
and comes into effect on:
23 July, 2004

ICS number:

83.080.01

83.060

NSAI

1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:

T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

I.S. EN ISO 75-2:2004

EUROPEAN STANDARD

EN ISO 75-2:2004/AC

NORME EUROPÉENNE

April 2006

EUROPÄISCHE NORM

Avril 2006

April 2006

ICS 83.080.01; 83.060

English version
Version Française
Deutsche Fassung

Plastics - Determination of temperature of deflection under load - Part 2:
Plastics and ebonite (ISO 75-2:2004)

Plastiques - Détermination de la
température de fléchissement sous charge
- Plastiques et ébonite (ISO 75-2:2004)

Kunststoffe - Bestimmung der
Wärmeformbeständigkeitstemperatur - Teil
2: Kunststoffe und Hartgummi (ISO 75-
2:2004)

This corrigendum becomes effective on 12 April 2006 for incorporation in the three official language versions of the EN.

Ce corrigendum prendra effet le 12 avril 2006 pour incorporation dans les trois versions linguistiques officielles de la EN.

Die Berichtigung tritt am 12. April 2006 zur Einarbeitung in die drei offiziellen Sprachfassungen der EN in Kraft.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

I.S. EN ISO 75-2:2004
EN ISO 75-2:2004/AC:2006 (E/F/D)

English version

The English title shall be modified as follows:

Plastics - Determination of temperature of deflection under load – Part 2: Plastics and ebonite
(ISO 75-2:2004)

Version française

Le titre français doit être modifié comme suit:

Plastiques – Détermination de la température de fléchissement sous charge – Partie 2:
Plastiques et ebonite (ISO 75-2:2004)

Deutsche Fassung

Der deutsche Titel ist wie folgt zu modifizieren:

Kunststoffe – Bestimmung der Wärmeformbeständigkeitstemperatur - Teil 2: Kunststoffe und
Hartgummi (ISO 75-2:2004)

I.S. EN ISO 75-2:2004

EUROPEAN STANDARD

EN ISO 75-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2004

ICS 83.080.01; 83.060

Supersedes EN ISO 75-2:1996

English version

**Plastics - Determination of temperature of deflection under load
- Part 2: Plastics, ebonite and long-fibre-reinforced composites
(ISO 75-2:2004)**

Plastiques - Détermination de la température de
fléchissement sous charge - Plastiques, ébonite et
composites renforcés de fibres longues (ISO 75-2:2004)

Kunststoffe - Bestimmung der
Wärmeformbeständigkeitstemperatur - Teil 2: Kunststoffe,
Hartgummi und langfaserverstärkte Kunststoffe (ISO 75-
2:2004)

This European Standard was approved by CEN on 20 June 2003.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

I.S. EN ISO 75-2:2004

EN ISO 75-2:2004 (E)

Foreword

This document (EN ISO 75-2:2004) has been prepared by Technical Committee ISO/TC 61 "Plastics" in collaboration with Technical Committee CEN/TC 249 "Plastics", the secretariat of which is held by IBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2004, and conflicting national standards shall be withdrawn at the latest by November 2004.

This document supersedes EN ISO 75-2:1996.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Endorsement notice

The text of ISO 75-2:2004 has been approved by CEN as EN ISO 75-2:2004 without any modifications.

INTERNATIONAL STANDARD

ISO
75-2

Second edition
2004-05-15

Plastics — Determination of temperature of deflection under load —

Part 2: Plastics and ebonite

*Plastiques — Détermination de la température de fléchissement sous
charge —*

Partie 2: Plastiques et ébonite



Reference number
ISO 75-2:2004(E)

© ISO 2004

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions	2
4 Principle	2
5 Apparatus.....	2
6 Test specimens	2
7 Conditioning	3
8 Procedure (flatwise testing)	3
9 Expression of results.....	4
10 Precision	4
11 Test report.....	5
Annex A (normative) Testing in the edgewise position.....	6
Annex B (informative) Precision	8
Bibliography.....	10

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 75-2 was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 2, *Mechanical properties*.

This second edition cancels and replaces the first edition (ISO 75-2:1993), which has been technically revised.

ISO 75 consists of the following parts, under the general title *Plastics — Determination of temperature of deflection under load*:

- *Part 1: General test method*
- *Part 2: Plastics and ebonite*
- *Part 3: High-strength thermosetting laminates and long-fibre-reinforced plastics*

Annex A forms a normative part of this part of ISO 75. Annex B is for information only.

Introduction

ISO 75-1:1993 and ISO 75-2:1993 described three methods (A, B and C) using different test loads and two specimen positions, edgewise and flatwise. For testing in the flatwise position, test specimens with dimensions 80 mm × 10 mm × 4 mm were required. These can be moulded directly or machined from the central section of the multipurpose test specimen (see ISO 3167). These “ISO bars” cannot be easily used in the edgewise position, because this would require both a reduction in span and an increase in test load by the same factor, and this may be impossible to achieve on existing instruments for edgewise testing. Specimens for testing in the edgewise position are less closely specified. Using the 80 mm × 10 mm × 4 mm ISO bar has the following advantages:

- Thermal expansion of the test specimen has less influence on the test result.
- Draft angles do not influence the test result. The specimen does not stand “on edge”.
- The moulding parameters and the specimen dimensions are specified more closely.

This increases the comparability of the test results. Therefore, it was decided that the possibility of testing in the edgewise position would be deleted from the standard. In order to provide a sufficient transition period, in this edition the flatwise position is described as the preferred and recommended one, while testing in the edgewise position is optional and has been moved to a normative annex (in this part of ISO 75). This annex and all other references to edgewise testing will be deleted on occasion of the next revision of this document.

Earlier editions of this International Standard allowed methods other than using a heating bath for heating the test specimen, namely forced-circulation ovens or fluidized beds. None of these alternative methods is widely used and no proven instruments are commercially available. Furthermore, there is no general comparability between tests using different heating methods due to the differences in the heat transfer characteristics and the temperature control methods described in this standard.

Therefore only heating in heating baths is allowed in this edition.

In order to maintain consistency with ISO 10350-1:1998, T_f has been used as the symbol for temperature of deflection under load.

I.S. EN ISO 75-2:2004

Plastics — Determination of temperature of deflection under load —

Part 2: Plastics and ebonite

1 Scope

This part of ISO 75 specifies three methods, using different values of constant flexural stress, that can be used for the determination of the temperature of deflection under load of plastics (including filled plastics and fibre-reinforced plastics in which the fibre length, prior to processing, is up to 7,5 mm) and ebonite:

- method A, using a flexural stress of 1,80 MPa;
- method B, using a flexural stress of 0,45 MPa;
- method C, using a flexural stress of 8,00 MPa.

The standard deflection Δ_s used to determine the temperature of deflection under load corresponds to a flexural-strain increase $\Delta\epsilon_f$ defined in this part of ISO 75. The initial flexural strain due to the loading of the specimen at room temperature is neither specified nor measured in this part of ISO 75. The ratio of this flexural-strain difference to the initial flexural strain depends on the modulus of elasticity, at room temperature, of the material under test. This method is therefore only suitable for comparing the temperatures of deflection of materials with similar room-temperature elastic properties.

NOTE The methods give better reproducibility with amorphous plastics than with semi-crystalline ones. With some materials, it may be necessary to anneal the test specimens to obtain reliable results. Annealing procedures, if used, generally result in an increase in the temperature of deflection under load (see 6.6).

For additional information, see ISO 75-1:2004, clause 1.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 75-1:2004, *Plastics — Determination of temperature of deflection under load — Part 1: General test method*

ISO 293, *Plastics — Compression moulding test specimens of thermoplastic materials*

ISO 294-1, *Plastics — Injection moulding of test specimens of thermoplastic materials — Part 1: General principles, and moulding of multipurpose and bar test specimens*

ISO 2818, *Plastics — Preparation of test specimens by machining*

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-