



NSAI
Standards

Irish Standard
I.S. EN ISO 4671:2007

Rubber and plastics hoses and hose assemblies - Methods of measurement of the dimensions of hoses and the lengths of hose assemblies (ISO 4671:2007)

I.S. EN ISO 4671:2007

Incorporating amendments/corrigenda/National Annexes issued since publication:
EN ISO 4671:2007/A1:2011

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<p><i>This document replaces:</i> EN ISO 4671:2000</p>	<p><i>This document is based on:</i> EN ISO 4671:2007 EN ISO 4671:2000</p>	<p><i>Published:</i> 15 December, 2007 19 April, 2000</p>			
<p>This document was published under the authority of the NSAI and comes into effect on: 12 February, 2008</p>		<p>ICS number: 23.040.70 83.140.40</p>			
<table> <tr> <td data-bbox="226 1738 555 1863"> <p>NSAI 1 Swift Square, Northwood, Santry Dublin 9</p> </td> <td data-bbox="571 1767 826 1892"> <p>T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie</p> </td> <td data-bbox="900 1733 1129 1859"> <p>Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie</p> </td> </tr> </table>			<p>NSAI 1 Swift Square, Northwood, Santry Dublin 9</p>	<p>T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie</p>	<p>Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie</p>
<p>NSAI 1 Swift Square, Northwood, Santry Dublin 9</p>	<p>T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie</p>	<p>Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie</p>			
<p>Údarás um Chaighdeáin Náisiúnta na hÉireann</p>					

ICS 23.040.70; 83.140.40

English Version

Rubber and plastics hoses and hose assemblies - Methods of measurement of the dimensions of hoses and the lengths of hose assemblies - Amendment 1: Clarification of position at which outside diameter is measured (ISO 4671:2007/Amd 1:2011)

Tuyaux et flexibles en caoutchouc et en plastique - Méthodes de mesurage des dimensions des tuyaux et de la longueur des flexibles - Amendement 1: Clarification concernant la position à laquelle le diamètre extérieur est mesuré (ISO 4671:2007/Amd 1:2011)

Gummi- und Kunststoffschläuche und Schlauchleitungen - Verfahren zur Messung der Maße von Schläuchen und Längen von Schlauchleitungen - Änderung 1 (ISO 4671:2007/Amd 1:2011)

This amendment A1 modifies the European Standard EN ISO 4671:2007; it was approved by CEN on 31 August 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for inclusion of this amendment into the relevant national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....3

Foreword

This document (EN ISO 4671:2007/A1:2011) has been prepared by Technical Committee ISO/TC 45 "Rubber and rubber products" in collaboration with Technical Committee CEN/TC 218 "Rubber and plastics hoses and hose assemblies" the secretariat of which is held by BSI.

This Amendment to the European Standard EN ISO 4671:2007 shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2012, and conflicting national standards shall be withdrawn at the latest by March 2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of ISO 4671:2007/Amd 1:2011 has been approved by CEN as a EN ISO 4671:2007/A1:2011 without any modification.

English Version

Rubber and plastics hoses and hose assemblies - Methods of measurement of the dimensions of hoses and the lengths of hose assemblies (ISO 4671:2007)

Tuyaux et flexibles en caoutchouc et en plastique -
Méthodes de mesurage des dimensions des tuyaux et de la
longueur des flexibles (ISO 4671:2007)

Gummi- und Kunststoffschläuche und Schlauchleitungen -
Verfahren zur Messung der Maße von Schläuchen und
Längen von Schlauchleitungen (ISO 4671:2007)

This European Standard was approved by CEN on 28 November 2007.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

Page

Foreword.....3

Foreword

This document (EN ISO 4671:2007) has been prepared by Technical Committee ISO/TC 45 "Rubber and rubber products" in collaboration with Technical Committee CEN/TC 218 "Rubber and plastics hoses and hose assemblies" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2008, and conflicting national standards shall be withdrawn at the latest by June 2008.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 4671:2000.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of ISO 4671:2007 has been approved by CEN as a EN ISO 4671:2007 without any modification.

I.S. EN ISO 4671:2007
**INTERNATIONAL
STANDARD**

**ISO
4671**

Third edition
2007-12-15

**Rubber and plastics hoses and hose
assemblies — Methods of measurement
of the dimensions of hoses and the
lengths of hose assemblies**

*Tuyaux et flexibles en caoutchouc et en plastique — Méthodes de
mesurage des dimensions des tuyaux et de la longueur des flexibles*



Reference number
ISO 4671:2007(E)

© ISO 2007

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	iv
1 Scope	1
2 Normative references	1
3 Test piece conditioning and temperature of measurement	1
4 Measurement of inside diameter.....	1
5 Measurement of outside diameter	3
6 Measurement of diameter over reinforcement	4
7 Measurement of wall thickness	4
8 Measurement of concentricity.....	5
9 Measurement of lining and cover thickness.....	6
10 Measurement of length and identification of measurement points.....	7
11 Verification of through-bore of hose assemblies.....	9
12 Test report	10
Bibliography	11

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 4671 was prepared by Technical Committee ISO/TC 45, *Rubber and rubber products*, Subcommittee SC 1, *Hoses (rubber and plastics)*.

This third edition cancels and replaces the second edition (ISO 4671:1999), which has been technically revised. The main changes are the following:

- a clause has been added (Clause 3) specifying details of test piece conditioning and temperature of measurement;
- in 4.2, the use of tapered gauges has been added;
- in Clause 4, an additional method of measuring the inside diameter has been included (4.8);
- in Clause 5, an additional method of measuring the outside diameter has been included (5.6);
- in 7.1, the parts of hoses at which readings are to be taken have been specified;
- in 8.1, the parts of the hoses at which readings are to be taken have been specified;
- in Clause 8, three additional methods of measuring the concentricity have been included (8.4, 8.5 and 8.6);
- in 9.2, the method of measuring the lining and cover thickness has been modified.

Rubber and plastics hoses and hose assemblies — Methods of measurement of the dimensions of hoses and the lengths of hose assemblies

1 Scope

This International Standard specifies methods of measuring the inside diameter, outside diameter (including diameter over reinforcement of hydraulic hoses), wall thickness, concentricity and lining and cover thickness of hoses, methods of measurement and identification of the lengths of hoses and hose assemblies, and a method of verifying the through-bore of hydraulic hose assemblies.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 463, *Geometrical Product Specifications (GPS) — Dimensional measuring equipment — Design and metrological characteristics of mechanical dial gauges*

ISO 3599, *Vernier callipers reading to 0,1 and 0,05 mm*

ISO 3611, *Micrometer callipers for external measurement*

3 Test piece conditioning and temperature of measurement

3.1 Conditioning of test pieces

Unless otherwise specified, test pieces shall be taken at least 16 h after manufacture of the hose and conditioned at 23_{-3}^{+7} °C for at least 3 h before measurement. This 3 h may be included in the 16 h.

3.2 Measurement temperature

Unless otherwise specified, the measurement temperature shall be 23_{-3}^{+7} °C.

4 Measurement of inside diameter

4.1 General

Measurements by methods 1 to 7 may be made either on the ends of a full length of hose or on a test piece (minimum length 150 mm) cut from a full length. For wire-reinforced hydraulic hoses, measurements shall be made at a minimum distance of 25 mm from the end of the hose.

Measurements shall be made using one of the following methods, as appropriate.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-