NSAI Standards

Irish Standard
I.S. EN 61850-9-2:2011

Communication networks and systems for power utility automation -- Part 9-2: Specific communication service mapping (SCSM) - Sampled values over ISO/IEC 8802-3 (IEC 61850-9-2:2011 (EQV))

I.S. EN 61850-9-2:2011

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:	*This document is based on:*	*Published:*
EN 61850-9-2:2004	EN 61850-9-2:2011 EN 61850-9-2:2004	9 December, 2011 12 May, 2004

This document was published
under the authority of the NSAI and comes into effect on:

19 December, 2011

ICS number:
33.200

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie

W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 61850-9-2

December 2011

ICS 33.200

Supersedes EN 61850-9-2:2004

English version

Communication networks and systems for power utility automation - Part 9-2: Specific communication service mapping (SCSM) - Sampled values over ISO/IEC 8802-3

(IEC 61850-9-2:2011)

Réseaux et systèmes de communication pour l'automatisation des systèmes électriques -
Partie 9-2: Mise en correspondance des services de communication spécifiques (SCSM) -
Valeurs échantillonnées sur l'ISO/CEI 8802-3
(CEI 61850-9-2:2011)

Kommunikationsnetze und -systeme für die Automatisierung in der elektrischen Energieversorgung -
Teil 9-2: Spezifische Abbildung von Kommunikationsdiensten (SCSM) - Abgetastete Werte über ISO/IEC 8802-3
(IEC 61850-9-2:2011)

This European Standard was approved by CENELEC on 2011-10-27. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 57/1133/FDIS, future edition 2 of IEC 61850-9-2, prepared by IEC/TC 57 "Power systems management and associated information exchange" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61850-9-2:2011.

The following dates are fixed:

• latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2012-07-27
• latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2014-10-27

This document supersedes EN 61850-9-2:2004.

EN 61850-9-2:2011 includes the following significant technical changes with respect to EN 61850-9-2:2004:

• addition of an optional Link redundancy layer (Tables 3 to 6);

• redefinition of “reserved” fields in link layer (5.3.3.4);

• evolution of USVCB and MSVCB components (Tables 9, 10, 12);

• evolution of encoding for the transmission of the sampled value buffer (Table 14).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61850-9-2:2011 was approved by CENELEC as a European Standard without any modification.

Annex ZA
(normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication	Year	Title	EN/HD	Year
IEC 60874-10-1	-	Connectors for optical fibres and cables - Part 10-1: Detail specification for fibre optic connector type BFOC/2,5 terminated to multimode fibre type A1	-	-
IEC 60874-10-2	-	Connectors for optical fibres and cables - Part 10-2: Detail specification for fibre optic connector type BFOC/2,5 terminated to single-mode fibre type B1	-	-
IEC 60874-10-3	-	Connectors for optical fibres and cables - Part 10-3: Detail specification for fibre optic adaptor type BFOC/2,5 for single and multimode fibre	-	-
IEC/TR 61850-1	-	Communication networks and systems in substations - Part 1: Introduction and overview	-	-
IEC/TS 61850-2	-	Communication networks and systems in substations - Part 2: Glossary	-	-
IEC 61850-6	-	Communication networks and systems for power utility automation - Part 6: Configuration description language for communication in electrical substations related to IEDs	EN 61850-6	-
IEC 61850-7-1	-	Communication networks and systems for power utility automation - Part 7-1: Basic communication structure - Principles and models	EN 61850-7-1	-
IEC 61850-7-2	-	Communication networks and systems for power utility automation - Part 7-2: Basic information and communication structure - Abstract communication service interface (ACSI)	EN 61850-7-2	-
IEC 61850-7-3	-	Communication networks and systems for power utility automation - Part 7-3: Basic communication structure - Common data classes	EN 61850-7-3	-
IEC 61850-7-4	-	Communication networks and systems for power utility automation - Part 7-4: Basic communication structure - Compatible logical node classes and data object classes	EN 61850-7-4	-

Publication	Year	Title	EN/HD	Year
IEC 61850-8-1	-	Communication networks and systems for power utility automation - Part 8-1: Specific Communication Service Mapping (SCSM) - Mappings to MMS (ISO 9506-1 and ISO 9506-2) and to ISO/IEC 8802-3	EN 61850-8-1	-
IEC/TS 62351-6	-	Power systems management and associated information exchange - Data and communications security - Part 6: Security for IEC 61850	-	-
IEC 62439-3 + A1	2010 201X[1)]	Industrial communication networks - High availability automation networks - Part 3: Parallel Redundancy Protocol (PRP) and High availability Seamless Redundancy (HSR)	EN 62439-3 + A1	2010 201X[1)]
ISO/IEC 7498-1	1994	Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model	-	-
ISO/IEC 8326	1996	Information technology - Open systems Interconnection - Session service definition	-	-
ISO/IEC 8327-1	1996	Information technology - Open Systems Interconnection - Connection-oriented Session protocol: Protocol specification	-	-
ISO/IEC 8649	1996	Information technology - Open systems interconnection - Service definition for the Association Control Service Element (ACSE)	-	-
ISO/IEC 8650-1	1996	Information technology - Open systems interconnection - Connection-oriented protocol for the association control service element: Protocol specification	-	-
ISO/IEC 8802-3	2000	Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications	-	-
ISO/IEC 8822	1994	Information technology - Open Systems Interconnection - Presentation service definition	-	-
ISO/IEC 8823-1	1994	Information technology - Open Systems Interconnection -Connec tion-orien ted presen ta tion pro tocol: Pro tocol speci fica tion	-	-
ISO/IEC 8824-1	2008	Information technology - Abstract Syntax Notation One (ASN.1): Specification of basic notation	-	-
ISO/IEC 8825-1	-	Information technology - ASN.1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER)	-	-

[1)] To be published.

Publication	Year	Title	EN/HD	Year
ISO 9506-1	2003	Industrial automation systems - Manufacturing Message Specification - Part 1: Service definition	-	-
ISO 9506-2	2003	Industrial automation systems - Manufacturing Message Specification - Part 2: Protocol specification	-	-
IEEE 754	1985	Binary Floating-Point Arithmetic (R1990)	-	-
IEEE 802.1Q	1998	IEEE Standard for Local and Metropolitan Area Networks: Virtual Bridged Local Area Networks	-	-
IETF RFC 791	-	Internet Protocol - DARPA Internet Program Protocol Specification	-	-
IETF RFC 792	-	Internet Control Message Protocol	-	-
IETF RFC 793	-	Transmission Control Protocol - DARPA Internet Program Protocol Specification	-	-
IETF RFC 826	-	Ethernet Address Resolution Protocol	-	-
IETF RFC 894	-	Standard for the Transmission of IP Datagrams over Ethernet Networks	-	-
IETC RFC 919	-	Broadcasting Internet Datagrams	-	-
IETF RFC 1006	-	ISO transport services on top of TCP: Version 3	-	-
IETF RFC 1112	-	Host Extensions for IP Multicasting	-	-

This page is intentionally left BLANK.

CONTENTS

FOREWORD 4
INTRODUCTION 6
1 Scope 7
2 Normative references 7
3 Terms and definitions 9
4 Abbreviations 9
5 Communication stack 10
5.1 Overview of the protocol usage 10
5.2 Client/server services and communication profiles 11
5.2.1 Client/server services 11
5.2.2 A-Profile 12
5.2.3 TCP/IP T-Profile 13
5.3 SV service and communication profile 13
5.3.1 SV mapping overview 13
5.3.2 A-Profile 14
5.3.3 T-Profile 14
5.4 Restrictions 17
6 Mapping of IEC 61850-7-2 and IEC 61850-7-3 data attributes 17
7 Mapping of IEC 61850-7-2 classes and services 17
7.1 Classes of SV data sets 17
7.2 Definition of SV data sets 17
8 Mapping of the model for the transmission of sampled values 18
8.1 Overview 18
8.2 Mapping of the multicast sampled value control block class and services 18
8.2.1 Multicast sampled value control block definition 18
8.2.2 MSV Services 19
8.3 Mapping of the unicast sampled value control block class and services 20
8.3.1 Unicast sampled value control block definition 20
8.3.2 USV Services 21
8.4 Mapping of the update of the sampled value buffer 21
8.5 Additional definitions for the transmission of sampled values 21
8.5.1 Application layer functionality 21
8.5.2 Presentation layer functionality 22
8.6 Definitions for basic data types – Presentation layer functionality 24
9 Conformance 24
9.1 Notation 24
9.2 PICS 24
9.2.1 Profile conformance 24
9.2.2 SV Services 25
10 Substation configuration language (SCL) 25
11 SCSM specific address element definitions 26
Annex A (informative) ISO/IEC 8802-3 frame format and ASN.1 basic encoding rules 27
Annex B (informative) Multicast address selection 32

Figure 1 – OSI reference model and profiles 11
Figure 2 – Structure of the tag header 15
Figure 3 – Reserved 1 16
Figure 4 – Concatenation of several ASDU's into one frame 22
Figure A.1 – ISO/IEC 8802-3 frame format – No link redundancy 27
Figure A.2 – ISO/IEC 8802-3 frame format – Link redundancy: HSR 28
Figure A.3 – ISO/IEC 8802-3 frame format – Link redundancy: PRP 29
Figure A.4 – Basic encoding rules format 30
Figure A.5 – Format of the tag octets 30
Figure A.6 – Example for an ASN.1 coded APDU frame structure 31

Table 1 – Service requiring client/server communication profile 12
Table 2 – Service and protocols for client/server communication A-Profile 12
Table 3 – Service and protocols for peer TCP/IP T-Profile 13
Table 4 – Service requiring SV communication profile 13
Table 5 – Service and protocols for SV communication A-Profile 14
Table 6 – SV T-Profile 14
Table 7 – Default Virtual LAN IDs and priorities 15
Table 8 – Assigned Ethertype values 16
Table 9 – MMS TypeDescription definition for MSVCB MMS structure 18
Table 10 – DstAddress structure 19
Table 11 – Mapping of multicast sampled value services 19
Table 12 – MMS TypeDescription definition for USVCB MMS structure 20
Table 13 – Mapping of unicast sampled value services 21
Table 14 – Encoding for the transmission of the sampled value buffer 22
Table 15 – Encoding for the basic data types 24
Table 16 – PICS for A-Profile support 25
Table 17 – PICS for T-Profile support 25
Table 18 – SV conformance statement 25
Table 19 – Definitions for SV SCL 26
Table B.1 – Recommended multicast addressing example 32

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMUNICATION NETWORKS AND SYSTEMS FOR POWER UTILITY AUTOMATION –

Part 9-2: Specific communication service mapping (SCSM) – Sampled values over ISO/IEC 8802-3

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61850-9-2 has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

The text of this standard is based on the following documents:

FDIS	Report on voting
57/1133/FDIS	57/1161/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This second edition cancels and replaces the first edition published in 2004 and constitutes a technical revision.

Main changes with respect to the first edition are:

- addition of an optional Link redundancy layer (Tables 3 to 6);
- redefinition of “reserved” fields in link layer (5.3.3.4);
- evolution of USVCB and MSVCB components (Tables 9, 10, 12);
- evolution of encoding for the transmission of the sampled value buffer (Table 14).

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61850 series, under the general title: *Communication networks and systems for power utility automation,* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This part of IEC 61850 defines the SCSM for sampled values over ISO/IEC 8802-3. The intent of this SCSM definition is to include the complete mapping of the sampled value model.

This part of IEC 61850 applies to electronic current and voltage transformers (ECT and EVT having a digital output), merging units, and intelligent electronic devices, for example protection units, bay controllers and meters, or sensors.

Process bus communication structures can be arranged in different ways as described in IEC/TR 61850-1. In addition to the transmission of sampled value data sets, which are directly connected to ISO/IEC 8802-3, a selection of IEC 61850-8-1 services is necessary to support the access to the SV control block. References to the relevant IEC 61850-8-1 services are provided in this SCSM. For less complex devices (for example merging units), the sampled value control block can be pre-configured, in which case there is no need to implement IEC 61850-8-1 services based on the MMS-Stack.

This document defines the mapping of sampled value class model (IEC 61850-7-2) to ISO/IEC 8802-3. This SCSM, in combination with IEC 61850-7 and IEC 61850-6, allows interoperability between devices from different manufacturers.

This standard does not specify individual implementations or products, nor does it constrain the implementation of entities and interfaces within a computer system. This standard specifies the externally visible functionality of implementations together with conformance requirements for such functionalities.

Reading guide:

- This document is an extended mapping specification of IEC 61850-8-1 to cover sampled value transmission over ISO/IEC 8802-3.
- This document can best be understood if the reader is thoroughly familiar with IEC 61850-7-1, IEC 61850-7-2, IEC 61850-7-3 and IEC 61850-7-4.
- The ACSI services defined in IEC 61850-7-2 are not explained in this part of IEC 61850.

COMMUNICATION NETWORKS AND SYSTEMS FOR POWER UTILITY AUTOMATION –

Part 9-2: Specific communication service mapping (SCSM) – Sampled values over ISO/IEC 8802-3

1 Scope

This part of IEC 61850 defines the specific communication service mapping (SCSM) for the transmission of sampled values according to the abstract specification in IEC 61850-7-2. The mapping is that of the abstract model on a mixed stack using direct access to an ISO/IEC 8802-3 link for the transmission of the samples in combination with IEC 61850-8-1.

Each SCSM consists of three parts:

– a specification of the communication stack being used,

– the mapping of the abstract specifications of IEC 61850-7 series on the real elements of the stack being used, and

– the implementation specification of functionality, which is not covered by the stack being used.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60874-10-1, *Connectors for optical fibres and cables – Part 10-1: Detail specification for fibre optic connector type BFOC/2,5 terminated to multimode fibre type A1* (withdrawn)

IEC 60874-10-2, *Connectors for optical fibres and cables – Part 10-2: Detail specification for fibre optic connector type BFOC/2,5 terminated to single-mode fibre type B1* (withdrawn)

IEC 60874-10-3, *Connectors for optical fibres and cables – Part 10-3: Detail specification for fibre optic adaptor type BFOC/2,5 for single and multimode fibre* (withdrawn)

IEC/TR 61850-1, *Communication networks and systems for power utility automation – Part 1: Introduction and overview*

IEC/TS 61850-2, *Communication networks and systems for power utility automation – Part 2: Glossary*

IEC 61850-6, *Communication networks and systems for power utility automation – Part 6: Configuration description language for communication in electrical substations related to IEDs*

IEC 61850-7-1, *Communication networks and systems for power utility automation – Part 7-1: Basic communication structure – Part 7-1: Principles and models*

IEC 61850-7-2, *Communication networks and systems for power utility automation – Part 7-2: Basic information and communication structure – Abstract communication service interface (ACSI)*