This is a free page sample. Access the full version online.



Irish Standard I.S. EN ISO 16591:2010

# Petroleum products - Determination of sulfur content - Oxidative microcoulometry method (ISO 16591:2010)

 $\ensuremath{\mathbb O}$  NSAI 2010  $\qquad$  No copying without NSAI permission except as permitted by copyright law.

*Incorporating amendments/corrigenda issued since publication:* 

# The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i>	<i>This document is based on:</i> EN ISO 16591:2010 15 D		<i>Publisl</i> 15 Dec	<i>lished:</i> December, 2010		
This document was published under the authority of the NSAI and comes into effect on: 7 January, 2011				ICS number: 75.080		
NSAI 1 Swift Square, T +3 Northwood, Santry F +3 Dublin 9 E st W N	53 1 807 3800 53 1 807 3838 andards@nsai.ie <b>SAI.ie</b>	<b>Sales:</b> T +353 1 85 F +353 1 85 W standard	57 6730 57 6729 Is.ie			
Údarás um Chaighdeáin Náisiúnta na hÉireann						

# EUROPEAN STANDARD NORME EUROPÉENNE

# EN ISO 16591

## **EUROPÄISCHE NORM**

December 2010

ICS 75.080

**English Version** 

# Petroleum products - Determination of sulfur content - Oxidative microcoulometry method (ISO 16591:2010)

Produits pétroliers - Dosage du soufre - Méthode par microcoulométrie oxydante (ISO 16591:2010) Mineralölerzeugnisse - Bestimmung des Schwefelgehaltes - Oxidatives mikrocoulometrisches Verfahren (ISO 16591:2010)

This European Standard was approved by CEN on 10 December 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2010 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN ISO 16591:2010: E

EN ISO 16591:2010 (E)

## Contents

Page

#### Foreword

This document (EN ISO 16591:2010) has been prepared by Technical Committee ISO/TC 28 "Petroleum products and lubricants" in collaboration with Technical Committee CEN/TC 19 "Gaseous and liquid fuels, lubricants and related products of petroleum, synthetic and biological origin" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2011, and conflicting national standards shall be withdrawn at the latest by June 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

#### **Endorsement notice**

The text of ISO 16591:2010 has been approved by CEN as a EN ISO 16591:2010 without any modification.

This page is intentionally left BLANK.



ISO 16591

First edition 2010-12-15

# Petroleum products — Determination of sulfur content — Oxidative microcoulometry method

Produits pétroliers — Dosage du soufre — Méthode par microcoulométrie oxydante



Reference number ISO 16591:2010(E)

#### ISO 16591:2010(E)

#### I.S. EN ISO 16591:2010

#### PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



#### **COPYRIGHT PROTECTED DOCUMENT**

#### © ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

### Contents

Page

Forewo	ord	iv
1	Scope	1
2	Normative references	1
3	Principle	2
4	Reagents and materials	2
5	Apparatus	3
6	Samples and sampling	5
7 7.1 7.2 7.3 7.4	Apparatus preparation Titration cell Microcoulometer and recorder Heating tape Typical operating conditions	5 6 6 6
8	Apparatus verification and calibration curve construction	6
9	Procedure	7
10	Calculation	8
11	Expression of results	8
12 12.1 12.2 12.3	Precision General Repeatability, <i>r</i> Reproducibility, <i>R</i>	8 8 9 9
13	Test report	9
Annex	A (informative) Determination of sulfur contents below 1 mg/kg — Standby technique	10
Annex	B (informative) Troubleshooting	11
Annex	C (informative) Calculation of sulfur content from electrochemical data	13
Bibliog	raphy	15

ISO 16591:2010(E)

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 16591 was prepared by Technical Committee ISO/TC 28, Petroleum products and lubricants.

#### INTERNATIONAL STANDARD

# Petroleum products — Determination of sulfur content — Oxidative microcoulometry method

WARNING — The use of this International Standard may involve hazardous material, operations and equipment. This International Standard does not purport to address all of the safety problems associated with its use. It is the responsibility of the user of this International Standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

#### 1 Scope

This International Standard specifies a method for the determination of the sulfur content by oxidative microcoulometry of petroleum light and middle distillates with a final boiling point not higher than 400 °C. It is applicable to materials with sulfur contents in the range of 1 mg/kg to 100 mg/kg. Products with sulfur contents above 100 mg/kg can be analysed after dilution with a suitable sulfur-free solvent. Products with sulfur contents below 1 mg/kg can also be analysed by a modified technique described in Annex A. The precision quoted only applies to measurements in the 1 mg/kg to 100 mg/kg range. Nitrogen interferes with the analysis at concentrations above 0,1 % (m/m), and chlorine interferes at concentrations above 1,0 % (m/m), but these interferences are overcome by the addition of sodium azide to the cell electrolyte. Bromine and organometallic compounds also interfere with the analysis at concentrations above approximately 500 mg/kg.

NOTE 1 The microcoulometric method is capable of analysing light liquid hydrocarbons boiling in the range from 26  $^{\circ}$ C to 274  $^{\circ}$ C (for example, naphtha and MS samples) that undergo pyrolysis at 900  $^{\circ}$ C to 1 200  $^{\circ}$ C. The combustion of high boiling components (for example, diesel) can result in the formation of carbonaceous deposits in the inlet portion of the combustion tube, which need to be removed frequently.

NOTE 2 The results obtained using this International Standard on light and light-middle distillates generally approximate to those obtained using ISO 4260.

NOTE 3 For the purposes of this International Standard, the term "(m/m)" is used to represent the mass fraction of a material.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3170, Petroleum liquids — Manual sampling

ISO 3171, Petroleum liquids — Automatic pipeline sampling

ISO 3675, Crude petroleum and liquid petroleum products — Laboratory determination of density — Hydrometer method

ISO 3696, Water for analytical laboratory use — Specification and test methods

ISO 12185, Crude petroleum and petroleum products — Determination of density — Oscillating U-tube method



This is a free preview. Purchase the entire publication at the link below:

**Product Page** 

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation