



National Standards Authority of Ireland

IRISH STANDARD

**I.S. CEN/TR 15281:2006**

ICS 13.230

## **GUIDANCE ON INERTING FOR THE PREVENTION OF EXPLOSIONS**

National Standards  
Authority of Ireland  
Glasnevin, Dublin 9  
Ireland

Tel: +353 1 807 3800  
Fax: +353 1 807 3838  
<http://www.nsai.ie>

**Sales**  
<http://www.standards.ie>

*This Irish Standard was  
published under the  
authority of the National  
Standards Authority of  
Ireland and comes into  
effect on:  
4 August 2006*

**NO COPYING WITHOUT NSAI  
PERMISSION EXCEPT AS  
PERMITTED BY COPYRIGHT  
LAW**

© NSAI 2006

**Price Code P**

Údarás um Chaighdeáin Náisiúnta na hÉireann



TECHNICAL REPORT  
RAPPORT TECHNIQUE  
TECHNISCHER BERICHT

**CEN/TR 15281**

May 2006

ICS 13.230

English Version

## Guidance on Inerting for the Prevention of Explosions

Atmosphères explosibles - Guide de l'inertage pour la  
prévention des explosions

This Technical Report was approved by CEN on 8 November 2005. It has been drawn up by the Technical Committee CEN/TC 305.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**Management Centre: rue de Stassart, 36 B-1050 Brussels**

**Contents**

Page

<b>Foreword</b>	<b>4</b>
<b>1 Scope</b>	<b>5</b>
<b>2 Normative references</b>	<b>5</b>
<b>3 Terminology and abbreviations</b>	<b>6</b>
3.1 Terminology	6
3.2 Abbreviations	7
<b>4 Inert gases</b>	<b>8</b>
<b>5 Influence of the oxygen concentration on explosive atmospheres</b>	<b>9</b>
5.1 General	9
5.2 Gas and vapour explosions	10
5.3 Dust explosions	13
5.4 Hybrid mixtures	15
5.5 Mists	15
5.6 Influence of process parameters	15
<b>6 Methods of Inerting</b>	<b>18</b>
6.1 General	18
6.2 Pressure swing inerting	19
6.3 Vacuum-swing inerting	19
6.4 Flow-through inerting	20
6.5 Displacement inerting	21
6.6 Maintaining inert conditions	21
<b>7 Inerting systems</b>	<b>23</b>
7.1 General introduction	23
7.2 Inert gas supply	23
7.3 Monitoring and control system	24
7.4 Methods	25
<b>8 Reliability</b>	<b>27</b>
8.1 Demands for safety critical equipment	27
8.2 Inerting systems	28
<b>9 Personnel and environmental protection</b>	<b>28</b>
<b>10 Information for use</b>	<b>29</b>
<b>Annex A (informative) Oxygen monitoring technology</b>	<b>30</b>
<b>Annex B (informative) Equations for pressure-swing inerting</b>	<b>33</b>
<b>Annex C (informative) Calculations for flow-through inerting</b>	<b>36</b>
<b>Annex D (informative) Addition of solids to an inerted vessel using a double valve arrangement</b>	<b>38</b>
<b>Annex E (informative) Addition of solids down a charge-chute to an open vessel</b>	<b>41</b>
<b>Annex F (informative) Examples on inerting specific items of process equipment</b>	<b>45</b>
<b>Annex G (informative) Prevention of diffusion of air down vent pipes</b>	<b>50</b>
<b>Bibliography</b>	<b>52</b>

## Figures

Figure 1 — Influence of inert gas on explosion limits of methane (according to [32], Figure 28).....	10
Figure 2 — Flammability diagram for air-propane-nitrogen (according to [8]).....	11
Figure 3 — Triangular flammability diagram for fuel-oxygen-nitrogen .....	12
Figure 4 — Influence of oxygen concentration on the explosion pressure of brown coal (according to [7]).....	13
Figure 5 — Influence of oxygen concentration on the rate of explosion pressure rise of brown coal (according to [7]) .....	14
Figure 6 — Influence of oxygen concentration on maximum explosion pressure for brown coal (according to [29]) .....	14
Figure 7 — Effect of temperature on ignition sensitivity of dusts (according to [7]).....	16
Figure 8 — Temperature influence on limiting oxygen concentration (according to [29]).....	17
Figure 9 — Influence of pressure on inerting brown coal (according to [29]) .....	17
Figure 10 — Pressure influence on amount of inert gas required for inerting propane (according to [32], Figure 40) .....	18
Figure 11 — Specification of safe limits for control .....	25
Figure D.1 — Example of addition of solids for an inerted vessel using a double value arrangement ..	38
Figure F.1 — Agitated pressure filter/dryer .....	45
Figure F.2 — Top discharge centrifuge.....	46
Figure F.3 — Inverting filter horizontal basket centrifuge .....	47
Figure F.4 — Pinned disc grinding mill.....	48
Figure F.5 — Horizontal paddle dryer .....	49
Figure G.1 — Value of exponent N in equation [18] for various pipe diameters .....	51

## Tables

Table B.1 — Typical rates of pressure rise for vacuum systems.....	35
Table B.2 — Selected values of $k = C_p/C_v$ for various inert gases.....	35

## **CEN/TR 15281:2006 (E)**

### **Foreword**

This Technical Report (CEN/TR 15281:2006) has been prepared by Technical Committee CEN/TC 305 “Potentially explosive atmospheres – Explosion prevention and protection”, the secretariat of which is held by DIN.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- Looking for additional Standards? Visit Intertek Inform Infostore
  - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-