



NSAI
Standards

Irish Standard
I.S. EN 50541-1:2011

Three phase dry-type distribution transformers 50 Hz, from 100 kVA to 3 150 kVA, with highest voltage for equipment not exceeding 36 kV -- Part 1: General requirements

I.S. EN 50541-1:2011

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i> HD 538.1 S1:1992 + A1:1995 and HD 538.2 S1:1995	<i>This document is based on:</i> EN 50541-1:2011	<i>Published:</i> 29 April, 2011
This document was published under the authority of the NSAI and comes into effect on: 10 May, 2011		ICS number: 29.18
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		

EUROPEAN STANDARD

EN 50541-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2011

ICS 29.180

Supersedes HD 538.1 S1:1992 + A1:1995, HD 538.2 S1:1995

English version

**Three phase dry-type distribution transformers 50 Hz, from 100 kVA to 3
150 kVA, with highest voltage for equipment not exceeding 36 kV -
Part 1: General requirements**

Transformateurs triphasés de distribution
de type sec, 50 Hz, de 100 kVA à 3 150
kVA, avec une tension la plus élevée pour
le matériel ne dépassant pas 36 kV -
Partie 1: Prescriptions générales

Drehstrom-Trocken-
Verteilungstransformatoren, 50 Hz, 100
kVA bis 3 150 kVA, mit einer höchsten
Spannung für Betriebsmittel kleiner oder
gleich 36 kV -
Teil 1: Allgemeine Anforderungen

This European Standard was approved by CENELEC on 2011-01-02. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

This European Standard was prepared by the Technical Committee CENELEC TC 14, Power transformers.

The text of the draft was submitted to the Unique Acceptance Procedure and was approved by CENELEC as EN 50541-1 on 2011-01-02.

This document supersedes HD 538.1 S1:1992 + A1:1995 and HD 538.2 S1:1995.

The following dates were fixed:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2012-01-02
 - latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 2014-01-02
-

Contents

1	Scope.....	5
2	Normative references	5
3	Electrical characteristics.....	6
3.1	Rated power.....	6
3.2	Highest voltages for equipment of windings.....	6
3.3	Rated voltages of windings.....	6
3.3.1	For the high-voltage winding.....	6
3.3.2	For the low voltage winding	6
3.4	Tapping.....	6
3.5	Connections	6
3.6	Dimensioning of neutral connection of the low voltage winding.....	7
3.7	Short-circuit impedance.....	7
3.8	Load loss, no load loss, sound power level and short-circuit impedance	7
3.8.1	General purpose.....	7
3.8.2	Load loss aspect	7
3.8.3	Sound power level.....	8
3.9	Tables of load loss, no load loss, sound level power and short-circuit impedance	9
3.9.1	Rated voltage ≤ 12 kV short-circuit impedance 4 %	9
3.9.2	Rated voltage ≤ 12 kV short-circuit impedance 6 %	10
3.9.3	Rated voltage 17,5 and 24 kV impedance voltage 4 %.....	11
3.9.4	Rated voltage 17,5 kV and 24 kV impedance voltage 6 %.....	12
3.9.5	Rated voltage 36 kV impedance voltage 6 %	13
3.10	Tolerances and penalties	13
4	Tests.....	13
4.1	Routine tests	13
4.2	Type tests	13
4.3	Special tests	14
4.4	Insulation levels and dielectric tests	14
5	Design requirements	14
5.1	Normal or/and abnormal service conditions	14
5.2	Climatic, environmental and fire behaviour classes	14
5.2.1	Climatic classes	14
5.2.2	Environmental classes.....	14
5.2.3	Fire behaviour classes.....	15
6	Terminals	15
7	Enclosure	15
8	Overall dimensional indications and accessories	16
9	Efficiency and drop voltage at reference temperature	17
9.1	Efficiency	17
9.2	Voltage drop ($\Delta u\%$).....	18
	Annex A (informative) Capitalisation evaluation	19
	Bibliography.....	20

Figure

Figure 1 – Transformer dimensions..... 16

Tables

Table 1 – Example of performance according to the standard reference temperature.....8
Table 2 – Load loss, no load loss and sound power level.....9
Table 3 – Load loss, no load loss and sound power level..... 10
Table 4 – Load loss, no load loss and sound power level..... 11
Table 5 – Load loss, no load loss and sound power level..... 12
Table 6 – Load loss, no load loss and sound power level..... 13
Table 7 – List of accessories 17

1 Scope

This European Standard covers dry type transformers from 100 kVA to 3 150 kVA intended for operation in three phases distribution networks, for indoor continuous service, 50 Hz, natural cooling, with two windings:

- a primary (high voltage) winding with a highest voltage for equipment of 3,6 kV to 36 kV;
- a secondary (low voltage) winding with a highest voltage for equipment not exceeding 1,1 kV.

For outdoor application, special design or enclosure (enclosure with adapted IP and IK degrees protections) should be requested.

NOTE 1 This European Standard may be applied, as a whole or in part to transformers having windings with more than one rated voltage. In this case the rated power for each coupling ratio should be specified by the purchaser.

NOTE 2 For dry type transformers installed in power generating plants, additional requirements, not covered by this European Standard, and alternative requirements may be specified.

NOTE 3 For dry type transformers dedicated to wind turbines applications additive requirements are specified in EN 60076-16.

The object of this European Standard is to lay down requirements related to electrical characteristics, dimensions and designs of three phases distribution dry type transformers. These transformers should be in accordance with EN 60076-11 for general requirements.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 60076-1	Power transformers - Part 1: General (IEC 60076-1)
EN 60076-3	Power transformers - Part 3: Insulation levels, dielectric tests and external clearances in air (IEC 60076-3)
EN 60076-10	Power transformers - Part 10: Determination of sound levels
EN 60076-11:2004	Power transformers - Part 11: Dry-type transformers (IEC 60076-11:2004)
EN 60076-16:201X ¹⁾	Power transformers - Part 16: Transformers for wind turbines application (IEC 60076-16)
EN 60529	Degrees of protection provided by enclosures (IP Code) (IEC 60529)
EN 62262	Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code) (IEC 62262)
EN 62271-202:2007	High-voltage switchgear and controlgear - Part 202: High voltage/low voltage prefabricated substation (IEC 62271-202:2006)

1) At draft stage.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-