

Irish Standard I.S. EN 62475:2010

High-current test techniques -Definitions and requirements for test currents and measuring systems (IEC 62475:2010 (EQV))

© NSAI 2010 No copying without NSAI permission except as permitted by copyright law.

Dublin 9

Incorporating amendments/corrigenda issued since publication:	

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:	This document EN 62475:2010	o bacca on.	Publish 3 Dece	<i>ed:</i> mber, 2010
This document was published under the authority of the NSAI and comes into effect on:  17 January, 2011			ICS number: 19.080	
NSAI 1 Swift Square, Northwood, Santry	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie	<b>Sales:</b> T +353 1 857 F +353 1 857		

W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

W NSALie

**EUROPEAN STANDARD** 

EN 62475

NORME EUROPÉENNE EUROPÄISCHE NORM

December 2010

ICS 19.080

English version

# High-current test techniques - Definitions and requirements for test currents and measuring systems (IEC 62475:2010)

Techniques des essais à haute intensité -Définitions et exigences relatives aux courants d'essai et systèmes de mesure (CEI 62475:2010) Hochstrom-Prüftechnik -Begriffe und Anforderungen für Hochstrom-Messungen (IEC 62475:2010)

This European Standard was approved by CENELEC on 2010-12-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

# **CENELEC**

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

EN 62475:2010

- 2 -

## **Foreword**

The text of document 42/278/FDIS, future edition 1 of IEC 62475, prepared by IEC TC 42, High-voltage testing techniques, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 62475 on 2010-12-01.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2011-09-01

 latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2013-12-01

Annex ZA has been added by CENELEC.

### **Endorsement notice**

The text of the International Standard IEC 62475:2010 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60076-5:2000	NOTE	Harmonized as EN 60076-5:2000 (not modified).
IEC 60099-4:2004	NOTE	Harmonized as EN 60099-4:2004 (modified).
IEC 60265-1:1998	NOTE	Harmonized as EN 60265-1:1998 (not modified).
IEC 60282-1:2009	NOTE	Harmonized as EN 60282-1:2009 (not modified).
IEC 60947-1:2007	NOTE	Harmonized as EN 60947-1:2007 (not modified).
IEC 60947-2:2006	NOTE	Harmonized as EN 60947-2:2006 (not modified).
IEC 60947-3:2008	NOTE	Harmonized as EN 60947-3:2009 (not modified).
IEC 61000-4-5	NOTE	Harmonized as EN 61000-4-5.
IEC 61083-1:2001	NOTE	Harmonized as EN 61083-1:2001 (not modified).
IEC 61083-2:1996	NOTE	Harmonized as EN 61083-2:1997 (not modified).
IEC 61180-2:1994	NOTE	Harmonized as EN 61180-2:1994 (not modified).
IEC 61230:2008	NOTE	Harmonized as EN 61230:2008 (not modified).
IEC 61643-11	NOTE	Harmonized as EN 61643-11.
IEC 61643-21	NOTE	Harmonized as EN 61643-21.
IEC 62271-1	NOTE	Harmonized as EN 62271-1.
IEC 62271-100:2008	NOTE	Harmonized as EN 62271-100:2009 (not modified).
IEC 62271-101	NOTE	Harmonized as EN 62271-101.
IEC 62271-102:2001	NOTE	Harmonized as EN 62271-102:2002 (not modified).

This is a free page sample. Access the full version online.

# I.S. EN 62475:2010

- 3 - EN 62475:2010

IEC 62271-103	NOTE	Harmonized as EN 62271-103.
IEC 62271-104	NOTE	Harmonized as EN 62271-104.
IEC 62271-105	NOTE	Harmonized as EN 62271-105.
IEC 62271-110:2009	NOTE	Harmonized as EN 62271-110:2009 (not modified).
IEC 62305-1	NOTE	Harmonized as EN 62305-1.
ISO/IEC 17025:2005	NOTE	Harmonized as EN ISO/IEC 17025:2005 (not modified).

- 4 -

# Annex ZA (normative)

# Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60051-2	1984	Direct acting indicating analogue electrical measuring instruments and their accessories Part 2: Special requirements for ammeters and voltmeters	EN 60051-2 -	1989
IEC 60060-1	2010	High-voltage test techniques - Part 1: General definitions and test requirements	EN 60060-1	2010
IEC 61180-1	-	High-voltage test techniques for low-voltage equipment - Part 1: Definitions, test and procedure requirements	EN 61180-1	-
ISO/IEC Guide 98-3	3 2008	Uncertainty of measurement - Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)	-	-

- 2 -

# 62475 © IEC:2010

# **CONTENTS**

FO	REWC	DRD	8			
1	Scop	e	10			
2 Normative references						
3	Term	s and definitions	10			
	3.1	Measuring systems	11			
	3.2	Components of a measuring system				
	3.3	Scale factors	12			
	3.4	Rated values	13			
	3.5	Definitions related to the dynamic behaviour	13			
	3.6	Definitions related to uncertainty	14			
	3.7	Definitions related to tests on measuring systems	16			
4	Proce	edures for qualification and use of a measuring system	17			
	4.1	General principles	17			
	4.2	Schedule of performance tests	17			
	4.3	Schedule of performance checks	17			
	4.4	Requirements for the record of performance	18			
		4.4.1 Contents of the record of performance	18			
		4.4.2 Exceptions	18			
	4.5	Operating conditions	18			
	4.6	Uncertainty	19			
5	Tests	s and test requirements for an approved measuring system	20			
	5.1	General requirements	20			
	5.2	Calibration – Determination of the scale factor	20			
		5.2.1 Calibration of a measuring system by comparison with a reference measuring system (preferred method)	20			
		5.2.2 Determination of the scale factor of a measuring system from those of its components	24			
	5.3	Linearity test	25			
		5.3.1 Application	25			
		5.3.2 Alternative methods in order of suitability	26			
	5.4	Dynamic behaviour	26			
	5.5	Short-term stability	27			
		5.5.1 Method				
		5.5.2 Steady-state current				
		5.5.3 Impulse current and short-time current				
		5.5.4 Periodic impulse current and periodic short-time current				
	5.6	Long-term stability				
	5.7	Ambient temperature effect				
	5.8	Effect of nearby current paths				
	5.9	Software effect				
	5.10	Uncertainty calculation				
		5.10.1 General				
		5.10.2 Uncertainty of calibration				
		5.10.3 Uncertainty of measurement using an approved measuring system	33			
	5.11	Uncertainty calculation of time-parameter measurements (impulse currents only)	21			
		5.11.1 General				
		0.11.1 Outofal	טד			

62475 © IEC:2010

- 3 -

		5.11.2	Uncertainty of the time-parameter calibration	34
		5.11.3	Uncertainty of a time-parameter measurement using an approved measuring system	35
	5.12	Interfer	ence test	36
		5.12.1	Application	36
		5.12.2	Current-converting shunts and current transformers with iron	37
		5.12.3	Inductive measuring systems without iron (Rogowski coils)	38
	5.13		and tests	
		5.13.1	Voltage withstand tests	38
			Current withstand tests	
6	Stead	dy-state	direct current	39
	6.1	Applica	ation	39
	6.2	Terms	and definitions	39
	6.3	Test cu	ırrent	39
		6.3.1	Requirements	39
		6.3.2	Tolerances	
	6.4	Measu	rement of the test current	
		6.4.1	Requirements for an approved measuring system	40
		6.4.2	Uncertainty contributions	
		6.4.3	Dynamic behaviour	40
		6.4.4	Calibrations and tests on an approved measuring system	40
		6.4.5	Performance check	
	6.5		rement of ripple amplitude	
		6.5.1	Requirements for an approved measuring system	
		6.5.2	Uncertainty contributions	
		6.5.3	Dynamic behaviour for ripple	41
		6.5.4	Calibrations and tests on an approved ripple-current measuring system	42
		6.5.5	Measurement of the scale factor at the ripple frequency	42
		6.5.6	Performance check for ripple current measuring system	42
	6.6	Test pr	ocedures	43
7	Stead	dy-state	alternating current	43
	7.1	Applica	ation	43
	7.2	Terms	and definitions	43
	7.3	Test cu	ırrent	43
		7.3.1	Requirements	43
		7.3.2	Tolerances	44
	7.4	Measu	rement of the test current	44
		7.4.1	Requirements for an approved measuring system	44
		7.4.2	Uncertainty contributions	44
		7.4.3	Dynamic behaviour	44
		7.4.4	Calibrations and tests on an approved measuring system	46
		7.4.5	Performance check	47
	7.5	Test pr	ocedures	47
8	Short	t-time di	rect current	47
	8.1	Applica	ation	47
	8.2		and definitions	
	8.3	Test cu	ırrents	49
		8.3.1	Requirements for the test current	49

**-4-**

62475 © IEC:2010

		8.3.2	Tolerances	49
	8.4	Measu	rement of the test current	49
		8.4.1	Requirements for an approved measuring system	49
		8.4.2	Uncertainty contributions	49
		8.4.3	Dynamic behaviour	49
		8.4.4	Calibrations and tests on an approved measuring system	50
		8.4.5	Performance check	51
		8.4.6	Linearity test	51
	8.5	Test pr	ocedures	51
9	Short	time al	ternating current	51
	9.1	Applica	ation	51
	9.2	Terms	and definitions	52
	9.3	Test cu	ırrent	53
		9.3.1	Requirements for the test current	53
		9.3.2	Tolerances	53
	9.4	Measu	rement of the test current	54
		9.4.1	Requirements for an approved measuring system	54
		9.4.2	Uncertainty contributions	54
		9.4.3	Dynamic behaviour	54
		9.4.4	Calibrations and tests on an approved measuring system	55
		9.4.5	Performance check	
		9.4.6	Linearity test	56
		9.4.7	Interference test	57
	9.5	Test pr	ocedures	57
10	Impu	lse curr	ents	57
	10.1	Applica	ation	57
		• •	and definitions	
			urrent	
			General	
			Tolerances	
	10 4		rement of the test current	
	10.1		Requirements for an approved measuring system	
			Uncertainty contributions	
			Dynamic behaviour	
			Calibrations and tests on an approved measuring system	
			Performance check	
	10.5		ocedures	
11		•	surement in high-voltage dielectric testing	
		• •	ation	
		11.2 Terms and definitions		
	11.3		rement of the test current	
			Requirements for an approved measuring system	
			Uncertainty contributions	
			Dynamic behaviour	
			Calibrations and tests on an approved measuring system	
			Performance check	
			Linearity test.	
			Interference test	
	11.4	rest pr	ocedures	67

62475 © IEC:2010

- 5 -

12 Reference measuring systems	67
12.1 General	67
12.2 Interval between subsequent calibrations of reference measuring systems	67
Annex A (informative) Uncertainty of measurement	68
Annex B (informative) Examples of the uncertainty calculation in high-current measurements	76
Annex C (informative) Step-response measurements	82
Annex D (informative) Convolution method for estimation of dynamic behaviour from step-response measurements	85
Annex E (informative) Constraints for certain wave shapes	88
Annex F (informative) Temperature rise of measuring resistors	90
Annex G (informative) Determination of r.m.s. values of short-time a.c. current	91
Annex H (informative) Examples of IEC standards with high current tests	98
Bibliography	100
Figure 1 – Examples of amplitude frequency responses for limit frequencies $(f_1; f_2)$	14
Figure 2 – Calibration by comparison over full assigned measurement range	22
Figure 3 – Uncertainty contributions of the calibration (example with the minimum of 5 current levels)	23
Figure 4 – Calibration by comparison over a limited current range with a linearity test (see 5.3) providing extension up to the largest value in the assigned measurement range	24
Figure 5 – Linearity test of the measuring system with a linear device in the extended voltage range	26
Figure 6 – Short-term stability test for steady-state current	28
Figure 7 – Short-term stability test for impulse current and short-time current	28
Figure 8 – Short-term stability test for periodic impulse-current and periodic short-time current	29
Figure 9 – Test circuit for effect of nearby current path for current-converting shunts and current transformers with iron.	31
Figure 10 – Test circuit for effect of nearby current path for inductive measuring systems without iron (Rogowski coils)	31
Figure 11 – Principle of interference test circuit.	37
Figure 12 – Interference test on the measuring system $i_1(t)$ based on current-converting shunt or current transformer with iron in a typical 3-phase short-circuit set-up (example).	37
Figure 13 – Test circuit for interference test for inductive systems without iron	38
Figure 14 – Acceptable normalized amplitude-frequency response of an a.c. measuring system intended for a single fundamental frequency $f_{\text{nom}}$	
Figure 15 – Acceptable normalized amplitude-frequency response of an a.c. measuring system intended for a range of fundamental frequencies $f_{\text{nom1}}$ to $f_{\text{nom2}}$	
Figure 16 – Example of short-time direct current	
Figure 17 – Example of short-time alternating current.	52
Figure 18 – Exponential impulse current.	
Figure 19 – Exponential impulse current – oscillating tail.	58
Figure 20 – Impulse current – Rectangular, smooth.	

- 6 - 62475 © IEC:2010

Figure 21 – Impulse current – Rectangular with oscillations	59
Figure A.1 – Normal probability distribution $p(x)$ of a continuous random variable $x$	75
Figure A.2 – Rectangular symmetric probability distribution $p(x)$ of the estimate $x$ of an input quantity $X$	75
Figure B.1 – Comparison between the system under calibration X and the reference system N	81
Figure C.1 – Circuit to generate current step using a coaxial cable	82
Figure C.2 – Circuit to generate current step using a capacitor	82
Figure C.3 – Definition of response parameters with respect to step response	84
Figure E.1 – Attainable combinations of time parameters (shaded area) for the 8/20 impulse at maximum 20 % undershoot and for 20 % tolerance on the time parameters	88
Figure E.2 – Locus for limit of attainable time parameters as a function of permissible undershoot for the 8/20 impulse	89
Figure E.3 – Locus for limit of attainable time parameters as a function of permissible undershoot for the 30/80 impulse	89
Figure G.1 – Equivalent circuit of short-circuit test	91
Figure G.2 – Symmetrical a.c. component of an alternating short-circuit current	92
Figure G.3 – Numerical evaluation of r.m.s value showing both instantaneous current and instantaneous squared value of the current	93
Figure G.4 – Three-crest method	94
Figure G.5 – Evaluation of conventional r.m.s. value of an arc current using the three- crest method	95
Figure G.6 – Evaluation of equivalent r.m.s value of a short-time current during a short-circuit test	96
Figure G.7 – Relation between peak factor κand power factor cos(φ)	97
Table 1 – Required tests for steady-state direct current	40
Table 2 – Required tests for ripple current	42
Table 3 – Required tests for steady-state alternating current	46
Table 4 – Tolerance requirement on test-current parameters for short-time direct current	40
Table 5 – Required tests for short-time direct current	
Table 6 – Tolerance requirements on the short-time alternating current test parameters	
Table 7 – List of typical tests in a high-power laboratory and required minimum frequency range of the measuring system	
Table 8 – Tolerance requirements on scale factor	
Table 9 – Required tests for short-time alternating current	
Table 10 – Examples of exponential impulse-current types	
Table 11 – Required tests for impulse current	
Table 12 – Required tests for impulse current in high-voltage dielectric testing	
Table A.1 – Coverage factor $k$ for effective degrees of freedom $v_{\text{eff}}$ ( $p$ = 95,45 %)	
Table A.2 – Schematic of an uncertainty budget	
Table B.1 – Result of the comparison measurement	
Table B.2 – Result of the comparison measurement	78
Table B.3 – Uncertainty budget for calibration of scale factor $F_{x}$	79
Table B.4 – Result of linearity test	80

This is a free page sample. Access the full version online.

# I.S. EN 62475:2010

62475 © IEC:2010 – 7 –
------------------------

Table B.5 – Uncertainty budget of scale factor $F_{X,mes}$	81
Table H.1 – List of typical tests with short-time alternating current	
Table H.2 – List of typical tests with exponential impulse current	99
Table H.3 – List of typical tests with rectangular impulse current	. 99

-8-

62475 © IEC:2010

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

# HIGH-CURRENT TEST TECHNIQUES – DEFINITIONS AND REQUIREMENTS FOR TEST CURRENTS AND MEASURING SYSTEMS

## **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62475 has been prepared by IEC technical committee 42: High-voltage test techniques.

The text of this standard is based on the following documents:

FDIS	Report on voting	
42/278/FDIS	42/283/RVD	

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

62475 © IEC:2010

**-9-**

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to this specific publication. At this date, the publication will be:

- reconfirmed;
- withdrawn;
- replaced by a revised edition; or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.



The is a new provider i arenade and chare publication at the limit below	This is a free preview.	Purchase the	entire publication	at the link below:
--	-------------------------	--------------	--------------------	--------------------

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation