



NSAI
Standards

Standard Recommendation
S.R. CEN/TS 15531-4:2011

Public transport - Service interface for real-time information relating to public transport operations - Part 4: Functional service interfaces: Facility Monitoring

S.R. CEN/TS 15531-4:2011

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:

This document is based on:
CEN/TS 15531-4:2011

Published:
12 May, 2011

This document was published under the authority of the NSAI and comes into effect on:
12 May, 2011

ICS number:
35.240.60

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

ICS 35.240.60

English Version

**Public transport - Service interface for real-time information
relating to public transport operations - Part 4: Functional
service interfaces: Facility Monitoring**

Transport Public - Service d'échanges de données temps
réel pour le Transport en Commun - Partie 4: interfaces de
service fonctionnel: Supervision des services et des
équipements

This Technical Specification (CEN/TS) was approved by CEN on 17 January 2011 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	4
Introduction	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
4 Symbols and abbreviations	8
5 Business Context.....	8
5.1 Overview of service function	8
5.2 Examples of Service Function.....	10
5.3 Use Cases	11
5.4 Use Cases: Capture & Origination of Facility Condition	11
5.4.1 General.....	11
5.4.2 CAPT#01 Facility Condition entered manually by operator staff	11
5.4.3 CAPT#02 Facility Condition updated manually by operator staff	11
5.4.4 CAPT#03 Facility Condition arising from automatic Facility Monitoring device (e.g. lift failure)	11
5.4.5 CAPT#04 Facility Condition being generated automatically from a situation	12
5.4.6 CAPT#05 Workflow for verification, validation and editorial correction.....	12
5.4.7 CAPT#06 Providing of collective guidance of passengers	12
5.4.8 CAPT#07 Audit trails, retrospectives and process views	12
5.5 Use Cases: Relating Facility Conditions to other SIRI services	12
5.5.1 General.....	12
5.5.2 XREF#01 Problem affecting a specific vehicle journey	12
5.5.3 XREF#02 Problem at a stop place affecting some or all journeys for some or all modes	12
5.5.4 XREF#03 Problems affecting an interchange	13
5.5.5 XREF#04 Problems affecting particular classes of users, e.g. impaired mobility	13
5.6 Use Cases: Onwards Distribution to other systems (e.g. in TPEG & Datex2)	13
5.6.1 General.....	13
5.6.2 DIST#01 Distribution of Facility Condition to displays.....	13
5.6.3 DIST#02 Distribution of Facility Condition to staff.....	13
5.6.4 DIST#03 Distribution of Facility Condition to external Systems	13
5.6.5 DIST#04 Distribution of Facility Condition to journey planners	13
5.6.6 DIST#04 Distribution of Facility Condition for recording Facility Failures.....	14
5.6.7 DIST#05 Distribution of Facility Condition to other systems.....	14
6 Modelling Facilities in SIRI	14
6.1 General.....	14
6.2 Facility Model Overview	14
6.3 Facility Model Details	15
6.4 Facility Model Elements	16
6.4.1 General.....	16
6.4.2 Facility Condition.....	16
6.4.3 Facility.....	17
6.4.4 Monitoring Info.....	17
6.4.5 Facility Location.....	17
6.4.6 Facility Status.....	18
6.4.7 Accessibility Assessment.....	18
6.4.8 User Need	18
6.4.9 Remedy	18

6.4.10	Facility Feature	18
6.4.11	UML Diagrams of Facility Types	19
7	Communication Infrastructure	27
7.1	General	27
7.2	SIRI Service Request table	27
7.3	Communications Bandwidth	28
8	Facilities Monitoring Service [FM]	28
8.1	Purpose	28
8.2	UML Diagrams of Request & Response	29
8.2.1	SIRI-FM Request – Summary	29
8.2.2	SIRI-FM Request – Detail	30
8.2.3	SIRI-FM Delivery – Summary	30
8.2.4	SIRI-FM Delivery – Detail	31
8.3	Reference Data	32
8.4	Capability and Permission Matrices	33
8.4.1	Capability Matrix	33
8.4.2	Permission Matrix	35
8.5	FacilityMonitoringRequest	35
8.5.1	FacilityMonitoringRequest Definition	35
8.5.2	FacilityMonitoringRequest Example	37
8.6	FacilityMonitoringSubscriptionRequest	37
8.6.1	FacilityMonitoringSubscriptionRequest Definition	37
8.6.2	FacilityMonitoringSubscriptionRequest Example	37
8.7	FacilityMonitoringDelivery	38
8.7.1	General	38
8.7.2	ServiceDelivery with a FacilityMonitoringDelivery	38
8.7.3	FacilityMonitoringDelivery Element	39
8.7.4	FacilityCondition Element	39
8.7.5	FacilityMonitoringDelivery Example	45
	Bibliography	47

Foreword

This document (CEN/TS 15531-4:2011) has been prepared by Technical Committee CEN/TC 278 "Road transport and traffic telematics", the secretariat of which is held by NEN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document describes the SIRI Facility Monitoring service, one of a modular set of services for the exchange of Real-time information. The Facility Monitoring service (SIRI-FM) is concerned with the exchange of information about alterations to the availability of facilities for passengers among systems, including equipment monitoring, real-time management and dissemination systems.

The SIRI Facility Monitoring service (SIRI-FM) is an additional service based on the European Technical Specification known as "SIRI" – Service Interface for Real-time Information. SIRI provides a framework for specifying communications and data exchange protocols for organisations wishing to exchange Real-time Information (RTI) relating to public transport operations.

SIRI is presented in three parts:

- a) context and framework, including background, scope and role, normative references, terms and definitions, symbols and abbreviations, business context and use cases (CEN/TS 15531-1);
- b) the mechanisms to be adopted for data exchange communications links (CEN/TS 15531-2);
- c) data structures for a series of individual application interface modules (CEN/TS 15531-3):
 - 1) Production Timetable (SIRI-PT);
 - 2) Estimated Timetable (SIRI-ET);
 - 3) Stop Timetable (SIRI-ST);
 - 4) Stop Monitoring (SIRI-SM);
 - 5) Vehicle Monitoring (SIRI-VM);
 - 6) Connection Timetable (SIRI-CT);
 - 7) Connection Monitoring (SIRI-CM);
 - 8) General Message (SIRI-GM).

Additional documents are used for additional functional services, to date these are:

- d) Facilities Management (SIRI-FM) (this document, CEN/TS 15531-4);
- e) Situation Exchange (SIRI-SX): The SIRI Situation & Incident Exchange service is used to exchange information messages between identified participants in a standardised structured format suitable for travel information services. It enables messages to be sent and to be revoked. Messages are assigned validity periods in addition to the actual content (CEN/TS 15531-5).

The XML schema can be downloaded from <http://www.siri.org.uk/>, along with available guidance on its use, example XML files, and case studies of national and local deployments. The SIRI-FM service is included in version 1.3 of the schema onwards.

It is recognised that SIRI is not complete as it stands, and it is designed such that it can be extended over the coming years. Further work is directed by a SIRI Management Group which exists at European level, based on the composition of SG7.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Introduction

Public transport services rely increasingly on information systems to ensure reliable, efficient operation and widely accessible, accurate passenger information.

Well-defined, open interfaces have a crucial role in improving the economic and technical viability of Public Transport Information Systems of all kinds. Using standardised interfaces, systems can be implemented as discrete pluggable modules that can be chosen from a wide variety of suppliers in a competitive market, connecting diverse systems, rather than as monolithic proprietary systems from a single supplier. Interfaces also allow the systematic automated testing of each functional module, vital for managing the complexity of increasing large and dynamic systems. Furthermore, individual functional modules can be replaced or evolved, without unexpected breakages of obscurely dependent function.

The SIRI framework is a European Technical Specification that provides a specification for a number of functional interfaces that allow public transport data of specific types to be exchanged readily using structured interfaces.

The SIRI: **Facility Monitoring (SIRI-FM)** service defined in this document enables the exchange of information on the current status of facilities. It provides a short description of the facility itself, the availability status and specifically the impact of the availability status for various categories of disabled or incapacitated people. The service provides all the current relevant information relating to all facilities fulfilling a set of selection criteria. Both query and publish subscribe interactions are supported.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-