



NSAI
Standards

Irish Standard
I.S. EN 61881-1:2011

Railway applications - Rolling stock equipment - Capacitors for power electronics -- Part 1: Paper/plastic film capacitors (IEC 61881-1:2010 (EQV))

I.S. EN 61881-1:2011

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i> EN 61881:1999	<i>This document is based on:</i> EN 61881-1:2011 EN 61881:1999	<i>Published:</i> 4 February, 2011 8 November, 1999
This document was published under the authority of the NSAI and comes into effect on: 15 February, 2011		ICS number: 45.060
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 61881-1

February 2011

ICS 45.060

Supersedes EN 61881:1999

English version

**Railway applications -
Rolling stock equipment -
Capacitors for power electronics -
Part 1: Paper/plastic film capacitors
(IEC 61881-1:2010)**

Applications ferroviaires -
Matériel roulant -
Condensateurs pour électronique de
puissance -
Partie 1: Condensateurs papier et film
plastique
(CEI 61881-1:2010)

Bahnanwendungen -
Betriebsmittel auf Bahnfahrzeugen -
Kondensatoren für Leistungselektronik -
Teil 1: Papier-/Foliekondensatoren
(IEC 61881-1:2010)

This European Standard was approved by CENELEC on 2011-01-02. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 9/1405/FDIS, future edition 1 of IEC 61881-1, prepared by IEC TC 9, Electrical equipment and systems for railways, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61881-1 on 2011-01-02.

This European Standard supersedes EN 61881:1999.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

- | | | |
|--|-------|------------|
| – latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 2011-10-02 |
| – latest date by which the national standards conflicting with the EN have to be withdrawn | (dow) | 2014-01-02 |

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61881-1:2010 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60077-1:1999	NOTE	Harmonized as EN 60077-1:2002 (modified).
IEC 60077-2:1999	NOTE	Harmonized as EN 60077-2:2002 (modified).
IEC 60110-1:1998	NOTE	Harmonized as EN 60110-1:1998 (not modified).
IEC 60146-1-1:2009	NOTE	Harmonized as EN 60146-1-1:2009 (not modified).
IEC 60384-14:2005	NOTE	Harmonized as EN 60384-14:2005 (not modified).
IEC 60664-1:2007	NOTE	Harmonized as EN 60664-1:2007 (not modified).
IEC 60831-1:1996	NOTE	Harmonized as EN 60831-1:1996 (not modified).
IEC 60831-2:1995	NOTE	Harmonized as EN 60831-2:1996 (not modified).
IEC 60871-1:2005	NOTE	Harmonized as EN 60871-1:2005 (not modified).
IEC 60931-1:1996	NOTE	Harmonized as EN 60931-1:1996 (not modified).
IEC 60931-2:1995	NOTE	Harmonized as EN 60931-2:1996 (not modified).
IEC 61071	NOTE	Harmonized as EN 61071.
IEC 61287-1:2005	NOTE	Harmonized as EN 61287-1:2006 (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-14	-	Environmental testing - Part 2-14: Tests - Test N: Change of temperature	EN 60068-2-14	-
IEC 60068-2-20	-	Environmental testing - Part 2-20: Tests - Test T: Test methods for solderability and resistance to soldering heat of devices with leads	EN 60068-2-20	-
IEC 60068-2-21	-	Environmental testing - Part 2-21: Tests - Test U: Robustness of terminations and integral mounting devices	EN 60068-2-21	-
IEC 60068-2-78	-	Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state	EN 60068-2-78	-
IEC 60269-1	-	Low-voltage fuses - Part 1: General requirements	EN 60269-1	-
IEC 60695-2-11	-	Fire hazard testing - Part 2-11: Glowing/hot-wire based test methods - Glow-wire flammability test method for end-products	EN 60695-2-11	-
IEC 60695-11-5	-	Fire hazard testing - Part 11-5: Test flames - Needle-flame test method - Apparatus, confirmatory test arrangement and guidance	EN 60695-11-5	-
IEC 60721-3-5	-	Classification of environmental conditions - Part 3: Classification of groups of environmental parameters and their severities - Section 5: Ground vehicle installations	EN 60721-3-5	-
IEC 61373	-	Railway applications - Rolling stock equipment - Shock and vibration tests	EN 61373	-
IEC 62491	-	Industrial systems, installations and equipment and industrial products - Labelling of cables and cores	EN 62491	-
IEC 62497-1	-	Railway applications - Insulation coordination - Part 1: Basic requirements - Clearances and creepage distances for all electrical and electronic equipment	-	-

This page is intentionally left BLANK.

CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references.....	8
3 Terms and definitions	8
4 Service conditions.....	13
4.1 Normal service conditions	13
4.1.1 Altitude	13
4.1.2 Temperature.....	13
4.1.3 Operating temperature with forced ventilation.....	13
4.2 Unusual service conditions	13
5 Quality requirements and tests.....	14
5.1 Test requirements.....	14
5.1.1 General	14
5.1.2 Test conditions	14
5.2 Classification of tests.....	14
5.2.1 Routine tests	14
5.2.2 Type tests.....	15
5.2.3 Acceptance tests	15
5.2.4 Summary of tests.....	16
5.3 Capacitance and $\tan \delta$ measurements (routine test)	16
5.3.1 Measuring procedure	16
5.3.2 Capacitance tolerances.....	17
5.3.3 Loss requirements ($\tan \delta$)	17
5.4 Capacitor loss tangent ($\tan \delta$) measurement (type test).....	17
5.4.1 Measurements	17
5.4.2 Loss requirements	17
5.5 Voltage test between terminals	17
5.5.1 General	17
5.5.2 Routine test	18
5.5.3 Type test	18
5.6 AC voltage test between terminals and case	18
5.6.1 Routine test	18
5.6.2 Type test	19
5.7 Test of internal discharge device.....	19
5.8 Sealing test	19
5.9 Surge discharge test.....	19
5.10 Thermal stability test.....	20
5.10.1 General	20
5.10.2 Measuring procedure	20
5.11 Self-healing test.....	21
5.12 Resonance frequency measurement	21
5.13 Environmental testing	21
5.13.1 Change of temperature	21
5.13.2 Damp heat, steady state	21
5.14 Mechanical testing.....	22
5.14.1 Mechanical tests of terminals	22

I.S. EN 61881-1:2011

61881-1 © IEC:2010

– 3 –

5.14.2	External inspection	23
5.14.3	Vibration and shocks.....	23
5.15	Endurance test	23
5.15.1	Conditioning of the units before the test	23
5.15.2	Initial capacitance and loss factor measurements	23
5.15.3	Endurance test	23
5.15.4	Final capacitance and $\tan \delta$ measurement.....	24
5.15.5	Acceptance criteria	25
5.16	Destruction test	25
5.16.1	General	25
5.16.2	Test sequence for AC capacitors.....	26
5.16.3	Test sequence for DC capacitors	27
5.17	Disconnecting test on internal fuses.....	30
5.17.1	General	30
5.17.2	Disconnecting requirements.....	30
5.17.3	Withstand requirements	30
5.17.4	Test procedure	31
5.17.5	Capacitance measurement.....	32
5.17.6	Visual checking.....	32
5.17.7	Voltage test	32
5.18	Partial discharge measurements (optional type tests).....	32
6	Overloads.....	32
7	Safety requirements.....	33
7.1	Discharge device	33
7.2	Case connections	33
7.3	Protection of the environment	33
7.4	Fire hazard	33
7.5	Other safety requirements.....	33
8	Markings.....	34
8.1	Marking of the units	34
8.1.1	Rating plate	34
8.1.2	Data sheet.....	34
9	Guide to installation and operation	34
9.1	General	34
9.2	Choice of rated voltage.....	35
9.3	Operating temperature.....	35
9.3.1	Installation	35
9.3.2	Unusual cooling conditions.....	36
9.4	Special service conditions.....	36
9.5	Overvoltages	36
9.6	Overload currents	36
9.7	Switching and protective devices	37
9.8	Choice of creepage distance and clearance	37
9.9	Connections	37
9.10	Parallel connections of capacitors.....	37
9.11	Series connections of capacitors.....	37
9.12	Magnetic losses and eddy currents	38
9.13	Guide for internal fuse and disconnecter protection in capacitors.....	38
9.14	Guide for unprotected capacitors	38

Annex A (informative) Waveforms	39
Annex B (normative) Operational limits of capacitors with sinusoidal voltages as a function of frequency and at maximum temperature (θ_{\max})	41
Annex C (normative) Resonance frequency measuring methods – Examples	43
Bibliography	45
Figure 1 – Destruction test arrangement	27
Figure 2 – N source DC – type 1	29
Figure 3 – N source DC – type 2	29
Figure A.1a – Commutating waveform	39
Figure A.1b – Commutating circuit example	40
Figure A.1c – Damping capacitor for gate turn-off thyristors waveform	40
Figure A.1d – Damping circuit example	40
Figure B.1 – Supply conditions	41
Figure C.1 – Measuring circuit	43
Figure C.2 – Relation between the voltage across the capacitor and the supply frequency	44
Figure C.3 – Discharge current wave shape	44
Table 1 – Maximum temperature of cooling medium for unlimited time	13
Table 2 – Summary of tests	16
Table 3 – Test voltage between terminals	17
Table 4 – Damp heat test	22
Table 5 – Testing the robustness of terminals	22
Table 6 – Example of current-carrying capacities of screw terminals and bolts	23
Table 7 – Endurance test	24
Table 8 – Destruction test as a function of type of safety system	25
Table 9 – Maximum permissible voltage	32

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RAILWAY APPLICATIONS – ROLLING STOCK EQUIPMENT – CAPACITORS FOR POWER ELECTRONICS –

Part 1: Paper/plastic film capacitors

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61881-1 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways.

IEC 61881-1 cancels and replaces IEC 61881 (1999).

The text of this standard is based on the following documents:

FDIS	Report on voting
9/1405/FDIS	9/1454/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

I.S. EN 61881-1:2011

– 6 –

61881-1 © IEC:2010

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

RAILWAY APPLICATIONS – ROLLING STOCK EQUIPMENT – CAPACITORS FOR POWER ELECTRONICS –

Part 1: Paper/plastic film capacitors

1 Scope

This part of IEC 61881 applies to capacitors for power electronics intended to be used on rolling stock.

The rated voltage of capacitors covered by this part is limited to 10 000 V.

The operating frequency of the systems in which these capacitors are used is usually up to 15 kHz, while the pulse frequencies may be up to 5 to 10 times the operating frequency.

It distinguishes between AC and DC capacitors.

They are considered as components mounted in enclosures.

NOTE This standard covers an extremely wide range of capacitor technologies for numerous applications: overvoltage protection, DC and AC filtering, switching circuits, DC energy storage, auxiliary inverters, etc.

Examples are given in Clause 9.

The following are excluded from this standard:

- capacitors for induction heat-generating plants operating at frequencies between 40 Hz and 24 000 Hz (see IEC 60110-1 and 60110-2);
- capacitors for motor applications and the like (see IEC 60252-1 and IEC 60252-2);
- capacitors to be used in circuits for blocking one or more harmonics in power supply networks;
- small AC capacitors as used for fluorescent and discharge lamps (see IEC 61048 and IEC 61049);
- capacitors for suppression of radio interference (see IEC 60384-14);
- shunt capacitors for AC power systems having a rated voltage above 1 000 V (see IEC 60871-1 and IEC 60871-2);
- shunt power capacitors of the self-healing type for AC systems having a rated voltage up to and including 1 000 V (see IEC 60831-1 and IEC 60831-2);
- shunt power capacitor of the non self-healing type for AC systems having a rated voltage up to and including 1 000 V (see IEC 60931-1 and IEC 60931-2);
- series capacitors for power systems (see IEC 60143-1, IEC 60143-2 and IEC 60143-3);
- coupling capacitors and capacitors dividers (see IEC 60358);
- capacitors for applications requiring energy storage/high current discharge such as photocopiers and lasers;
- capacitors for microwave ovens;
- capacitors for power electronics (see IEC 61071).

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-