This is a free page sample. Access the full version online.



Irish Standard I.S. EN 61000-4-22:2011

Electromagnetic compatibility (EMC) --Part 4-22: Testing and measurement techniques - Radiated emission and immunity measurements in fully anechoic rooms (FARs) (IEC 61000-4 -22:2010 (EQV))

 \tilde{O} NSAI 2011 No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

| <i>This document replaces:</i> | <i>This document is based on:</i> EN 61000-4-22:2011 | <i>Publisi</i> 1 April | <i>hed:</i> I, 2011 |
|---|---|---------------------------|---------------------------------------|
| This document was published under the authority of the NSAI and c 8 April, 2011 | omes into effect on: | | ICS number: 33.100.10 33.100.20 |
| NSAI T +353 1 807 3800 Sales: 1 Swift Square, F +353 1 807 3838 T +353 1 857 6730 Northwood, Santry E standards@nsai.ie F +353 1 857 6729 Dublin 9 W NSAI.ie W standards.ie | | | |
| Údarás um Chaighdeáin Náisiúnta na hÉireann | | | |

EUROPEAN STANDARD

EN 61000-4-22

NORME EUROPÉENNE EUROPÄISCHE NORM

April 2011

ICS 33.100.10; 33.100.20

English version

Electromagnetic compatibility (EMC) -Part 4-22: Testing and measurement techniques -Radiated emission and immunity measurements in fully anechoic rooms (FARs)

(IEC 61000-4-22:2010)

Compatibilité électromagnétique (CEM) -Partie 4-22: Techniques d'essai et de mesure -Mesures de l'immunité et des émissions rayonnées dans des enceintes complètement anéchoïques (FAR) (CEI 61000-4-22:2010) Elektromagnetische Verträglichkeit (EMV) -Teil 4-22: Prüf- und Messverfahren -Messungen der gestrahlten Störaussendung und Prüfungen der Störfestigkeit gegen gestrahlte Störgrößen in Vollabsorberräumen (FAR) (IEC 61000-4-22:2010)

This European Standard was approved by CENELEC on 2011-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

© 2011 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Ref. No. EN 61000-4-22:2011 E

EN 61000-4-22:2011

- 2 -

Foreword

The text of document CISPR/A/912/FDIS, future edition 1 of IEC 61000-4-22, prepared by CISPR SC A, Radio-interference measurements and statistical methods, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61000-4-22 on 2011-02-01.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

| - | latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 2011-11-01 |
|---|--|-------|------------|
| _ | latest date by which the national standards conflicting with the EN have to be withdrawn | (dow) | 2014-02-01 |

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61000-4-22:2010 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

[2] IEC 61000-4-3:2006 + A1:2007 NOTE Harmonized as EN 61000-4-3:2006 + A1:2008 (not modified).

- 3 -

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

| Publication | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | Year |
|---------------|-------------|---|--------------|------|
| CISPR 16-1-1 | 2010 | Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-1: Radio disturbance and immunity measuring apparatus - Measuring apparatus | EN 55016-1-1 | 2010 |
| CISPR 16-1-4 | 2010 | Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-4: Radio disturbance and immunity measuring apparatus - Antennas and test sites for radiated disturbance measurements | EN 55016-1-4 | 2010 |
| IEC 60050-161 | 1990 | International Electrotechnical Vocabulary (IEV) - Chapter 161: Electromagnetic compatibility | - | - |
| IEC 60050-394 | 2007 | International Electrotechnical Vocabulary (IEV) - Part 394: Nuclear instrumentation - Instruments, systems, equipment and detectors | - | - |

This page is intentionally left BLANK.

- 2 -

CONTENTS

| | 6 | |
|--|---------|--|
| INTRODUCTION | | |
| 1 Scope | 8 | |
| 2 Normative references | 8 | |
| Terms and definitions9 | | |
| 4 FAR applications | 10 | |
| 4.1 Measurand for radiated immunity testing | 10 | |
| 4.2 Measurand for radiated emission measurements | 11 | |
| 5 FAR validation/calibration procedure | 11 | |
| 5.1 General | 11 | |
| 5.2 Validation set-ups | 11 | |
| 5.3 Test facility description | 15 | |
| 5.3.1 General | 15 | |
| 5.3.2 Test volume | | |
| 5.3.3 Broadband antenna | | |
| 5.3.4 Antenna cables | 15 | |
| 5.3.6 Turntable | 10 | |
| 5.3.7 Automated antenna polarization changer | 10 | |
| 5.3.8 Absorber configuration | | |
| 5.4 Definition of quantities to be determined by the FAR validation procedure | 16 | |
| 5.5 Required sampling positions for FAR validation | 17 | |
| 5.6 FAR validation procedure | 18 | |
| 5.6.1 General | 18 | |
| 5.6.2 Type 1 validation set-up | 18 | |
| 5.6.3 Type 2 validation set-up | 19 | |
| 5.6.4 Type 3 validation set-up | | |
| 5.6.5 Type 4 validation set-up | 20 | |
| 5.6.6 Calculation of C_{dB} and $s_{dB,C}$ for all set-up types | 20 | |
| 5.7 Validation requirement | 20 | |
| 6 Test set-up | 21 | |
| Annex A (normative) Radiated immunity tests | | |
| Annex B (normative) Radiated emission measurements | 31 | |
| Annex C (informative) Background on the system transducer factor and simultaneous emissions/immunity validation method | ; 34 | |
| Annex D (informative) Measurement uncertainties | | |
| Bibliography | | |
| | | |
| Figure 1 – Type 1 validation block diagramme | 12 | |
| Figure 2 – Type 2 validation block diagramme | | |
| Figure 3 – Type 3 validation block diagramme13 | | |
| Figure 4 – Type 4 validation block diagramme13 | | |
| Figure 5 – Locations of the sampling points for FAR validation | | |
| Figure 6 – Example test set-up for table-top equipment | 23 | |

| 61000-4-22 © IEC:2010 | - 3 - |
|-----------------------|-------|
|-----------------------|-------|

| Figure 7 – Example test set-up for table-top equipment, top view | 24 |
|--|----|
| Figure 8 – Example test set-up for floor-standing equipment | 24 |
| Figure 9 – Example test set-up for floor-standing equipment, top view | 25 |
| Figure A.1 – Definition of <i>d</i> _{measurement} for immunity tests | 28 |
| Figure B.1 – Definition of <i>d</i> _{measurement} for emission measurements | 32 |
| Figure D.1 – Example of influence factors for emission measurements | 37 |
| Figure D.2 – Example of influences upon the immunity test method | 44 |
| Table 1 – Components required for the different validation set-up types | 15 |
| Table 2 – Validation criteria | 21 |
| Table D.1 – Measurement instrumentation uncertainty in a FAR for radiated emission measurements in the frequency range 30 MHz to 1 000 MHz | 38 |
| Table D.2 – Measurement instrumentation uncertainty in a FAR for radiated emission measurements in the frequency range 1 GHz to 18 GHz | 39 |
| Table D.3 – Measurement instrumentation uncertainty in a FAR for level setting for immunity testing in the frequency range 30 MHz to 1 000 MHz | 45 |
| Table D.4 – Measurement instrumentation uncertainty in a FAR for level setting for immunity testing in the frequency range 1 GHz to 18 GHz | 46 |
| | |

- 4 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

ELECTROMAGNETIC COMPATIBILITY (EMC) -

Part 4-22: Testing and measurement techniques – Radiated emissions and immunity measurements in fully anechoic rooms (FARs)

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committee; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61000-4-22 has been prepared by CISPR subcommittee A: Radio interference measurements and statistical methods, in cooperation with subcommittee 77B: High frequency phenomena, of IEC technical committee 77: Electromagnetic compatibility.

This standard has the status of a basic EMC publication in accordance with IEC Guide 107, *Electromagnetic compatibility – Guide to the drafting of electromagnetic compatibility publications*.

61000-4-22 © IEC:2010

- 5 -

The text of this standard is based on the following documents:

| Enquiry draft | Report on voting |
|------------------|------------------|
| CISPR/A/912/FDIS | CISPR/A/923/RVD |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61000 series can be found on the IEC website under the general title Electromagnetic compatibility (EMC), and of all parts of the CISPR 16 series under the general title Specification for radio disturbance and immunity measuring apparatus and methods.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

- 6 -

61000-4-22 © IEC:2010

INTRODUCTION

This standard is part of the IEC 61000 series of standards, according to the following structure:

Part 1: General

General considerations (introduction, fundamental principles)

Definitions, terminology

Part 2: Environment

Description of the environment Classification of the environment

Compatibility levels

Part 3: Limits

Emission limits

Immunity limits (in so far as they do not fall under the responsibility of the product committees)

Part 4: Testing and measurement techniques

Measurement techniques Testing techniques

Part 5: Installation and mitigation guidelines

Installation guidelines

Mitigation methods and devices

Part 6: Test set-up

Part 9: Miscellaneous

Each part is further subdivided into several parts, published either as international standards, as technical specifications or technical reports, some of which have already been published as sections. Others will be published with the part number followed by a dash and a second number identifying the subdivision (example: IEC 61000-6-1).

This part is an international standard that establishes the required test procedures for using fully anechoic rooms for performing radiated immunity testing and radiated emission measurements.

The main text of this standard provides all information that is common to both radiated emission measurements and immunity tests in a FAR (fully anechoic room). This includes the description of a FAR, a common set-up for equipment under test (EUT), and a harmonized validation/calibration procedure. The test methods described in this standard are based on the harmonized validation/calibration which verifies a FAR as a measurement system, including the room, antenna and associated cables simultaneously. The validation procedure determines a combined transducer factor for a FAR measurement system that is later applied to both emission measurements and immunity tests. If different sets of antennas and/or cables are used for emission measurements and immunity tests the validation/calibration process is performed twice.

Annex A (normative) provides the measurement procedure and any special considerations for performing radiated immunity tests.

Annex B (normative) provides the measurement procedure and any special considerations for performing radiated emission measurements.

61000-4-22 © IEC:2010

- 7 -

Annex C (informative) provides background on the system transducer factor and simultaneous emissions/immunity validation method.

Annex D (informative) provides guidance for calculation of the uncertainty of measurement results obtained using a FAR and instrumentation in accordance with ISO/IEC Guide 98-3 [4]¹.

¹⁾ Numbers in square brackets refer to the Bibliography.

- 8 -

ELECTROMAGNETIC COMPATIBILITY (EMC) -

Part 4-22: Testing and measurement techniques – Radiated emissions and immunity measurements in fully anechoic rooms (FARs)

1 Scope

This part of IEC 61000 considers immunity tests and emission measurements for electric and/or electronic equipment. Only radiated phenomena are considered. It establishes the required test procedures for using fully anechoic rooms for performing radiated immunity testing and radiated emission measurements.

NOTE In accordance with IEC Guide 107 [1], IEC 61000-4-22 is a basic EMC publication for use by product committees of the IEC. As stated in Guide 107, product committees are responsible for determining the applicability of the EMC standards. TC 77 and CISPR and their sub-committees are prepared to cooperate with product committees in the determination of the value of particular EMC tests for specific products.

This part establishes a common validation procedure, equipment under test (EUT) set-up requirements, and measurement methods for fully anechoic rooms (FARs) when both radiated electromagnetic emission measurements and radiated electromagnetic immunity tests will be performed in the same FAR.

As a basic measurement standard, this part of IEC 61000 does not intend to specify the test levels or emission limits to be applied to particular apparatus or system(s). Its main goal is to provide general measurement procedures to all concerned product committees of IEC or CISPR. Specific product requirements and test conditions are defined by the responsible product committees.

The methods described in this standard are appropriate for radiated emission measurements and immunity tests in the frequency range of 30 MHz to 18 GHz.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CISPR 16-1-1:2010, Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-1: Radio disturbance and immunity measuring apparatus – Measuring apparatus

CISPR 16-1-4:2010, Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-4: Radio disturbance and immunity measuring apparatus – Ancillary equipment – Radiated disturbances

IEC 60050-161:1990, International Electrotechnical Vocabulary (IEV) – Part 161: Electromagnetic compatibility

IEC 60050-394:2007, International Electrotechnical Vocabulary (IEV) – Part 394: Nuclear instrumentation – Instruments, systems, equipment and detectors



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation