

Irish Standard I.S. EN 13411-4:2011

Terminations for steel wire ropes - Safety - Part 4: Metal and resin socketing

© NSAI 2011

No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda/National Annexes issued since public	cation:		
The National Standards Authority of Ireland (NSAI) produces the following cate documents:	gories of formal		
I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.			
S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.			
SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.			
This document replaces: EN 13411-4:2002+A1:2008			
This document is based on: Published: EN 13411-4:2011 11 April, 2011			
This document was published under the authority of the NSAI and comes into effect on: 11 April, 2011	ICS number: 77.140.99		

NSAI T +353 1 807 3800 Sales:

 1 Swift Square,
 F +353 1 807 3838
 T +353 1 857 6730

 Northwood, Santry
 E standards@nsai.ie
 F +353 1 857 6729

 Dublin 9
 W standards.ie

W NSAl.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

# EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 13411-4

March 2011

ICS 77.140.99

Supersedes EN 13411-4:2002+A1:2008

#### **English Version**

# Terminations for steel wire ropes - Safety - Part 4: Metal and resin socketing

Terminaisons pour câbles en acier - Sécurité - Partie 4: Manchonnage à l'aide de métal et de résine Endverbindungen für Drahtseile aus Stahldraht - Sicherheit - Teil 4: Vergießen mit Metall und Kunstharz

This European Standard was approved by CEN on 19 February 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

# EN 13411-4:2011 (E)

Cont	<b>ents</b>	⊃age
Forewo	ord	4
Introdu	ıction	<u>5</u>
1	Scope	
-	Normative references	
2		
3	Terms and definitions	6
4	List of significant hazards	8
5	Safety requirements and/or protective measures	
5.1	General	
5.2	Preparation of rope and socket	
5.2.1	General	
5.2.2	Length marking of rope	
5.2.3	Serving	
5.2.4	Cutting of rope	
5.2.5	Cleanliness of socket	
5.2.6	Inserting rope into socket	
5.2.7	Opening the brush	
5.2.8	Pre-treatment of the brush	
5.2.9	Hooking	
5.2.10 5.2.11	Positioning and alignment of brush, rope and socket	
5.2.11 5.3	Sealing	
	Socketing	
5.3.1 5.3.2	General	
5.3.2 5.3.3	Molten metal socketing	
5.3.3 5.4	Resin socketing	
5.4 5.5	Removal of sealing material	
5.6	Protection  Type testing	
5.6	·	
6	Verification of the safety requirements and/or measures	
6.1	Length marking of rope	
6.2	Serving	
6.3	Cleanliness of socket	
6.4	Opening the brush	
6.5	Degreasing the brush	
6.6	Hooking	15
6.7	Positioning and alignment of brush, rope and socket	
6.8	Pre-heating the socket	
6.9	Melting the metal	
6.10	Pouring the metal	
6.11	Cooling	
6.12	Pouring the resin	
6.13	Curing of the resin	
6.14	Removal of sealing	
6.15	After completion of the socketing	15
7	Information for use	16
7.1	General	
7.2	Marking	
7.3	Socketing manufacturer's certificate	

# EN 13411-4:2011 (E)

<b>Annex</b>	A (normative) Molten metal socketing media	17
A.1	Lead-based alloys	
A.2	Zinc	
A.3	Zinc-based alloy	
Annex	B (normative) Resin socketing media	18
B.1	General	
B.2	Physical properties	
Annex	C (normative) Type testing for assessment of molten metal or resin socketed termination	19
C.1	General	
C.2	Method of test	
C.3	Acceptance criteria	
C.4	Test report	
Annex	D (informative) Procedure for pre-treatment of bright rope for improved adhesion when	
,	socketing with lead-based alloys	20
D.1	General	
D.2	Fluxing	
D.3	Coating	
Annex	E (normative) Operating temperature limits	21
Annex	F (informative) Approved socket design parameters	22
Annex	ZA (informative) Relationship between this European Standard And the Essential Requirements of EU Directive 2006/42/EC	23
Biblio	graphy	24

#### EN 13411-4:2011 (E)

#### **Foreword**

This document (EN 13411-4:2011) has been prepared by Technical Committee CEN/TC 168 "Chains, ropes, webbing, slings and accessories - Safety", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2011, and conflicting national standards shall be withdrawn at the latest by September 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13411-4:2002+A1:2008.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

This second edition incorporates both technical and editorial amendments, with the following main changes made with respect to the previous edition:

- enhance approved socket dimension criteria negating need for type testing and move data into informative Annex F:
- add definition for 'socketing manufacturer';
- re-draft hazards clause;
- re-draft standard in accordance with rules of ISO/IEC Directives, Part 2 and CEN Guide 414.

EN 13411, under the general title "Terminations for steel wire ropes — Safety", consists of the following parts:

- Part 1: Thimbles for steel wire rope slings;
- Part 2: Splicing of eyes for wire rope slings;
- Part 3: Ferrules and ferrule-securing;
- Part 4: Metal and resin socketing;
- Part 5: U-bolt wire rope grips;
- Part 6: Asymmetric wedge socket;
- Part 7: Symmetric wedge socket;
- Part 8: Swage terminals and swaging.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

#### Introduction

This European Standard is a type C standard as stated in EN ISO 12100.

The machinery concerned and the extent to which hazards, hazardous situations and events are covered are indicated in the scope of this standard.

When provisions of this type C standard are different from those which are stated in type B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard.

The methods of socketing described in this standard are based on established procedures and following them is considered to result in a rope termination having an efficiency of 100 % based on the minimum breaking force of the rope.

It is assumed that the socket is:

- suitable for heating without changing the characteristics of the socket material when the socketing medium is molten metal;
- strong enough for the rope; and
- suitable for the purpose for which it is intended.



**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation