



NSAI
Standards

Standard Recommendation
S.R. CEN/TS 15213-6:2011

Road transport and traffic telematics - After-theft services for the recovery of stolen vehicles - Part 6: Test procedures

S.R. CEN/TS 15213-6:2011

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:

This document is based on:
CEN/TS 15213-6:2011

Published:
12 May, 2011

This document was published under the authority of the NSAI and comes into effect on:
12 May, 2011

ICS number:
35.240.60

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

ICS 35.240.60

English Version

Road transport and traffic telematics - After-theft services for the recovery of stolen vehicles - Part 6: Test procedures

Télématique des transports - Recherche des véhicules volés - Partie 6: Modes opératoires d'essai

Straßenverkehrstelematik (RTTT) - Systeme für das Wiederfinden gestohlener Fahrzeuge - Teil 6: Prüfungen

This Technical Specification (CEN/TS) was approved by CEN on 9 September 2008 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

1	Scope	6
2	Normative references	6
3	Terms and definitions	7
4	Test Schedule.....	7
5	Test Conditions.....	7
5.1	General.....	7
5.2	Standard Atmospheric Conditions for Testing.....	7
5.3	Mounting and Orientation	8
5.4	Electrical Connections	8
5.5	Connection to Engine Crank Inhibitor (Where relevant to system).....	8
6	Basic Tests	8
6.1	General.....	8
6.2	Functional Test for ATSVR with Position Reporting Telemetry Features	9
6.2.1	Object of the Test.....	9
6.2.2	Test Procedure.....	9
6.2.3	Criteria for Compliance	9
6.3	Functional Test for ATSVR with Optional Ignition Inhibition Function.....	10
6.3.1	Object of the Test.....	10
6.3.2	Test Procedure.....	10
6.3.3	Criteria for Compliance	10
6.4	Functional Test for ATSVR with Tracking Device	10
6.4.1	Object of the Test.....	10
6.4.2	Test Procedure.....	10
6.4.3	Criteria for Compliance	11
7	General.....	11
7.1	Practical Issues.....	11
7.2	Enclosure Protection.....	11
7.2.1	General.....	11
7.2.2	Resistance to Foreign Objects	11
7.2.3	Resistance to Water Ingress.....	12
7.2.4	Resistance to Impacts	12
7.3	Interconnections	13
7.4	Resistance of Connectors to Tensile Forces.....	14
7.4.1	Object of the Test.....	14
7.4.2	Test Procedure.....	14
7.5	Adjustments	14
7.6	Setting/Unsetting Devices	15
7.6.1	Construction.....	15
7.6.2	Reprogramming of Key Codes	15
7.6.3	Wire-free Keys.....	16
7.6.4	Electronic Direct Connection Keys, Proximity Keys, Keypads or Combinational Action Input Devices.....	17
7.6.5	Cyclic Reliability Test.....	18
7.7	Electrical Tests.....	19
7.7.1	Protection	19
7.7.2	Power Supply Voltage Variation.....	19
7.7.3	Current Consumption.....	20
7.7.4	Toleration of the Loss of Power Supply to the Vehicle Security System	21
7.7.5	Power Supply Reversal	22

7.7.6	Power Supply over Voltage	23
7.8	Control of Software/Firmware	23
7.9	Installation Instructions	24
7.10	User Instructions	25
7.10.1	Object of the Test	25
7.10.2	Test Procedure	25
7.10.3	Criteria for Compliance.....	25
7.11	Marking	25
7.11.1	Object of the Test	25
7.11.2	Test Procedure	25
7.11.3	Criteria for Compliance.....	26
8	Functional Tests	26
8.1	Immunity to Slow Power Supply Reduction	26
8.1.1	Object of the Test	26
8.1.2	Test Procedure	26
8.1.3	Criteria for Compliance.....	26
8.2	Detectors	26
8.2.1	Object of the Test	26
8.2.2	Test Procedure	27
8.2.3	Criteria for Compliance.....	27
8.3	Standby Power Supply Capacity	27
8.3.1	ATSVR systems requiring Connection to the Vehicle Power Supply	27
8.4	Attack with Mechanical Impact	28
8.4.1	General	28
8.4.2	Object of the Test	28
8.4.3	Test Procedure	28
8.4.4	Criteria for Compliance.....	29
9	Electrical Attack Tests	30
9.1	Attack with High Electromagnetic Fields 50V/m	30
9.1.1	Object of the Test	30
9.1.2	Test Procedure	30
9.1.3	Criteria for Compliance.....	31
9.2	Open Circuiting Control Connections.....	31
9.2.1	General	31
9.2.2	Object of the Test	31
9.2.3	Criteria for Compliance.....	31
9.3	Short Circuiting Control Connections.....	32
9.3.1	General	32
9.3.2	Object of the Test	32
9.3.3	Test Procedure	32
10	Power Supply	32
10.1	General	32
10.2	Removal and Reinstatement of Power Supply	32
10.2.1	Object of the Tests	32
10.2.2	Test Procedure	33
10.2.3	Criteria for Compliance.....	33
10.3	Overvoltage on Power Supply Terminations.....	34
10.3.1	Object of the Test	34
10.3.2	Test Procedure	34
10.3.3	Criteria for Compliance.....	34
10.4	Overvoltage on Power Supply Terminations - Reversed Polarity	34
10.4.1	Object of the Test	34
10.4.2	Test Procedure	34
10.4.3	Criteria for Compliance.....	35
10.5	Short Circuiting of Accessible Input Terminations to Positive Voltage and 0 Voltage	35
10.5.1	Object of the Test	35
10.5.2	Test Procedure	35
10.5.3	Criteria for Compliance.....	36

10.6	Open Circuiting Accessible Input Terminations	36
10.6.1	Object of the Test.....	36
10.6.2	Test Procedure.....	36
10.6.3	Criteria for Compliance	37
10.7	Removal and Re-instatement of Fuses	37
10.7.1	Object of the Test.....	37
10.7.2	Test Procedure.....	37
10.7.3	Criteria for Compliance	37
11	Environmental Influence	38
11.1	Operational Tests.....	38
11.1.1	Dry heat.....	38
11.1.2	Cold	39
11.1.3	Temperature and Humidity Cycling	40
11.1.4	Vibration, Sinusoidal - Operational.....	42
11.1.5	Electrical Transients - Coupled onto Supply Lines.....	43
11.1.6	Electrical Transients - Coupled onto Lines other than Supply Lines	45
11.1.7	Electromagnetic Fields - Bulk Current Injection	46
11.1.8	Electromagnetic Fields - Radiated Energy.....	48
11.1.9	Electrostatic Discharge	49
11.1.10	Free Fall	51
11.1.11	Temperature Shock	52
11.2	Endurance tests	53
11.2.1	Salt mist corrosion	53
12	Practical test of system in vehicle.	54
12.1	Test procedure	54
12.2	Criteria for compliance.....	55
Annex A (informative) Example of a Component Test Matrix.....		56
Bibliography		58

Foreword

This document (CEN/TS 15213-6:2011) has been prepared by Technical Committee CEN/TC 278 “Road transport and traffic telematics”, the secretariat of which is held by NEN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

The Technical Committee acknowledges the Motor Insurance Repair Research Centre (Thatcham) Colthrop Way, Thatcham, Berkshire RG19 4NR, United Kingdom for use of their CAT5 test framework as the basis for this document.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

1 Scope

This document specifies the Test Criteria for after-theft services for the recovery of stolen vehicles (ATSVR), and their control and use with electronic and electromechanical inhibitor control equipment utilising both conventional switched outputs and/or soft-coded outputs of setting and unsetting devices, detectors, warning devices and ancillary equipment, for fitting to vehicles operating on 12/24 V negative earth electrical systems.

The requirements and tests specified in this standard enable reasonable assessment of components performance with regard to safety, reliability, functionality, security and documentation. To provide reproducible test methods and to avoid the proliferation of technically similar test methods, the test procedures have been chosen, where possible, from internationally accepted standards. For specific guidance on these tests, reference is made to the appropriate document. In the context of the test procedures the term "specimen(s)" shall refer to the component or components of the ATSVR under test. To identify the tests that are to be applied to each type of component, reference shall be made to the table 23 in Annex A1.

The document assumes and requires that all other electrical and radio standards relevant to vehicles are complied with and shall take precedent in the event of conflict with any requirement in these ATSVR requirements.

This document is not intended to stifle technical development or prevent the use of new methods of detection, communication or implementation applied to an ATSVR device or system.

In the event that an ATSVR system uses technology that renders any of the tests contained in this document inappropriate (e.g. a technology that was not envisaged when the standard was developed) then the 'spirit' rather than the 'letter' of the standard should apply.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 60068-1, *Environmental testing — Part 1: General and guidance*

EN 60068-2-1, *Environmental testing — Part 2-1: Tests — Tests A: Cold*

EN 60068-2-2, *Environmental testing — Part 2-2: Tests — Test B: Dry heat*

EN 60068-2-11, *Environmental testing — Part 2: Tests — Test Ka: Salt mist*

EN 60068-2-14, *Environmental testing — Part 2: Tests — Test N: Change of temperature*

EN 60068-2-38, *Environmental testing — Part 2: Tests — Test Z/AD: Composite temperature/humidity cyclic test*

EN 60529, *Degrees of protection provided by enclosures (IP code)*

EN 60068-2-75, *Environmental testing — Part 2: Tests — Test Eh: Hammer tests (IEC 60068-2-75:1997)*

ISO 7637, *Road vehicles — Electrical disturbances from conduction and coupling*

ISO 10605, *Road vehicles — Test methods for electrical disturbances from electrostatic discharge*

ISO 11452-4, *Road vehicles — Component test methods for electrical disturbances from narrowband radiated electromagnetic energy — Part 4: Bulk current injection (BCI)*

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-