This is a free page sample. Access the full version online.



Irish Standard I.S. EN 60534-8-2:2011

Industrial-process control valves -- Part 8-2: Noise considerations - Laboratory measurement of noise generated by hydrodynamic flow through control valves (IEC 60534-8-2:2011 (EQV))

 $\ensuremath{\mathbb{C}}$ NSAI 2011 No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i> EN 60534-8-2:1993	<i>This document is b.</i> EN 60534-8-2:2011 EN 60534-8-2:1993	ased on:	<i>Publist</i> 16 Dec 16 Mar	n <i>ed:</i> ember, 2011 ch, 1993
This document was published under the authority of the NSAI and c 21 December, 2011	omes into effect on:			ICS number: 17.140.20 23.060.40 25.040.40
NSAI T +35: 1 Swift Square, F +35: Northwood, Santry E stan Dublin 9 W N	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie		57 6730 57 6729 s.ie	
Údarás um Chaighdeáin Náisiúnta na hÉireann				

EUROPEAN STANDARD

EN 60534-8-2

NORME EUROPÉENNE EUROPÄISCHE NORM

December 2011

ICS 17.140.20; 23.060.40; 25.040.40

Supersedes EN 60534-8-2:1993

English version

Industrial-process control valves -Part 8-2: Noise considerations -Laboratory measurement of noise generated by hydrodynamic flow through control valves

(IEC 60534-8-2:2011)

Vannes de régulation des processus industriels -Partie 8-2: Considérations sur le bruit -Mesure en laboratoire du bruit créé par un écoulement hydrodynamique dans une vanne de régulation (CEI 60534-8-2:2011) Stellventile für die Prozeßregelung -Teil 8-2: Geräuschemission -Laboratoriumsmessungen von Geräuschen bei flüssigkeitsdurchströmten Stellventilen (IEC 60534-8-2:2011)

This European Standard was approved by CENELEC on 2011-11-16. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

© 2011 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

EN 60534-8-2:2011

- 2 -

Foreword

The text of document 65B/801/FDIS, future edition 2 of IEC 60534-8-2, prepared by SC 65B, "Devices & process analysis", of IEC/TC 65, "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60534-8-2:2011.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national standard or by andorsement	(dop)	2012-08-16
•	latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2014-11-16

This document supersedes EN 60534-8-2:1993.

EN 60534-8-2:2011 constitutes a technical revision that includes internal noise measurement.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60534-8-2:2011 was approved by CENELEC as a European Standard without any modification.

- 3 -

EN 60534-8-2:2011

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication	<u>Year</u>	Title	<u>EN/HD</u>	Year
IEC 60534-1	2005	Industrial-process control valves - Part 1: Control valve terminology and general considerations	EN 60534-1	2005
IEC 60534-2-3	1997	Industrial-process control valves - Part 2-3: Flow capacity - Test procedures	EN 60534-2-3	1998
IEC 60534-8-4	-	Industrial-process control valves - Part 8-4: Noise considerations - Prediction of noise generated by hydrodynamic flow	EN 60534-8-4	-
IEC 61672-1	2002	Electroacoustics - Sound level meters - Part 1: Specifications	EN 61672-1	2003
ISO 3744	1994	Acoustics - Determination of sound power levels of noise sources using sound pressure Engineering method in an essentially free field over a reflecting plane	EN ISO 3744 - 1	1995 ¹⁾
ISO 3745	2003	Acoustics - Determination of sound power levels of noise sources using sound pressure Precision methods for anechoic and hemi- anechoic rooms	EN ISO 3745 -	2003

¹⁾ EN ISO 3744:1995 is superseded by EN ISO 3744:2010.

This is a free page sample. Access the full version online.

I.S. EN 60534-8-2:2011

This page is intentionally left BLANK.

– 2 –

60534-8-2 © IEC:2011

CONTENTS

FO	REWC)RD	4
1	Scop	e	6
2	Norm	ative references	6
3	Term	s and definitions	7
4	Symb	ools	7
5	Gene	ral test criteria	7
	5.1	General	7
	5.2	Pressure regulating devices	8
	5.3	Test specimen insulation	8
	5.4	Test section piping	8
	5.5	Pressure taps	8
	5.6	Acoustic environment	8
	5.7	Instrumentation	8
6	Exter	nal sound pressure measurement	9
	6.1	General	9
	6.2	Instrumentation for noise measurement	9
	6.3	Test data accuracy	9
	6.4	Test data	9
7	Interr	nal sound pressure measurement1	0
	7.1	Test system1	0
	7.2	Instrumentation for noise measurement1	0
	7.3	Test fluid1	0
	7.4	Background noise1	1
	7.5	Sound level sensor position	1
	7.6 7.7	Test data accuracy	1
	/./ 7 0		ו ר
	7.0 7.0	Accuracy	2 2
8	7.9 Dotor	$\frac{1}{1}$	2
0	Q 1	Conoral	2
	0.1 8.2	Test procedures	2
	0.2	8 2 1 Test fluid	2
		8.2.2 Test conditions for determination of x_{r-1}	3
	8.3	Determination of x_{F_2}	3
		8.3.1 Peak frequency method1	3
		8.3.2 A-weighted method1	3
Bib	liograp	2	2
Fig	ure 1 -	- System components for control valve closed loop and open loop noise test1	5
Fig	ure 2 -	- Test arrangements with specimen outside and (alternatively) inside acoustic	
env	ironm	ent1	7
Fig	ure 3 -	- Typical curve for characteristic pressure ratio <i>x</i> _{Fz} 1	8
Fig	ure 4 -	- Reference test orifice plate (see 8.2.1)1	8
Fig	ure 5 -	 Determination of x_{Fz} by peak frequency method (see 8.3.1) 	9

60534-8-2 © IEC:2011 - 3 -

Figure 6 – Determination of x_{F_7} by measuring the overall L_{pA} , dB(A), at a constant	
valve travel	20
Figure 7 – Mounting position of the sound level meter in the pipe for $\Delta h < 0.5$ mm	21

- 4 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL-PROCESS CONTROL VALVES -

Part 8-2: Noise considerations – Laboratory measurement of noise generated by hydrodynamic flow through control valves

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60534-8-2 has been prepared by subcommittee 65B: Measurements and control devices, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 1991 and constitutes a technical revision that includes internal noise measurement.

The text of this standard is based on the following documents:

FDIS	Report on voting
65B/801/FDIS	65B/808/RVD

- 5 -

60534-8-2 © IEC:2011

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above Table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60534 series, published under the general title *Industrial-process control valves*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

- 6 -

60534-8-2 © IEC:2011

INDUSTRIAL-PROCESS CONTROL VALVES -

Part 8-2: Noise considerations – Laboratory measurement of noise generated by hydrodynamic flow through control valves

1 Scope

This part of IEC 60534-8 includes the method for measuring the sound pressure level due to liquid flow through a control valve and the method for determining the characteristic increase of noise due to the onset of cavitation. It also defines the equipment, methods and procedures for the laboratory measurement of the airborne sound needed to determine these characteristics.

Two methods are provided for testing the noise generating characteristics of control valves.

The first is a uniform method of measuring the radiated noise from the valve and the associated test piping including fixed flow restrictions through which the test fluid (water) is passing (see Note 1). The noise criteria are expressed by determining the sound pressure level of the valve under consideration.

The second is a procedure for measuring the sound pressure levels within pipe systems upstream and downstream of the valve under fixed operating conditions. Since inaccuracies due to the pipe transmission are eliminated, this method shall be preferred for evaluation of the acoustical characteristic of valves.

The noise characteristics to be determined are useful:

- a) to determine acoustical characteristics of valves and valve assemblies and the characteristic pressure ratio factor x_{Fz} of a control valve;
- b) to predict valve noise for given process conditions;
- c) to compare the performance of different valves and various measuring results;
- d) to plan measures for increasing service life and noise abatement;
- e) to determine possible adverse effects on ultra-sonic flow meter measurements;
- f) to enable proper sizing of sound absorbers.

NOTE 1 Test fluids other than water or valves without downstream piping are not within the scope of this section of IEC 60534-8.

NOTE 2 The factor x_{Fz} is used in a noise prediction method which is covered in IEC 60534-8-4.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60534-1:2005, Industrial-process control valves – Part 1: Control valve terminology and general considerations

IEC 60534-2-3:1997, Industrial-process control valves – Part 2-3: Flow capacity – Test procedures



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation