

Irish Standard I.S. EN 62639:2012

Fluorescent induction lamps -Performance specification (IEC 62639:2012 (EQV))

© NSAI 2012

No copying without NSAI permission except as permitted by copyright law.

Dublin 9

Incorporating amendments/corrigenda issued since publication:			

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:	This document EN 62639:2012		ned: il, 2012
This document was published under the authority of the NSAI and comes into effect on: 27 April, 2012		ICS number: 29.140.30	
NSAI 1 Swift Square, Northwood, Santry	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie	Sales: T +353 1 857 6730 F +353 1 857 6729	

W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

W NSAl.ie

EUROPEAN STANDARD

EN 62639

NORME EUROPÉENNE EUROPÄISCHE NORM

April 2012

ICS 29.140.30

English version

Fluorescent induction lamps - Performance specification

(IEC 62639:2012)

Lampes fluorescentes à induction -Spécification de performance (CEI 62639:2012) Leuchtstoff-Induktionslampen -Anforderungen an die Arbeitsweise (IEC 62639:2012)

This European Standard was approved by CENELEC on 2012-03-27. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

EN 62639:2012 - 2 -

Foreword

The text of document 34A/1526/FDIS, future edition 1 of IEC 62639, prepared by SC 34A, "Lamps", of IEC/TC 34, "Lamps and related equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62639:2012.

The following dates are fixed:

•	latest date by which the document has	(dop)	2012-12-27
	to be implemented at national level by		
	publication of an identical national		
	standard or by endorsement		
•	latest date by which the national	(dow)	2015-03-27
	standards conflicting with the		
	document have to be withdrawn		

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62639:2012 was approved by CENELEC as a European Standard without any modification.

- 3 - EN 62639:2012

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60081	1997	Double-capped fluorescent lamps - Performance specifications	EN 60081	1998
IEC 60598-1	-	Luminaires - Part 1: General requirements and tests	EN 60598-1	-
IEC 60929	-	AC and/or DC-supplied electronic control gea for tubular fluorescent lamps - Performance requirements	r EN 60929	-
IEC 61347-2-3	-	Lamp controlgear - Part 2-3: Particular requirements for a.c. and/or d.c. supplied electronic control gear fo fluorescent lamps	EN 61347-2-3 r	-
IEC 62532	2011	Fluorescent induction lamps - Safety specifications	EN 62532	2011

This is a free 5 page sample. Access the full version online.

I.S. EN 62639:2012

This page is intentionally left BLANK.

- 2 -

62639 © IEC:2012

CONTENTS

FC	REW	DRD	3
IN	rod	JCTION	5
1	Scop	e	6
2	Norn	native references	6
3	Term	is and definitions	6
4	Lamı	requirements	7
	4.1	General	7
	4.2	Marking	8
		4.2.1 General	8
		4.2.2 Correlated colour temperature (CCT) and colour rendering index (R_a)	8
		4.2.3 Polarity	8
	4.3	Dimensions	
	4.4	Starting characteristics	
	4.5	Electrical characteristics	
	4.6	Photometric characteristics	
	4.7	Lumen maintenance	
5	4.8	Lifemation for ballast design	
5		-	
6		mation for luminaire design	
7		sheets	
	7.1	Diagrammatic data sheets for location of lamp dimensions	
	7.2 7.3	Lamp data sheets	
Λn		(normative) Method of test for starting characteristics	
		(normative) Method of test for electrical and photometric characteristics	
		(normative) Method of test for lumen maintenance and life	
		(informative) Information for ballast design	
		(informative) Information for luminaire design	
Bib	liogra	phy	67
Fig	jure A	1 – Test circuit for measurement of starting characteristics	56
		1 – Schematic set-up for measurement of electrical characteristics of y coupled induction lamps and photometrical characteristics	59
Fig	jure B	2 – Example of calorimetric set-up for measurement of power of internally a- oled induction lamps	
Fig	jure D	1 – Circuit for testing ballasts – Lamp voltage, lamp current, phase shift and	
	•	y measured at starting and during operation	63
		.2 – Circuit for testing ballasts – Lamp voltage, current and frequency d at starting	64
		.3 – Circuit for testing ballasts – Lamp voltage, current, phase shift and y measured during operation	65
3	7.5110	, ···	
Ta	ble A.	1 – Frequencies of specially prepared ballasts	55

62639 © IEC:2012

- 3 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FLUORESCENT INDUCTION LAMPS – PERFORMANCE SPECIFICATION

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62639 has been prepared by subcommittee 34A: Lamps, of IEC technical committee 34: Lamps and related equipment.

The text of this standard is based on the following documents:

FDIS	Report on voting
34A/1526/FDIS	34A/1555/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

-4-

62639 © IEC:2012

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

62639 © IEC:2012

- 5 -

INTRODUCTION

Performance standard IEC 62639 follows IEC 62532:2011-01, which is the safety standard for induction lamps.

Requirements are given on marking, dimensions, starting characteristics, electrical characteristics, photometric characteristics, lumen maintenance and life. Further, information is given for designing ballasts and luminaires.

The requirements are detailed by means of lamp data sheets, diagrammatic data sheets and maximum lamp outline sheets.

- 6 **-**

62639 © IEC:2012

FLUORESCENT INDUCTION LAMPS – PERFORMANCE SPECIFICATION

1 Scope

This International Standard specifies the performance requirements for fluorescent induction lamps for general lighting purposes.

In this standard, the term "lamp" stands for "induction lamp".

It may be expected that lamps which comply with this standard will start and operate satisfactorily at voltages between 92 % and 106 % of rated supply voltage and at an ambient air temperature between 10 $^{\circ}$ C and 50 $^{\circ}$ C, when operated with ballasts complying with IEC 60929 and IEC 61347-2-3, as far as applicable, and in a luminaire complying with IEC 60598-1.

NOTE For some lamps, additional information for ballast design is given for proper starting at an ambient air temperature of $-15\,^{\circ}\text{C}$.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60081:1997, Double-capped fluorescent lamps – Performance specifications

IEC 60598-1, Luminaires – Part 1: General requirements and tests

IEC 60929, AC and/or DC-supplied electronic control gear for tubular fluorescent lamps – Performance requirements

IEC 61347-2-3, Lamp control gear – Part 2-3: Particular requirements for a.c. and/or d.c. supplied electronic control gear for fluorescent lamps

IEC 62532:2011, Fluorescent induction lamps – Safety specifications

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 62532 and IEC 60081 apply, together with the following.

3.1

ambient temperature

 T_{amb}

average temperature of air or another medium in the vicinity of the lamp



This is a free preview	 Purchase the entire 	e publication at the link below:
------------------------	---	----------------------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation