



NSAI
Standards

Irish Standard
I.S. EN ISO 877-1:2010

Plastics - Methods of exposure to solar radiation - Part 1: General guidance (ISO 877-1:2009)

I.S. EN ISO 877-1:2010

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:
EN ISO 877:1996

This document is based on:
EN ISO 877-1:2010

Published:
10 January, 2011

This document was published
under the authority of the NSAI
and comes into effect on:
10 January, 2011

ICS number:
83.080.01

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

I.S. EN ISO 877-1:2010

EUROPEAN STANDARD

EN ISO 877-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2010

ICS 83.080.01

Supersedes EN ISO 877:1996

English Version

Plastics - Methods of exposure to solar radiation - Part 1: General guidance (ISO 877-1:2009)

Plastiques - Méthodes d'exposition au rayonnement solaire
- Partie 1: Lignes directrices générales (ISO 877-1:2009)

Kunststoffe - Freibewitterung - Teil 1: Allgemeine Anleitung
(ISO 877-1:2009)

This European Standard was approved by CEN on 4 December 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	3
----------------------	----------

Foreword

The text of ISO 877-1:2009 has been prepared by Technical Committee ISO/TC 61 "Plastics" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 877-1:2010 by Technical Committee CEN/TC 249 "Plastics" the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2011, and conflicting national standards shall be withdrawn at the latest by June 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 877:1996.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of ISO 877-1:2009 has been approved by CEN as a EN ISO 877-1:2010 without any modification.

This page is intentionally left BLANK.

I.S. EN ISO 877-1:2010
**INTERNATIONAL
STANDARD**

**ISO
877-1**

First edition
2009-06-01

**Plastics — Methods of exposure to solar
radiation —**

**Part 1:
General guidance**

*Plastiques — Méthodes d'exposition au rayonnement solaire —
Partie 1: Lignes directrices générales*



Reference number
ISO 877-1:2009(E)

© ISO 2009

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Principle	2
5 Apparatus	3
6 Test specimens	4
7 Conditions of exposure of the test specimens	6
8 Exposure stages	7
9 Procedure	8
10 Expression of results	9
11 Test report	10
Annex A (informative) Classification of climates	11
Bibliography	13

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 877-1 was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 6, *Ageing, chemical and environmental resistance*.

Together with the other parts (see below), it cancels and replaces ISO 877:1994, which has been technically revised.

ISO 877 consists of the following parts, under the general title *Plastics — Methods of exposure to solar radiation*:

- *Part 1: General guidance*
- *Part 2: Direct weathering and exposure behind window glass*
- *Part 3: Intensified weathering using concentrated solar radiation*

Introduction

Outdoor-exposure tests of the type specified in the three parts of this International Standard are needed to evaluate the performance of plastics when exposed to solar radiation. The results of such tests should be regarded only as an indication of the effect of exposure to direct weathering (ISO 877-2:2009, method A) or to indirect weathering using glass-filtered solar radiation (ISO 877-2:2009, method B) or to intensified solar radiation (ISO 877-3) by the methods described. Results from tests conducted in accordance with any of the parts of this International Standard will show some variability when comparing results from repeat exposures conducted at the same location at a different time. This is much more important for materials that show significant change after a year or less of exposure. In general, results from repeat exposures at the same location are necessary to determine the range of performance of a material subjected to exposure to solar radiation as specified in this International Standard. Since the type of climate can have a significant effect on the rate and type of degradation, results from exposures conducted in different types of climate are necessary to fully characterize the outdoor durability of a material. For solar-concentrating exposures conducted in accordance with ISO 877-3, exposure duration is defined in terms of the total solar UV radiant exposure because of the annual and seasonal variations in solar ultraviolet radiation.

Fresnel-reflecting concentrators of the type described in ISO 877-3, which employ solar radiation as the source of ultraviolet radiation, are utilized to provide accelerated outdoor-exposure testing of many plastics materials.

A system of classifying and characterizing climates in different parts of the world is given in Annex A.

The test method chosen is usually that designed to expose the material to the most severe conditions associated with any particular climate. It should, therefore, be borne in mind that the severity of exposure in actual use is, in most cases, likely to be less than that specified in this International Standard, and allowance should be made accordingly when interpreting the results. For example, vertical exposure at 90° from the horizontal is considerably less severe in its effects on plastics than near-horizontal exposure, particularly in tropical regions, where the sun is most powerful at high zenith angles.

Polar-facing surfaces are much less likely to be degraded than equator-facing surfaces because they are less exposed to solar radiation. However, the fact that they may remain wet for longer periods may be of significance for materials affected by moisture or for materials that are susceptible to microbial growth.

I.S. EN ISO 877-1:2010

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-