This is a free page sample. Access the full version online.



Irish Standard I.S. EN 60544-5:2012

Electrical insulating materials -Determination of the effects of ionizing radiation -- Part 5: Procedures for assessment of ageing in service (IEC 60544-5:2011 (EQV))

 $\ensuremath{\mathbb{C}}$ NSAI 2012 No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

| <i>This document replaces:</i> EN 60544-5:2003 | <i>This document is</i> EN 60544-5:2012 EN 60544-5:2003 | s based on: | <i>Publish</i> 13 Apri 18 Apri | il, 2012 |
|--|---|---|--------------------------------------|----------|
| This document was published under the authority of the NSAI and comes into effect on:ICS number: 17.240 29.035.0120 April, 2012 | | | 17.240 | |
| 1 Swift Square, | T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie | Sales: T +353 1 85 F +353 1 85 W standard | 57 6729 | |
| Údarás um Chaighdeáin Náisiúnta na hÉireann | | | | |

EUROPEAN STANDARD

EN 60544-5

NORME EUROPÉENNE EUROPÄISCHE NORM

April 2012

ICS 17.240; 29.035.01

Supersedes EN 60544-5:2003

English version

Electrical insulating materials -Determination of the effects of ionizing radiation -Part 5: Procedures for assessment of ageing in service (IEC 60544-5:2011)

Matériaux isolants -Détermination des effets des rayonnements ionisants -Partie 5: Procédures pour l'estimation du vieillissement en service (CEI 60544-5:2011) Elektroisolierstoffe -Bestimmung der Wirkung ionisierender Strahlung -Teil 5: Bewertungsverfahren für die Alterung während des Einsatzes (IEC 60544-5:2011)

This European Standard was approved by CENELEC on 2012-01-18. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

© 2012 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

EN 60544-5:2012

- 2 -

Foreword

The text of document 112/171/CDV, future edition 2 of IEC 60544-5, prepared by IEC TC 112, "Evaluation and qualification of electrical insulating materials and systems", was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60544-5:2012.

The following dates are fixed:

| • | latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 2012-10-18 |
|---|---|-------|------------|
| • | latest date by which the national standards conflicting with the document have to be withdrawn | (dow) | 2015-01-18 |

This document supersedes EN 60544-5:2003.

EN 60544-5:2012 constitutes an editorial revision to align it with standards recently developed by SC 45A as well as with other parts in the EN 60544 series.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60544-5:2011 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 60544-4 NOTE Harmonized as EN 60544-4.

- 3 -

EN 60544-5:2012

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

| Publication | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | Year |
|----------------|-------------|--|--------------|------|
| IEC 60544-1 | - | Electrical insulating materials - Determination of the effects of ionizing radiation - Part 1: Radiation interaction and dosimetry | EN 60544-1 | - |
| IEC 60544-2 | - | Guide for determining the effects of ionizing radiation on insulating materials - Part 2: Procedures for irradiation and test | - | - |
| IEC 60780 | - | Nuclear power plants - Electrical equipment o the safety system - Qualification | f - | - |
| IEC/TR 61244-1 | - | Determination of long-term radiation ageing ir polymers - Part 1: Techniques for monitoring diffusion- limited oxidation | 1 - | - |
| IEC/TR 61244-2 | - | Determination of long-term radiation ageing in polymers - Part 2: Procedures for predicting ageing at lov dose rates | | - |

This page is intentionally left BLANK.

- 2 -

60544-5 © IEC:2011

CONTENTS

| FOI | REWC |)RD | 3 |
|-----|----------------------|---|----|
| INT | RODI | JCTION | 5 |
| 1 | Scope and object6 | | |
| 2 | Normative references | | |
| 3 | Term | s and definitions | 7 |
| 4 | Back | ground | 7 |
| | 4.1 | General | 7 |
| | 4.2 | Diffusion limited oxidation (DLO) | |
| | 4.3 | Dose rate effects (DRE) | |
| | 4.4 | Accelerated radiation ageing | |
| | 4.5 | Accelerated thermal ageing | 9 |
| 5 | Appro | paches to ageing assessment | 9 |
| 6 | Ident | ifying components of concern | 9 |
| | 6.1 | General | 9 |
| | 6.2 | Priorities for ageing management | 9 |
| | 6.3 | Environmental monitoring | 10 |
| | 6.4 | Localized severe environments | 10 |
| | 6.5 | Worst case components | 10 |
| 7 | Cond | ition monitoring techniques | 10 |
| | 7.1 | General | 10 |
| | 7.2 | Establishing correlation curves for CM methods | |
| | 7.3 | CM methods | |
| | 7.4 | Using CM for short-term troubleshooting | |
| | 7.5 | Using CM for long-term degradation assessment | |
| 8 | | ctive modelling | |
| 9 | Samp | ole deposit | 15 |
| | 9.1 | General | 15 |
| | 9.2 | Requirements of a deposit | 15 |
| | 9.3 | Pre-ageing samples for a deposit | |
| | 9.4 | Installation of an sample deposit | |
| | 9.5 | Testing of samples from the deposit | |
| | 9.6 | Determination of sampling intervals | |
| A | 9.7 | Real time aged materials | |
| | | (informative) Example of a CM correlation curve | |
| | | (informative) Use of a deposit | |
| Bib | liogra | bhy | 20 |
| L | uro 1 | Development of againg data on changes in tancile elemention, and a | |
| | | Development of ageing data on changes in tensile elongation and a indicator (e.g. indenter modulus) – Schematic | 12 |
| | | - Correlation curve derived from data in Figure 1 – Schematic | |
| - | | - Estimation of elongation from a correlation curve | |
| - | | Modification of sampling interval dependent on values of the CM indicator | |
| - | | | 17 |
| | | Correlation curve for indenter modulus against tensile elongation for a ble jacket material [18] | 18 |

60544-5 © IEC:2011

- 3 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRICAL INSULATING MATERIALS – DETERMINATION OF THE EFFECTS OF IONIZING RADIATION –

Part 5: Procedures for assessment of ageing in service

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committee; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60544-5 has been prepared IEC technical committee TC 112: Evaluation and qualification of electrical insulating materials and systems.

This second edition cancels and replaces the first edition, published in 2003, and constitutes an editorial revision to align it with standards recently developed by SC 45A as well as with other parts in the IEC 60544 series.

The text of this standard is based on the following documents:

| CDV | Report on voting |
|-------------|------------------|
| 112/171/CDV | 112/191/RVC |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

- 4 -

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60544 series, published under the general title *Electrical insulating materials* – *Determination of the effects of ionizing radiation*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

60544-5 © IEC:2011

– 5 –

INTRODUCTION

Organic and polymeric materials provide a significant proportion of the insulation used in electrical systems. These materials are sensitive to the effects of irradiation and the response varies widely between different types. It is therefore important to be able to assess the degree of degradation of these insulating materials during their service lifetimes. This part of IEC 60544 provides recommended procedures for assessing ageing of insulating materials in service.

There are a number of approaches to the assessment of ageing of polymer-based components exposed to radiation environments $[1-4]^1$. These are based on the better understanding of the factors affecting ageing degradation which has been developed over several decades. In nuclear power plants, qualification programmes are normally used for selection of components, including those based on polymeric materials. These initial qualification procedures, such as IEEE-323 [5] and IEEE-383 [6], were originally written before there was sufficient understanding of ageing mechanisms. Most of the methods discussed in this part of IEC 60544 are therefore used to supplement the initial qualification process.

This part is the fifth in a series dealing with the effect of ionizing radiation on insulating materials.

Part 1 (Radiation interaction and dosimetry) constitutes an introduction dealing very broadly with the problems involved in evaluating radiation effects. It also provides guidance to dosimetry terminology, several methods of determining exposure and absorbed dose, and methods of calculating absorbed dose in any specific material from the dosimetry method applied.

Part 2 (Procedures for irradiation and test) describes procedures for maintaining seven different types of exposure conditions during irradiation. It also specifies the controls that should be maintained over these conditions so that when test results are reported, reliable comparisons of material performance can be made. In addition, it defines certain important irradiation conditions and test procedures to be used for property change determinations and corresponding end-point criteria.

Part 3 has been incorporated into the second edition of IEC 60544-2.

Part 4 (Classification system for service in radiation environments) provides a recommended classification system for categorizing the radiation endurance of insulation materials.

¹ Figures in square brackets refer to the bibliography.

- 6 -

ELECTRICAL INSULATING MATERIALS – DETERMINATION OF THE EFFECTS OF IONIZING RADIATION –

Part 5: Procedures for assessment of ageing in service

1 Scope and object

This part of IEC 60544 covers ageing assessment methods which can be applied to components based on polymeric materials (e.g. cable insulation and jackets, elastomeric seals, polymeric coatings, gaiters) which are used in environments where they are exposed to radiation.

The object of this standard is aimed at providing methods for the assessment of ageing in service. The approaches discussed in the following clauses cover ageing assessment programmes based on condition monitoring (CM), the use of sample deposits in severe environments and sampling of real-time aged components.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60544-1, *Electrical insulating materials – Determination of the effects of ionizing radiation – Part 1: Radiation interaction and dosimetry*

IEC 60544-2, Guide for determining the effects of ionizing radiation on insulating materials – Part 2: Procedures for irradiation and test

IEC 61244-1, Determination of long-term radiation ageing in polymers – Part 1: Techniques for monitoring diffusion-limited oxidation

IEC 61244-2, Determination of long-term radiation ageing in polymers – Part 2: Procedures for predicting ageing at low dose rates

IEC 60780, Nuclear power plants – Electrical equipment of the safety system – Qualification



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation