This is a free page sample. Access the full version online.



Irish Standard I.S. EN 62537:2010

Interface for loudspeakers with digital input signals based on IEC 60958 (IEC 62537:2010 (EQV))

 $\ensuremath{\mathbb{C}}$ NSAI 2010 No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:	<i>This document is</i> EN 62537:2010	based on:	<i>Publish</i> 16 July	ned: , 2010
This document was published under the authority of the NSAI and comes into effect on:ICS number: 33.160.30 35.04017 August, 2010				ICS number: 33.160.30 35.040
NSAI T + 1 Swift Square, F + Northwood, Santry E s Dublin 9	NSAI T +353 1 807 3800 1 Swift Square, F +353 1 807 3838 Northwood, Santry E standards@nsai.ie Dublin 9 W NSAI.ie		57 6730 57 6729 Is.ie	
Údarás um Chaighdeáin Náisiúnta na hÉireann				

EUROPEAN STANDARD

EN 62537

NORME EUROPÉENNE EUROPÄISCHE NORM

July 2010

ICS 33.160.30; 35.040

English version

Interface for loudspeakers with digital input signals based on IEC 60958 (IEC 62537:2010)

Interface pour haut-parleurs avec signaux d'entrée numériques basés sur la CEI 60958 (CEI 62537:2010) Schnittstelle für Lautsprecher mit digitalen Eingangssignalen nach IEC 60958 (IEC 62537:2010)

This European Standard was approved by CENELEC on 2010-07-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

© 2010 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

EN 62537:2010

- 2 -

Foreword

The text of document 100/1433/CDV, future edition 1 of IEC 62537, prepared by IEC TC 100, Audio, video and multimedia systems and equipment, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 62537 on 2010-07-01.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

-	latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2011-04-01
_	latest date by which the national standards conflicting with the EN have to be withdrawn	(dow)	2013-07-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 62537:2010 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 62379 series NOTE Harmonized in EN 62379 series (not modified).

- 3 -

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60958	Series	Digital audio interface	EN 60958	Series
IEC 60958-4	-	Digital audio interface - Part 4: Professional applications (TA4)	EN 60958-4	-
-	2001	The Complete MIDI 1.0 Detailed Specification v96.1	-	-

This page is intentionally left BLANK.

- 2 -

CONTENTS

FO	REWC	RD		4	
INT	RODU	JCTION		6	
1	Scope				
2	Norm	ormative references			
3	Term	ns, definitions and abbreviations7			
	3.1	Terms	and definitions	7	
	3.2	Abbrev	iations	8	
4	Gene	ral		8	
	4.1	Feature	e set	8	
	4.2	Audio f	ormats	9	
5	Contr	ol data	channel using the U-bit of IEC 60958-4	9	
	5.1	Genera	ıl	9	
	5.2	Format	ting	9	
	5.3	Mode ii	ndication	9	
	5.4	Subcha	annel usage	.10	
6	Loud	speaker	command set	.10	
	6.1	Genera	۱۱	.10	
	6.2	Device	identification and configuration	.10	
		6.2.1	Device identification	.10	
		6.2.2	Auto configuration	.11	
	6.3	Parame	eters	.11	
		6.3.1	Parameter identification	.11	
		6.3.2	Value range	.11	
		6.3.3	Setting a parameter	.12	
		6.3.4	Device addressing	.12	
	C 4	6.3.5 Ontion	limed parameter setting (optional)	.12	
	6.4		al alternative parameter setting through NRPN and/or MIDI controllers	.12	
		0.4.1 6.4.2	NPPN and MIDL continuous controllor association	12	
	65	0.4.2 Control		12	
	0.5	6.5.1	General	13	
		6.5.2	MIDI channel assignment (control number 0 low resolution optional)	13	
		6.5.3	Volume (control number 1, high resolution, mandatory)	.14	
		6.5.4	Volume ramp (control number 2, high resolution, optional)	.14	
		6.5.5	Time delay (control number 3, high resolution, optional)	.14	
		6.5.6	Sample delay (control number 4, high resolution, optional)	.14	
		6.5.7	Volume calibration (control number 5, high resolution, optional)	.14	
		6.5.8	Panning (control number 6, high resolution, optional)	.14	
		6.5.9	Phase left (control number 7, binary, optional)	.14	
		6.5.10	Phase right (control number 8, binary, optional)	.15	
		6.5.11	Dimming (control number 9, binary, optional)	.15	
		6.5.12	Indicator (control number 10, binary, optional)	.15	
		6.5.13	High-pass frequency (control number 11, high resolution, optional)	.15	
		6.5.14	High-pass filter in/out (control number 12, binary, optional)	.15	
		6.5.15	Low-pass frequency (control number 13, high resolution, optional)	.15	
		6.5.16	Low-pass filter in/out (control number 14, binary, optional)	.15	

62537 © IEC:2010(E)

- 3 -

	6.6	Additio 6.6.1 6.6.2	nal MIDI messages General All off and restore commands (mandatory)	15 15 16
		6.6.3	Program change (optional)	16
7	Powe	er transr	nission and backward channel (optional)	16
	7.1	Power	transmission	16
	7.2	Backw	ards data channel	17
		7.2.1	General	17
		7.2.2	Protocol	17
		7.2.3	Simultaneous reception	17
Anr	nex A	(informa	ative) Security aspects	18
Anr	Annex B (informative) Signal routing21			
Anr	nex C	(informa	ative) Application examples	23
Anr	nex D	(informa	ative) Implementation using current hardware	25
Bib	liogra	phy		26

- 4 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INTERFACE FOR LOUDSPEAKERS WITH DIGITAL INPUT SIGNALS BASED ON IEC 60958

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62537 has been prepared by technical area 4: Digital system interfaces and protocols, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

The text of this standard is based on the following documents:

CDV	Report on voting
100/1433/CDV	100/1700/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

62537 © IEC:2010(E)

- 5 -

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

62537 © IEC:2010(E)

INTRODUCTION

- 6 -

The IEC 60958 interface allows transmission of 2-channel digital audio with up to 24 bit word length at 192 kHz sampling rate. This is adequate for loudspeakers, however, there are additional needs in practice that require standardisation, which go beyond what's currently defined in IEC 60958. This standard is aimed at fulfilling those needs.

IEC 60958 features a user bit that can form the basis of a control data channel that addresses those additional requirements. The format of this user bit data channel is based on the existing MIDI standard.

Beyond the needs given in IEC 60958, the following offers an exemplary, but incomplete list of of what a digital loudspeaker interface should support:

- Remote control of operating parameters of the loudspeaker.
- Remote power-on of the loudspeaker preferably without requiring standby power in the loudspeaker.
- Remote configuration of loudspeaker, for example crossover configuration, or firmware update.
- Remote supervision of loudspeakers, for example chassis temperature or amplifier integrity.
- Remote identification of loudspeakers, to allow auto-configuration of the entire system.
- Control of individual or groups of loudspeakers through a single interface.
- Remote control of Audio System through remote control receiver mounted in loudspeaker enclosure (allowing Audio System to be placed out of sight).
- Extensions to allow for future applications.

NOTE 1 Level and mute control in the loudspeaker is preferred over digital attenuation by the signal source, as this allows the full audio data word length for the filter network; level should be controlled at the last stage in front of power amplifiers. In this case, the advantage is that the full audio word length of the given format is available at any time and at any volume setting. Especially, if a fully digitally constructed crossover network has been implemented, more precise arithmetical operations can also be made at low volumes. Volume control can thus be carried out after the crossover network or even after the relevant final amplifier. Even under the most unfavourable conditions (digital pre-attenuation and analogue gain) the filters and controllers receive the full audio word width under all operating conditions (ideal state).

NOTE 2 Not all of the listed features are required in all applications. It should therefore be up to the implementer to select from this standard the parts that are required in his application, and omit the unnecessary features. See Annex D for application examples.



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation