



NSAI
Standards

Irish Standard
I.S. EN 61158-6-18:2012

Industrial communication networks -
Fieldbus specifications - Part 6-18:
Application layer protocol specification
- Type 18 elements (IEC 61158-6
-18:2010 (EQV))

I.S. EN 61158-6-18:2012

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<p><i>This document replaces:</i> EN 61158-6-18:2008</p>	<p><i>This document is based on:</i> EN 61158-6-18:2012 EN 61158-6-18:2008</p>	<p><i>Published:</i> 22 June, 2012 31 March, 2008</p>
<p>This document was published under the authority of the NSAI and comes into effect on:</p> <p>28 June, 2012</p>		<p>ICS number: 25.040.40 35.100.70 35.110</p>
<p>NSAI 1 Swift Square, Northwood, Santry Dublin 9</p>	<p>T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie</p>	<p>Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie</p>
<p>Údarás um Chaighdeáin Náisiúnta na hÉireann</p>		

English version

**Industrial communication networks -
Fieldbus specifications -
Part 6-18: Application layer protocol specification -
Type 18 elements
(IEC 61158-6-18:2010)**

Réseaux de communication industriels -
Spécifications des bus de terrain -
Partie 6-18: Spécification des protocoles
des couches d'application -
Éléments de type 18
(CEI 61158-6-18:2010)

Industrielle Kommunikationsnetze -
Feldbusse -
Teil 6-18: Protokollspezifikation des
Application Layer (Anwendungsschicht) -
Typ 18-Elemente
(IEC 61158-6-18:2010)

This European Standard was approved by CENELEC on 2012-03-28. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

I.S. EN 61158-6-18:2012

EN 61158-6-18:2012

- 2 -

Foreword

The text of document 65C/607/FDIS, future edition 2 of IEC 61158-6-18, prepared by SC 65C, "Industrial networks", of IEC/TC 65, "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61158-6-18:2012.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2012-12-28
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2015-03-28

This document supersedes EN 61158-6-18:2008.

EN 61158-6-18:2012 includes the following significant technical changes with respect to EN 61158-6-18:2008:

- editorial corrections;
- addition of cyclic data segmenting.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61158-6-18:2010 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

- IEC/TR 61158-1:2010 NOTE Harmonized as CLC/TR 61158-1:2010 (not modified).
- IEC 61158-3-18:2007 NOTE Harmonized as EN 61158-3-18:2008 (not modified).
- IEC 61158-4-18:2010 NOTE Harmonized as EN 61158-4-18:2012 (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61158-5-18	2010	Industrial communication networks - Fieldbus specifications - Part 5-18: Application layer service definition - Type 18 elements	EN 61158-5-18	2012
ISO/IEC 7498-1	-	Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model	-	-
ISO/IEC 8822	-	Information technology - Open Systems Interconnection - Presentation service definition	-	-
ISO/IEC 8824-1	-	Information technology - Abstract Syntax Notation One (ASN.1): Specification of basic notation	-	-
ISO/IEC 9545	-	Information technology - Open Systems Interconnection - Application Layer structure	-	-
ISO/IEC 10731	-	Information technology - Open Systems Interconnection - Basic reference model - Conventions for the definition of OSI services	-	-

This page is intentionally left BLANK.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
1.1 General.....	8
1.2 Specifications.....	8
1.3 Conformance.....	9
2 Normative references	9
3 Terms and definitions	9
3.1 Terms and definitions from other ISO/IEC standards	9
3.2 Other terms and definitions	10
3.3 Abbreviations and symbols.....	16
3.4 Additional abbreviations and symbols for type 18	16
3.5 Conventions	17
4 Abstract syntax.....	17
4.1 M1 device manager PDU abstract syntax	17
4.2 M2 device manager PDU abstract syntax	17
4.3 S1 device manager PDU abstract syntax.....	18
4.4 S2 device manager PDU abstract syntax.....	18
4.5 M1 connection manager PDU abstract syntax.....	18
4.6 M2 connection manager PDU abstract syntax.....	19
4.7 S1 connection manager PDU abstract syntax	19
4.8 S2 connection manager PDU abstract syntax	20
4.9 M1 cyclic transmission PDU abstract syntax.....	20
4.10 M2 cyclic transmission PDU abstract syntax.....	20
4.11 S1 cyclic transmission PDU abstract syntax	21
4.12 S2 cyclic transmission PDU abstract syntax	21
4.13 Acyclic transmission PDU abstract syntax	21
5 Transfer syntax	22
5.1 M1 device manager PDU encoding.....	22
5.2 M2 device manager PDU encoding.....	25
5.3 S1 device manager PDU encoding	26
5.4 S2 device manager PDU encoding	26
5.5 M1 connection manager PDU encoding	27
5.6 M2 connection manager PDU encoding	31
5.7 S1 connection manager PDU encoding.....	32
5.8 S2 connection manager PDU encoding.....	33
5.9 M1 cyclic transmission PDU encoding	33
5.10 M2 cyclic transmission PDU encoding	35
5.11 S1 cyclic transmission PDU encoding.....	36
5.12 S2 cyclic transmission PDU encoding.....	37
5.13 Acyclic transmission PDU encoding.....	38
6 Structure of FAL protocol state machines	45
7 AP-context state machine.....	47
8 FAL service protocol machine (FSPM).....	47
8.1 Overview	47
8.2 FAL service primitives	47

9	AR protocol machine (ARPM)	48
9.1	Overview	48
9.2	M1 master ARPM	49
9.3	M2 master ARPM	53
9.4	Slave ARPM	56
10	DLL mapping protocol machine (DMPM)	59
10.1	Overview	59
10.2	Primitives received from the ARPM	59
10.3	Indications received from the DL	59
	Bibliography	60
	Figure 1 – Parameter block 1 command parameter field	40
	Figure 2 – Parameter block 2 command parameter field	41
	Figure 3 – Relationships among protocol machines and adjacent layers	46
	Figure 4 – ARPM M1 master AR state diagram	49
	Figure 5 – ARPM M2 master AR state diagram	53
	Figure 6 – ARPM slave AR state diagram	56
	Table 1 – M1 device manager attribute format	17
	Table 2 – M2 device manager attribute format	17
	Table 3 – S1 device manager attribute format	18
	Table 4 – S2 device manager attribute format	18
	Table 5 – M1 connection manager attribute format	18
	Table 6 – M2 connection manager attribute format	19
	Table 7 – S1 connection manager attribute format	20
	Table 8 – S2 connection manager attribute format	20
	Table 9 – M1 cyclic transmission attribute format	20
	Table 10 – M2 cyclic transmission attribute format	21
	Table 11 – S1 cyclic transmission attribute format	21
	Table 12 – S2 cyclic transmission attribute format	21
	Table 13 – Acyclic transmission attribute format	21
	Table 14 – M1 device manager attribute encoding	23
	Table 15 – M2 device manager attribute encoding	25
	Table 16 – S1 device manager attribute encoding	26
	Table 17 – S2 device manager attribute encoding	27
	Table 18 – M1 connection manager attribute encoding	28
	Table 19 – M2 connection manager attribute encoding	31
	Table 20 – S1 connection manager attribute encoding	32
	Table 21 – S2 connection manager attribute encoding	33
	Table 22 – M1 cyclic transmission attribute encoding	34
	Table 23 – M2 cyclic transmission attribute encoding	36
	Table 24 – S1 cyclic transmission attribute encoding	36
	Table 25 – S2 cyclic transmission attribute encoding	38
	Table 26 – Acyclic transmission – message data encoding	38

Table 27 – Command header format	39
Table 28 – Command codes	39
Table 29 – System information command parameter field	42
Table 30 – System information command parameter field	42
Table 31 – System information command parameter field	42
Table 32 – System information command parameter field	43
Table 33 – Line test command parameter field	43
Table 34 – Memory read command parameter field	44
Table 35 – Memory write command parameter field	45
Table 36 – FSPM events	48
Table 37 – M1 master state-event table 1 – events	51
Table 38 – M1 master state-event table 2 – receipt of FSPM service primitives	51
Table 39 – M1 master state-event table 3 – receipt of DMPM service primitives	53
Table 40 – M2 master state-event table 1 – events	54
Table 41 – M2 master state-event table 2 – receipt of FSPM service primitives	55
Table 42 – M2 master state-event table 3 – receipt of DMPM service primitives	55
Table 43 – S1 connect monitoring time	57
Table 44 – S2 connect monitoring time	57
Table 45 – Slave state-event table 1 – events	58
Table 46 – Slave state-event table 2 – receipt of FSPM service primitives	58
Table 47 – Slave state-event table 3 – receipt of DMPM service primitives	58
Table 48 – ARPM to DL mapping	59
Table 49 – DL to ARPM mapping	59

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
FIELDBUS SPECIFICATIONS –**

**Part 6-18: Application layer protocol specification –
Type 18 elements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

International Standard IEC 61158-6-18 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2007. This edition constitutes a technical revision.

The main changes with respect to the previous edition are listed below:

- editorial corrections;
- addition of cyclic data segmenting.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/607/FDIS	65C/621/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be:

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

NOTE The revision of this standard will be synchronized with the other parts of the IEC 61158 series.

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC/TR 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementers and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admittance of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in Type combinations as specified explicitly in the profile parts. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of patents concerning Type 18 elements and possibly other types given in subclause 4.5, 5.5, 6.9.2 and 9.2.2 as follows:

3343036/Japan	[MEC]	“Network System for a Programmable Controller”
5896509/USA	[MEC]	“Network System for a Programmable Controller”
246906/Korea	[MEC]	“Network System for a Programmable Controller”
19650753/Germany	[MEC]	“Network System for a Programmable Controller”

IEC takes no position concerning the evidence, validity and scope of these patent rights.

The holder of these patent rights has assured the IEC that he/she is willing to negotiate licences either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of these patent rights is registered with IEC. Information may be obtained from:

[MEC] Mitsubishi Electric Corporation
Corporate Licensing Division
7-3, Marunouchi 2-chome, Chiyoda-ku,
Tokyo 100-8310, Japan

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

ISO (www.iso.org/patents) and IEC (http://www.iec.ch/tctools/patent_decl.htm) maintain on-line data bases of patents relevant to their standards. Users are encouraged to consult the data bases for the most up to date information concerning patents.

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 6-18: Application layer protocol specification – Type 18 elements

1 Scope

1.1 General

The Fieldbus Application Layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a “window between corresponding application programs”.

This standard provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 18 fieldbus. The term “time-critical” is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This standard specifies interactions between remote applications and defines the externally visible behavior provided by the Type 18 fieldbus application layer in terms of

- a) the formal abstract syntax defining the application layer protocol data units conveyed between communicating application entities;
- b) the transfer syntax defining encoding rules that are applied to the application layer protocol data units;
- c) the application context state machine defining the application service behavior visible between communicating application entities;
- d) the application relationship state machines defining the communication behavior visible between communicating application entities.

The purpose of this standard is to define the protocol provided to

- a) define the wire-representation of the service primitives defined in IEC 61158-5-18, and
- b) define the externally visible behavior associated with their transfer.

This standard specifies the protocol of the Type 18 fieldbus application layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498-1) and the OSI application layer structure (ISO/IEC 9545).

1.2 Specifications

The principal objective of this standard is to specify the syntax and behavior of the application layer protocol that conveys the application layer services defined in IEC 61158-5-18.

A secondary objective is to provide migration paths from previously-existing industrial communications protocols. It is this latter objective which gives rise to the diversity of protocols standardized in the IEC 61158-6 series.

1.3 Conformance

This standard does not specify individual implementations or products, nor do they constrain the implementations of application layer entities within industrial automation systems. Conformance is achieved through implementation of this application layer protocol specification.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61158-5-18:2010¹, *Industrial communication networks – Fieldbus specifications – Part 5-18: Application layer service definition – Type 18 elements*

ISO/IEC 10731, *Information technology – Open Systems Interconnection – Basic Reference Model – Conventions for the definition of OSI services*

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model*

ISO/IEC 8822, *Information technology – Open Systems Interconnection – Presentation service definition*

ISO/IEC 8824-1, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation*

ISO/IEC 9545, *Information technology – Open Systems Interconnection – Application Layer structure*

3 Terms and definitions

3.1 Terms and definitions from other ISO/IEC standards

3.1.1 ISO/IEC 7498-1 terms

For the purposes of this document, the following terms as defined in ISO/IEC 7498-1 apply:

- a) application entity
- b) application process
- c) application protocol data unit
- d) application service element
- e) application entity invocation
- f) application process invocation
- g) application transaction
- h) real open system
- i) transfer syntax

3.1.2 ISO/IEC 8822 terms

For the purposes of this document, the following terms as defined in ISO/IEC 8822 apply:

¹ to be published.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-