This is a free page sample. Access the full version online.



Irish Standard I.S. EN 24938:1991

# Steel and iron - Determination of nickel content - Gravimetric or titrimetric method (ISO 4938:1988)

 $\ensuremath{\mathbb O}$  NSAI 1990  $\qquad$  No copying without NSAI permission except as permitted by copyright law.

### I.S. EN 24938:1991

*Incorporating amendments/corrigenda issued since publication:* EN 24938:1990/AC:1991

## The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i>				
<i>This document is based o</i> EN 24938:1990	n: Published: 30/03/1990			
This document was publi under the authority of th and comes into effect on 5 April, 1991	shed e NSAI :		ICS number: 77.040	
<b>NSAI</b> 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W <b>NSAI.ie</b>	<b>Sales:</b> T +353 1 857 6730 F +353 1 857 6729 W standards.ie		
Údarás um Chaighdeáin Náisiúnta na hÉireann				



This is a free page sample. Access the full version online.

I.S. EN 24938:1991

## EUROPEAN STANDARD NORME EUROPEENNE EUROPÄISCHE NORM

EN 24938 ICONE 1991 AC

September 1991 Septembre 1991 September 1991

English version Version francaise Deutsche fassung

Amends EN 24938, march 1990 Amende EN 24938, mars 1990 Anderung zur EN 24938, März 1990

Steel and iron - Determination of nickel content Gravimetric or titrimetric method ISO 4938:1986)

ou titrimétrique (ISO 4938:1986)

Aciers et fonte - Détermination de la Eisen und Stahl - Bestimmung des Nickelteneur en nickel - Méthode gravimétrique gehalts - Gravimetrisches oder titrimetrisches Verfahren

This corrigendum becomes effective on 1991-09-11 for incorporation in the three official language versions of the EN

Ce corrigendum prendra effet le 1991-09-11 pour introduction dans les trois versions officielles de la EN.

Die Berichtigung tritt am 1991-09-11 in Kraft und ist in die drei offiziellen Fassungen einzufügen.

## CEN

European Committee for Standardization Comité Européen de Normalisation Europäisches Komitee für Normung

Rue de Stassart 36, B 1050 Bruxelles

 $\mathbf{O}_{\text{CEN}}$  1991 Copyright reserved to all CEN members Droits de reproduction réservés aux membres du CEN Das Copyright ist allen CEN-Mitgliedern vorbehalten

Ref N° EN 24938AC:1991 E/F/D

#### I.S. EN 24938:1991

Page 2 Page 2 Seite 2 EN 24938 AC:1991

On front page of the 3 versions, replace the three first words of the german title	Sur la page de garde des 3 versions, remplacer les trois premiers mots du titre allemand :	Brsetze die ersten drei Wörter des deutschen Tites der Titelseiten der drei Sprachenfassungen		
Eisen und Stahl				

By

Par

Durch

Stahl und Eisen

This is a free page sample. Access the full version online.

I.S. EN 24938:1991

EUROPEAN STANDARD

EN 24 938

### NORME EUROPEENNE

### EUROPAISCHE NORM

March 1990

UDC 669.1:543.21:540.74

Key words: steels, cast iron, chemical analysis, determination of content, nickel, gravimetric analysis, volumetric analysis

English version

Steel and iron - Determination of nickel content -Gravimetric or titrimetric method (ISO 4938:1988)

Aciers et fontes - Détermination de la	Eisen und Stahl - Bestimmung des
teneur en nickel - Méthode gravimétrique	Nickelgehalts - Gravimetrisches
ou titrimétrique (ISO 4938:1988)	oder titrimetrisches Verfahren
	(ISO 4938:1988)

This European Standard was accepted by CEN on 1989-11-27 and is identical to the ISO standard as referred to. CEN members are bound to comply with the requirements of the CEN/CENELEC Common Rules which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to CEN Central Secretariat has the same status as the official versions.

CEN members are the national standards organizations of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CEN

European Committee for Standardization Comité Européen de Normalisation Europäisches Komitee für Normung

Central Secretariat: rue Bréderode 2, B-1000 Brussels

(c) CEN 1990 Copyright reserved to all CEN members

Ref. No. EN 24938:1990 E

#### I.S. EN 24938:1991

EN 24 938 Page 2

#### Brief History

On the proposal of the Technical Committee ECISS/TC 20 "Methods of chemical analysis" the Coordinating Commission (COCOR) of the European Committee for Iron and Steel Standardization (ECISS) decided in November 1988 to submit the International Standard

- Э

ISO 4938 - 1988 Steel and iron -- Determination of nickel content -- Gravimetric or titrimetric method

to the Formal Vote.

1

This European Standard was adopted by CEN on 1989-11-27

According to the Common CEN/CENELEC Rules, being part of the Internal Regulations of CEN, the following countries are bound to implement this European Standards : Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

#### Statement

The text of the International Standard ISO 4938, edition 1, 1988 was approved by CEN as a European Standard without any modification.

# INTERNATIONAL STANDARD

ISO 4938 First edition 1988-12-01



INTERNATIONAL ORGANIZATION FOR STANDARDIZATION ORGANISATION INTERNATIONALE DE NORMALISATION МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ

# Steel and iron — Determination of nickel content — Gravimetric or titrimetric method

Aciers et fontes - Dosage du nickel - Méthode gravimétrique ou titrimétrique

Reference number ISO 4938 : 1988 (E)

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting.

International Standard ISO 4938 was prepared by Technical Committee ISO/TC 17, *Steel.* 

Annexes A and B of this International Standard are for information only.

© International Organization for Standardization, 1988 •

Printed in Switzerland

# Steel and iron — Determination of nickel content — Gravimetric or titrimetric method

#### 1 Scope

This International Standard specifies a method for the determination of nickel in steel and iron, using either a gravimetric or titrimetric finish.

The method is applicable to nickel contents from 0.5 % (m/m) to 30 % (m/m).

#### 2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this International Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 377 : 1985, Wrought steel — Selection and preparation of samples and test pieces.

ISO 385-1 : 1984, Laboratory glassware — Burettes — Part 1 : General requirements.

ISO 648 : 1977, Laboratory glassware — One-mark pipettes.

ISO 1042 : 1983, Laboratory glassware — One-mark volumetric flasks.

ISO 4793 : 1980, Laboratory sintered (fritted) filters — Porosity grading, classification and designation.

ISO 5725 : 1986, Precision of test methods — Determination of repeatability and reproducibility for a standard test method by inter-laboratory tests.

#### 3 Principle

Dissolution of a test portion with appropriate acids.

Precipitation of the nickel as nickel dimethylglyoxime.

Cobalt, if present, is oxidized by potassium hexacyanoferrate(III).

- Copper, if present with cobalt, preferably is removed by controlled-potential electrolysis.

Acid dissolution of the precipitate and filtration of the solution, followed by a second precipitation of the nickel as nickel dimethylglyoxime.

In the case of the gravimetric finish, weighing of the dried nickel dimethylglyoxime precipitate.

In the case of the titrimetric finish, acid dissolution of the precipitate, addition of excess EDTA.Na<sub>2</sub> solution and back titration of the excess EDTA.Na<sub>2</sub> by zinc solution using xylenol orange as an indicator.

#### 4 Reagents

During the analysis, unless otherwise stated, use only reagents of recognized analytical grade and only distilled water or water of equivalent purity.

- 4.1 Sodium hydrogen sulfate (NaHSO<sub>4</sub>).
- **4.2** Ethanol, 95 % (*V*/*V*).
- **4.3** Acetic acid, glacial,  $\rho$  approximately 1,05 g/ml.
- **4.4** Hydrofluoric acid,  $\rho$  approximately 1,15 g/ml.
- **4.5** Nitric acid, *ρ* approximately 1,40 g/ml.
- **4.6** Perchloric acid,  $\rho$  approximately 1,54 g/ml.
- **4.7** Sulfuric acid, *ρ* approximately 1,84 g/ml.
- **4.8** Ammonia solution, *ρ* approximately 0,90 g/ml.

**4.9** Hydrochloric acid,  $\rho$  approximately 1,19 g/ml, diluted 1 + 1.

**4.10** Hydrochloric acid,  $\rho$  approximately 1,19 g/ml, diluted 1 + 99.

**4.11** Nitric acid,  $\rho$  approximately 1,40 g/ml, diluted 2 + 3.

**4.12** Perchloric acid,  $\rho$  approximately 1,54 g/ml, diluted 1 + 49.



This is a free preview. Purchase the entire publication at the link below:

**Product Page** 

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation