

Irish Standard I.S. EN 60684-3-282:2010

Flexible insulating sleeving -- Part 3: Specifications for individual types of sleeving -- Sheet 282: Heat-shrinkable, polyolefin sleeving - Stress control (IEC 60684-3-282:2010 (EQV))

 $\ensuremath{\mathbb{C}}$ NSAI 2010 No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i>	<i>This document is based on:</i> EN 60684-3-282:2010	<i>Publisi</i> 10 Sep	<i>hed:</i> otember, 2010
This document was published under the authority of the NSAI and comes into effect on: 29 September, 2010			ICS number: 29.035.20
NSAI T +35 1 Swift Square, F +35 Northwood, Santry E star Dublin 9 W M	NSAI T +353 1 807 3800 Sales: 1 Swift Square, F +353 1 807 3838 T +353 1 857 6730 Northwood, Santry E standards@nsai.ie F +353 1 857 6729 Dublin 9 W NSAI.ie W standards.ie		
Údarás um Chaighdeáin Náisiúnta na hÉireann			

EUROPEAN STANDARD

EN 60684-3-282

NORME EUROPÉENNE EUROPÄISCHE NORM

September 2010

ICS 29.035.20

English version

Flexible insulating sleeving -Part 3: Specifications for individual types of sleeving -Sheet 282: Heat-shrinkable, polyolefin sleeving -Stress control (IEC 60684-3-282:2010)

Gaines isolantes souples -Partie 3: Spécifications pour types particuliers de gaines -Feuille 282: Gaines thermorétractables en polyoléfine -Contrôle de fatigue (CEI 60684-3-282:2010) Isolierschläuche -Teil 3: Anforderungen für einzelne Schlauchtypen -Blatt 282: Polyolefin-Wärmeschrumpfschläuche mit Feldsteuerung (IEC 60684-3-282:2010)

This European Standard was approved by CENELEC on 2010-09-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

© 2010 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Ref. No. EN 60684-3-282:2010 E

EN 60684-3-282:2010

- 2 -

Foreword

The text of document 15/564/FDIS, future edition 1 of IEC 60684-3-282, prepared by IEC TC 15, Solid electrical insulating materials, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60684-3-282 on 2010-09-01.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

-	latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2011-06-01
_	latest date by which the national standards conflicting with the EN have to be withdrawn	(dow)	2013-09-01
Ar	nnex ZA has been added by CENELEC.		

Endorsement notice

The text of the International Standard IEC 60684-3-282:2010 was approved by CENELEC as a European Standard without any modification.

- 3 -

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication	<u>Year</u>	Title	<u>EN/HD</u>	<u>Year</u>
-	-	Test requirements on accessories for use on power cables of rated voltage from 3,6/6(7,2) kV up to 20,8/36(42) kV - Part 1: Cables with extruded insulation	HD 629.1 S2	2006
IEC 60296	2003	Fluids for electrotechnical applications - Unused mineral insulating oils for transformers and switchgear	EN 60296 + corr. September	2004 2004
IEC 60502	Series	Power cables with extruded insulation and their accessories for rated voltages from 1 kV (Um = 1,2 kV) up to 30 kV (Um = 36 kV)	-	-
IEC 60684-1	2003	Flexible insulating sleeving - Part 1: Definitions and general requirements	EN 60684-1	2003
IEC 60684-2 + A1 + A2	1997 2003 2005	Flexible insulating sleeving - Part 2: Methods of test	EN 60684-2 + A1 + A2	1997 2003 2005
IEC 60757	1983	Code for designation of colours	HD 457 S1	1985

This page is intentionally left BLANK.

– 2 – 60684-3-282 © IEC:2010

CONTENTS

FO	REWORD	.3
INT	RODUCTION	.5
1	Scope	.6
2	Normative references	.6
3	Designation	.7
4	Conditions of test	.7
5	Requirements	.7
6	Sleeving conformance	.7
Anr	ex A (informative) Guidance on the available sizes and wall thicknesses	.9

Table 1 – Property requirements	7
Table 2 – Resistance to selected fluids	8
Table A.1 – Type A, medium wall	9
Table A.2 – Type B, thick wall	9

60684-3-282 © IEC:2010

- 3 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FLEXIBLE INSULATING SLEEVING -

Part 3: Specifications for individual types of sleeving – Sheet 282: Heat-shrinkable, polyolefin sleeving – Stress control

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committee; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60684-3-282 has been prepared by IEC technical committee 15: Solid electrical insulating materials.

The text of this standard is based on the following documents:

FDIS	Report on voting
15/564/FDIS	15/587/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

- 4 -

60684-3-282 © IEC:2010

A list of all the parts in the IEC 60684 series, under the general title *Flexible insulating sleeving,* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

60684-3-282 © IEC:2010

- 5 -

INTRODUCTION

This International Standard is one of a series which deals with flexible insulating sleeving for electrical purposes.

The series consists of three parts:

- Part 1: Definitions and general requirements (IEC 60684-1)
- Part 2: Methods of test (IEC 60684-2)
- Part 3: Specifications for individual types of sleeving (IEC 60684-3)

This standard comprises one of the sheets of Part 3 as follows:

Sheet 282: Heat-shrinkable, polyolefin sleeving – Stress control

- 6 -

60684-3-282 © IEC:2010

FLEXIBLE INSULATING SLEEVING –

Part 3: Specifications for individual types of sleeving – Sheet 282: Heat-shrinkable, polyolefin sleeving – Stress control

1 Scope

This part of IEC 60684 gives the requirements for two types of heat-shrinkable, polyolefin sleeving, stress control, not flame retarded, with a nominal shrink ratio up to 3:1.

This sleeving has been found suitable for use up to temperatures of 100 °C.

- Type A : Medium wall Internal diameter up to 65,0 mm typically
- Type B : Thick wall Internal diameter up to 95,0 mm typically

These sleevings are normally supplied in colour black.

Since these types of sleevings cover a significantly large range of sizes and wall thicknesses, Tables A.1 and A.2 in this standard provides guidance to the range of sizes available. The actual size shall be agreed between the user and the supplier.

Materials which conform to this specification meet established levels of performance. However, the selection of a material by a user for a specific application should be based on the actual requirements necessary for adequate performance in that application and not based on this specification alone.

This sleeving is designed to be used in MV cable accessories and as such electrical performance must be proven as part of the assembly. Examples of this are described in HD 629 and the IEC 60502 series.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60296:2003, Fluids for electrotechnical applications – Unused mineral insulating oils for transformers and switchgear

IEC 60502 (all parts), Power cables with extruded insulation and their accessories for rated voltages from 1 kV (Um = 1, 2 kV) up to 30 kV (Um = 36 kV)

IEC 60684-1:2003, Flexible insulating sleeving – Part 1: Definitions and general requirements

IEC 60684-2:1997, *Flexible insulating sleeving – Part 2: Methods of test* Amendment 1 (2003) Amendment 2 (2005)

IEC 60757:1983, Code for designation of colours



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation