



NSAI
Standards

Irish Standard
I.S. EN 16272-1:2012

Railway applications - Track - Noise barriers and related devices acting on airborne sound propagation - Test method for determining the acoustic performance - Part 1: Intrinsic characteristics - Sound absorption in the laboratory under diffuse sound

I.S. EN 16272-1:2012

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:

This document is based on:
EN 16272-1:2012

Published:
8 November, 2012

This document was published under the authority of the NSAI and comes into effect on:
8 November, 2012

ICS number:

93.100

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

ICS 93.100

English Version

**Railway applications - Track - Noise barriers and related devices
acting on airborne sound propagation - Test method for
determining the acoustic performance - Part 1: Intrinsic
characteristics - Sound absorption in the laboratory under
diffuse sound field conditions**

Applications ferroviaires - Dispositifs de réduction du bruit -
Méthode d'essai pour la détermination des performances
acoustiques - Partie 1: Caractéristiques intrinsèques -
Absorption acoustique en salle réverbérante dans des
conditions de champ acoustique diffus

Bahnanwendungen - Oberbau - Lärmschutzwände und
verwandte Einrichtungen zur Beeinflussung der
Luftschallausbreitung - Prüfverfahren zur Bestimmung der
akustischen Eigenschaften - Teil 1: Produktspezifische
Merkmale - Schallabsorption (Labormethode) bei diffusen
Schallfeldern

This European Standard was approved by CEN on 15 September 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents		Page
Foreword.....		3
Introduction		4
1 Scope		5
2 Normative references		5
3 Terms and definitions		5
4 Symbols and abbreviations		6
5 Test arrangement.....		6
6 Test procedure and evaluation.....		10
7 Measurement uncertainty		10
8 Test report		10
8.1 Expression of results		10
8.2 Further information.....		11
Annex A (informative) Measurement uncertainty		12
A.1 General.....		12
A.2 Measurement uncertainty based upon reproducibility data		12
Bibliography		13

Foreword

This document (EN 16272-1:2012) has been prepared by Technical Committee CEN/TC 256 "Railway applications", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2013, and conflicting national standards shall be withdrawn at the latest by April 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This European Standard is one of the series EN 16272 "Railway applications — Track — Noise barriers and related devices acting on airborne sound propagation — Test method for determining the acoustic performance" as listed below:

- *Part 1: Intrinsic characteristics — Sound absorption in the laboratory under diffuse sound field conditions*
- *Part 2: Intrinsic characteristics — Airborne sound insulation in the laboratory under diffuse sound field conditions*
- *Part 3-1: Normalised railway noise spectrum and single number ratings for diffuse field applications*
- *Part 3-2: Normalized railway noise spectrum and single number ratings for direct field applications ¹⁾*
- *Part 4: Intrinsic characteristics — In situ values of sound diffraction under direct sound field conditions ¹⁾*
- *Part 5: Intrinsic characteristics — In situ values of sound reflection under direct sound field conditions ²⁾*
- *Part 6: Intrinsic characteristics — In situ values of airborne sound insulation under direct sound field conditions ¹⁾*
- *Part 7: Extrinsic characteristics — In situ values of insertion loss ²⁾*

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1) In preparation.

2) This document has been prepared as a CEN Technical Specification and is in preparation.

Introduction

Where a sound reflecting surface is installed along a railway, it may be effective to use sound absorbing devices on its rail side to reduce additional noise nuisance caused by reflected sound. This treatment may be needed in the presence of the following:

- noise barriers, rocks or retaining walls that can reflect sound waves toward unprotected areas;
- vertical cuttings or reflective surfaces that face each other;
- tunnels and their approaches;
- trains passing close to a barrier where reflections between the train and the barrier may give rise to a reverberant field and thus reduce barrier effectiveness.

This European Standard specifies a test method for assessing the sound absorption performance of noise barriers and related devices acting on airborne sound propagation designed for railways (a measure of intrinsic performance). It is not concerned with determining sound absorption performance in situ, nor with determining the acoustic efficiency at receiver positions (insertion loss), which additionally depend on factors which are not related to the product itself, e.g. the dimensions of the barrier and quality of installation work and site factors such as site geometry, ground impedance, meteorological effects, etc. The test is designed to allow the intrinsic sound absorption performance of the device under test to be measured and the resulting rating should aid the selection of the devices for particular railway applications.

The measurements results of this method for sound absorption are comparable but not identical with the results of the FprCEN/TS 16272-5 method, mainly because the present method assumes a diffuse sound field (where all angles of incidence are equally probable), while the FprCEN/TS 16272-5 method uses a directional sound field. Values of the sound absorption coefficient measured with the method described in this European Standard can be converted to conventional values of a reflection coefficient taking the complement to one. In this case, research studies suggest that a quite good correlation exists between data measured according to the method described in the present European Standard and data measured according to the method described in FprCEN/TS 16272-5.

The test method described in this European Standard should not be used to determine completely the intrinsic characteristics of sound absorption for noise reducing devices to be installed in non-reverberant conditions, e.g. alongside railways in open space.

This method may be used to qualify noise reducing devices for other applications, e.g. to be installed along roads or nearby industrial sites. In such cases, the single-number ratings should be calculated using an appropriate spectrum.

This European Standard should be read in conjunction with:

- EN 16272-3-1, *Railway applications — Track — Noise barriers and related devices acting on airborne sound propagation — Test method for determining the acoustic performance — Part 3-1: Normalised railway noise spectrum and single number ratings for diffuse field applications*
- FprCEN/TS 16272-5, *Railway applications — Track — Noise barriers and related devices acting on airborne sound propagation — Test method for determining the acoustic performance — Part 5: Intrinsic characteristics — In situ values of sound reflection under direct sound field conditions*

1 Scope

This European Standard specifies the laboratory method for measuring the sound absorption of flat noise barriers or flat claddings for retaining walls or tunnels. It covers the assessment of the intrinsic sound absorption performance of noise barriers and related devices acting on airborne sound propagation designed for railways which can reasonably be assembled inside the testing facility described in EN ISO 354. The test method in EN ISO 354, referred to in this European Standard, is strictly valid only for flat absorbers and in particular excludes devices which act as slightly damped resonators. Some devices will depart significantly from these requirements and in these cases care is needed in interpreting the results.

All noise reducing devices that differ from noise barriers and related devices acting on airborne sound propagation, e.g. devices for attenuation of ground borne vibration and on board devices are out of the scope of this European Standard.

NOTE The test method in EN ISO 354 is based on measurements in a reverberation room where diffuse sound field conditions prevail. As a uniformly applicable method for the determination of the sound absorptive performance of noise reducing devices under free field conditions is still under development, the measurement results according to this European Standard are temporarily considered relevant for application on noise reducing devices in reverberant as well as in free field conditions.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ENV 13005, *Guide to the expression of uncertainty in measurement*

EN 16272-3-1, *Railway applications — Track — Noise barriers and related devices acting on airborne sound propagation — Test method for determining the acoustic performance — Part 3-1: Normalised railway noise spectrum and single number ratings for diffuse field applications*

EN ISO 354, *Acoustics — Measurement of sound absorption in a reverberation room (ISO 354)*

3 Terms and definitions

For the purpose of this document the following terms and definitions apply.

3.1

noise barrier

noise reducing device, which obstructs the direct transmission of airborne sound emanating from railways; it may either span or overhang the railway

Note 1 to entry: Noise barriers are generally made of acoustic and structural elements (see 3.3 and 3.4).

3.2

cladding

noise reducing device, which is attached to a wall or other structure and reduces the amount of sound reflected

Note 1 to entry: Claddings are generally made of acoustic and structural elements (see 3.3 and 3.4).

3.3

acoustic element

element whose primary function is to provide the acoustic performance of the device

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-