

Irish Standard I.S. EN ISO 23611-4:2011

Soil quality - Sampling of soil invertebrates - Part 4: Sampling, extraction and identification of soil-inhabiting nematodes (ISO 23611-4:2007)

© NSAI 2011

No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/	corrigenda/National Anne	xes issued since public	cation:
The National Standards Authori documents:	ty of Ireland (NSAI) produc	ces the following cate	gories of formal
I.S. xxx: Irish Standard – r subject to public consultation.	national specification base	d on the consensus of	an expert panel and
S.R. xxx: Standard Recomr panel and subject to public cons	mendation - recommendat sultation.	ion based on the cons	ensus of an expert
SWiFT xxx: A rapidly develop participants of an NSAI worksho	ed recommendatory docu	ment based on the cor	sensus of the
This document replaces:			
This document is based on: EN ISO 23611-4:2011	<i>Published:</i> 21 July, 2011		
This document was publish under the authority of the N and comes into effect on: 21 July, 2011			ICS number: 13.080.05 13.080.30
<b>NSAI</b> 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W <b>NSA</b> I.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie	
Údarás III	m Chaighdeáin Náisiú	nta na hÉireann	

# **EUROPEAN STANDARD**

# **EN ISO 23611-4**

# NORME EUROPÉENNE

**EUROPÄISCHE NORM** 

July 2011

ICS 13.080.30; 13.080.05

# **English Version**

Soil quality - Sampling of soil invertebrates - Part 4: Sampling, extraction and identification of soil-inhabiting nematodes (ISO 23611-4:2007)

Qualité du sol - Prélèvement des invertébrés du sol - Partie 4: Prélèvement, extraction et identification des nématodes du sol (ISO 23611-4:2007) Bodenbeschaffenheit - Probenahme von Wirbellosen im Boden - Teil 4: Probenahme, Extraktion und Bestimmung von Boden bewohnenden Nematoden (ISO 23611-4:2007)

This European Standard was approved by CEN on 17 June 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

# EN ISO 23611-4:2011 (E)

Contents	Page
Foreword	

EN ISO 23611-4:2011 (E)

# **Foreword**

The text of ISO 23611-4:2007 has been prepared by Technical Committee ISO/TC 190 "Soil quality" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 23611-4:2011 by Technical Committee CEN/TC 345 "Characterization of soils" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2012, and conflicting national standards shall be withdrawn at the latest by January 2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

### **Endorsement notice**

The text of ISO 23611-4:2007 has been approved by CEN as a EN ISO 23611-4:2011 without any modification.

This is a free page sample. Access the full version online.

I.S. EN ISO 23611-4:2011

This page is intentionally left BLANK.

This is a free page sample. Access the full version online.

# I.S. EN ISO 23611-4:2011 INTERNATIONAL STANDARD

ISO 23611-4

First edition 2007-11-15

# Soil quality — Sampling of soil invertebrates —

Part 4:

Sampling, extraction and identification of soil-inhabiting nematodes

Qualité du sol — Prélèvement des invertébrés du sol — Partie 4: Prélèvement, extraction et identification des nématodes du sol



# ISO 23611-4:2007(E)

### PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



## **COPYRIGHT PROTECTED DOCUMENT**

#### © ISO 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

# **Contents** Page

Forewo	ordi	٧
Introdu	ıction	v
1	Scope	1
2	Terms and definitions	1
3	Principle	2
4	Reagents	
5	Apparatus	3
5.1 5.2	Sampling Extraction	
5.2 5.3	Counting	
5.4	Fixation and preparation of mass slides	
5.5	Identification	
6	Procedure	
6.1	General	
6.2	Sampling	
6.3	Extraction	
6.4 6.5	Counting  Fixation and preparation of mass slides	
6.6	Identification	
7	Data assessment	
8	Study report	9
Annex	A (informative) Figures of equipment and methods for nematological research 1	0
Annex	B (informative) Information about the availability of the Oostenbrink elutriator 1	3
Annex	C (informative) Information about the Baermann funnel/tray extraction method 1	5
Bibliog	ıraphy1	7

ISO 23611-4:2007(E)

# **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 23611-4 was prepared by Technical Committee ISO/TC 190, Soil quality, Subcommittee SC 4, Biological methods.

ISO 23611 consists of the following parts, under the general title Soil quality — Sampling of soil invertebrates:

- Part 1: Hand-sorting and formalin extraction of earthworms
- Part 2: Sampling and extraction of micro-arthropods (Collembola and Acarina)
- Part 3: Sampling and soil extraction of enchytraeids
- Part 4: Sampling, extraction and identification of soil-inhabiting nematodes

ISO 23611-4:2007(E)

# Introduction

This part of ISO 23611 has been drawn up since there is a growing need for the standardization of terrestrial zoological field methods. Such methods, mainly covering the sampling, extraction and handling of soil invertebrates, are necessary for the following purposes:

- biological classification of soils including soil quality assessment [15],[17],[28];
- terrestrial bio-indication and long-term monitoring [9],[10],[13],[24];
- evaluation of the effects of chemicals on soil animals (ISO 11268-3).

Data for these purposes are gained by standardized methods since they can form the basis for far-reaching decisions (e.g. whether a given site should be remediated or not). In fact, the lack of such standardized methods is one of the most important reasons why bio-classification and bio-assessment in terrestrial (i.e. soil) habitats has so far been relatively rarely used in comparison to aquatic sites.

Nematodes are an important and major part of the soil fauna. Some authors estimate that this group is probably the most dominant one of the multicellular organisms (Metazoa) on earth. Nematodes occur from the Antarctic to the tropics and from deep sea sediments to mountain regions. They are active in every place with sufficient water and organic material. The species diversity and functional variety are impressive. Nematodes are commonly known as parasites of animals and plants, but the major part of the nematode fauna participates in decomposition processes by feeding on bacteria and fungi.

Nematodes occur in high numbers [(5 000 to 100 000)/kg fresh soil] and with a high (20 to 100) species diversity in almost every soil sample. Moreover, there is a broad ecological spectrum of feeding types and food web relations among the nematodes such as bacterivores, fungivores, herbivores, predators and omnivores [27],[28]. These factors make the group highly suitable as indicators for ecological soil quality, but standardization of methods is urgently needed for comparison and combination of results.

In the past 100 years, nematology has developed strongly from the viewpoint of agriculture, advisory sampling and phytosanitary regulations because some terrestrial nematodes cause a lot of damage in crops. With respect to methods, there are several "schools" in different parts of the world with their own history, practical advantages and disadvantages. A comprehensive overview is given by Oostenbrink [14] and Southey [22],[23]. The more recently described methods (or variants) are often developed with special interest to certain plant-parasitic species.

Since Bongers <sup>[4]</sup> introduced the Maturity Index, the use of nematodes in bio-indication for soil quality has increased rapidly. Nematodes are now used for ecological soil research and monitoring in several countries all over the world. Monitoring activities make special demands on methodology, for instance, that a large number of soil samples is processed on a routine basis against reasonable costs. Some of the methods originally developed for advisory sampling in agriculture are very suitable for ecological research. They form the basis for specific variants described in this document.

This is a free page sample. Access the full version online.

I.S. EN ISO 23611-4:2011

# Soil quality — Sampling of soil invertebrates —

# Part 4:

# Sampling, extraction and identification of soil-inhabiting nematodes

# 1 Scope

This part of ISO 23611 specifies a method for sampling and handling free-living nematodes from terrestrial field soils as a prerequisite for using them as bio-indicators (e.g. to assess the quality of a soil as a habitat for organisms).

This part of ISO 23611 applies to all terrestrial biotopes in which nematodes occur. The sampling design of field studies in general is specified in ISO 10381-1.

This part of ISO 23611 is not applicable to aquatic nematodes because these nematodes do not pass through the filter. Methods for some other soil organism groups such as earthworms, enchytraeids or collembolans are covered in other parts of ISO 23611.

The nematodes that are characterized by the proposed procedure are all the free-living forms of nematodes found in soil. They include non-plant-feeding nematodes as well as ectoparasitic plant-feeding nematodes and free-living stage of endoparasitic nematodes. The quantification of obligate plant-feeding nematodes in roots requires specific methods.

NOTE Basic information on the ecology of nematodes and their use as bio-indicators can be found in the bibliography.

This part of ISO 23611 does not cover the pedological characterization of the site which is highly recommendable when sampling soil invertebrates. ISO 10390, ISO 10694, ISO 11272, ISO 11274, ISO 11277, ISO 11461 and ISO 11465 are more suitable for measuring pH, particle size distribution, C/N ratio, organic carbon content and water-holding capacity.

## 2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 2 1

#### nematode

small, non-segmented free-living worm (up to a few millimetres in length) belonging to the class Nematoda

NOTE Nematodes without a soil-inhabiting stage are not included in this context.

## 2.2

#### location

study area or plot that is characterized based on the composition of (among others) the nematode fauna



The is a new provider i arenade and chare publication at the limit below	This is a free preview.	Purchase the	entire publication	at the link below:
--	-------------------------	--------------	--------------------	--------------------

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation