

Irish Standard I.S. EN 1744-8:2012

Tests for chemical properties of aggregates - Part 8: Sorting test to determine metal content of Municipal Incinerator Bottom Ash (MIBA) Aggregates

© CEN 2012

No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:				
<i>This document is based on</i> EN 1744-8:2012	<i>r: Published:</i> 4 September, 2012			
This document was publis under the authority of the and comes into effect on: 4 September, 2012			<u>ICS number:</u> 13.030.50	
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie		
Údarás um Chaighdeáin Náisiúnta na hÉireann				

EUROPEAN STANDARD NORME EUROPÉENNE

EN 1744-8

EUROPÄISCHE NORM

August 2012

ICS 13.030.50

English Version

Tests for chemical properties of aggregates - Part 8: Sorting test to determine metal content of Municipal Incinerator Bottom Ash (MIBA) Aggregates

Tests sur les propriétés chimiques des granulats - Partie 8: Essai de comptage des particules métalliques contenues dans les granulats provenant de mâchefers issus d'incinérateurs municipaux Prüfverfahren für chemische Eigenschaften von Gesteinskörnungen - Teil 8: Sortierverfahren zur Bestimmung des Metallgehalts in Hausmüllverbrennungsasche (HMV-Asche)

This European Standard was approved by CEN on 13 July 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Forew	ord	3
1	Scope	4
2	Normative references	4
3	Definitions	4
4	Principle	5
5	Apparatus	5
6	Preparation of subsample	6
7 7.1 7.2 7.3 7.4	Procedure Further reduction of the subsample Separating into size fractions Separating metallic particles Weight of metallic particles	6 7 7
8	Calculation and expression of results	7
9 9.1 9.2	Test report Required data Optional data	8
Annex A.1	A (informative) Supplementary method for preparing the particle size fractions using crushing and sieving	
A.1 A.2 A.2.1	General Procedure	9
A.2.2 A.2.3	16/32 mm size fraction	9
A.3 A.4	Weight of metallic particles	0
Bibliog	raphy1	1

Foreword

This document (EN 1744-8:2012) has been prepared by Technical Committee CEN/TC 154 "Aggregates", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2013, and conflicting national standards shall be withdrawn at the latest by February 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This document forms part of a series of tests for chemical properties of aggregates. Test methods for other properties of aggregates will be covered by the following European Standards:

- EN 932, Tests for general properties of aggregates
- EN 933, Tests for geometrical properties of aggregates
- EN 1097, Tests for mechanical and physical properties of aggregates
- EN 1367, Tests for thermal and weathering properties of aggregates

The other parts of EN 1744, Tests for chemical properties of aggregates, are:

- Part 1: Chemical analysis
- Part 3: Preparation of eluates by leaching of aggregates
- Part 4: Determination of water susceptibility of fillers for bituminous mixtures
- Part 5: Determination of acid soluble chloride salts
- Part 6: Determination of the influence of recycled aggregate extract on the initial setting time of cement
- Part 7: Determination of loss of ignition of Municipal Incinerator Bottom Ash Aggregate (MIBA Aggregate)

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies a simple method for the examination of Municipal Incinerator Bottom Ash (MIBA) Aggregates for the purpose of estimating the relative proportions of metallic constituents.

This European Standard describes the reference methods used for type testing and, in case of dispute, for estimating the relative proportions of aluminium or other metallic constituents of MIBA Aggregates. For other purposes, in particular factory production control, other methods may be used provided that an appropriate working relationship with the reference method has been established.

NOTE MIBA Aggregates can also contain agglomerates which only contain a portion of metal. A supplementary method for preparation of a test portion containing agglomerated particles, using crushing and sieving, is given in Annex A (normative).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 932-1, Test for general properties of aggregates — Part 1: Methods for sampling

EN 932-2, Test for general properties of aggregates — Part 2: Methods for reducing laboratory samples

EN 932-5, Test for general properties of aggregates — Part 5: Common equipment and calibration

EN 933-1, Test for geometrical properties of aggregates — Part 1: Determination of particle size distribution — Sieving method

EN 933-2, Test for geometrical properties of aggregates — Part 2: Determination of particle size distribution — Test sieves, nominal size of apertures

3 Terms and definitions

For the purpose of this standard, the following definitions apply:

3.1

laboratory sample

sample intended for laboratory testing

3.2

subsample

sample obtained by means of a sample reduction procedure

3.3

constant mass

mass determined by successive weighings performed at least 1 h apart and not differing by more than 0,1 %

Note 1 to entry: In many cases, constant mass can be achieved after a test portion has been dried for a predetermined period in a specified oven at (110 ± 5) °C. Test laboratories can determine the time required to



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation