

Irish Standard I.S. EN 12007-2:2012

Gas infrastructure - Pipelines for maximum operating pressure up to and including 16 bar - Part 2: Specific functional requirements for polyethylene (MOP up to and including 10 bar)

© NSAI 2012

No copying without NSAI permission except as permitted by copyright law.

Incorpora	ting amendments/corrigenda/National Annexes issued since publication:
The National documents:	Standards Authority of Ireland (NSAI) produces the following categories of formal
I.S. xxx: subject to pub	Irish Standard – national specification based on the consensus of an expert panel and blic consultation.
S.R. xxx: panel and sub	Standard Recommendation - recommendation based on the consensus of an expert eject to public consultation.
SWiFT xxx: participants o	A rapidly developed recommendatory document based on the consensus of the of an NSAI workshop.

This document replaces:

EN 12007-2:2000

This document is based on: Published: EN 12007-2:2012 15 August, 2012

This document was published under the authority of the NSAI and comes into effect on:

15 August, 2012

ICS number:

23.040.20

NSAI T +353 1 807 3800 Sales:

1 Swift Square, F +353 1 807 3838 T +353 1 857 6730 Northwood, Santry E standards@nsai.ie F +353 1 857 6729 Dublin 9 W standards.ie

W NSAl.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD NORME EUROPÉENNE

EN 12007-2

EUROPÄISCHE NORM

August 2012

ICS 23.040.20

Supersedes EN 12007-2:2000

English Version

Gas infrastructure - Pipelines for maximum operating pressure up to and including 16 bar - Part 2: Specific functional requirements for polyethylene (MOP up to and including 10 bar)

Infrastructures gazières - Canalisations pour pression maximale de service inférieure ou égale à 16 bar - Partie 2: Exigences fonctionnelles spécifiques pour le polyéthylène (MOP inférieure ou égale à 10 bar)

Gasinfrastruktur - Rohrleitungen mit einem maximal zulässigen Betriebsdruck bis einschließlich 16 bar - Teil 2: Spezifische funktionale Anforderungen für Polyethylen (MOP bis einschließlich 10 bar)

This European Standard was approved by CEN on 24 May 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 12007-2:2012 (E)

Cont	Contents		
Forewo	ord	4	
1	Scope	5	
2	Normative references		
3	Terms, definitions, symbols and abbreviations		
	-		
4 4.1	Design		
4.1	Materials and components		
4.2	Maximum operating pressure		
4.3 4.3.1	General		
4.3.1	Verification of the overall service (design) coefficient		
4.3.3	Verification of the RCP criterion		
4.4	Assembly techniques		
4.5	Material properties for flow stopping by squeeze-off	10	
4.6	Pipework inside buildings		
_	•		
5	Construction		
5.1	Storage, handling and transportation		
5.2	Jointing		
5.2.1	General		
5.2.2	Fusion jointing		
5.2.3	Mechanical joints		
5.3	Laying		
5.4	Connection to existing systems		
5.4.1	Static electricity		
5.4.2	Squeeze-off	. 13	
6	Quality control	. 14	
6.1	Inspection prior to installation	. 14	
6.2	Inspection during laying	. 14	
6.2.1	Laying	. 14	
6.2.2	Joint integrity	. 14	
7	Pressure testing	14	
•	· · · · · · · · · · · · · · · · · · ·		
Annex	A (informative) Storage, handling and transportation	. 16	
<i>,</i>	General		
A.2	Storage		
A.2.1	Storage conditions		
A.2.2	Bundles		
A.2.3	Stacking loose straight pipes		
A.2.4	Drums and coils		
A.2.5	Storing		
A.2.6	First in – first out		
A.3	Handling		
A.3.1	General		
A.3.2	Handling in cold weather		
A.3.3	Straight pipes		
A.3.4	Coils		
A.3.5	Drums		
A.3.6	Uncoiling		
A.4	Transportation		
A.4.1	Straight pipes	. 19	

EN 12007-2:2012 (E)

A.4.2	Coiled pipe	19
	Drums	
Annex	B (informative) Fusion joint integrity	20
	General	
B.2	Visual inspection criteria	20
B.2.1	General	20
B.2.2	Butt fusion guidelines for the visual examination of butt fusion joints	20
B.2.3	Electrofusion	23
B.2.4	Ancillary tooling	26
Annex	C (informative) Technical changes between this European Standard and EN 12007-2:2000	27
Biblio	graphy	28

Foreword

This document (EN 12007-2:2012) has been prepared by Technical Committee CEN/TC 234 "Gas infrastructure", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2013, and conflicting national standards shall be withdrawn at the latest by February 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12007-2:2000.

Annex C provides details of significant technical changes between this European Standard and the previous edition.

EN 12007 Gas infrastructure — Pipelines for maximum operating pressure up to and including 16 bar consists of the following parts:

Part 1: General functional requirements

Part 2: Specific functional requirements for polyethylene (MOP up to and including 10 bar)Part 3: Specific functional requirements for steel

Part 4: Specific functional requirements for renovation

Part 5: Specific functional recommendations of new service lines¹

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

_

¹ To be published.

1 Scope

This European Standard describes the specific functional requirements for polyethylene (PE) pipelines in addition to the general functional requirements of EN 12007-1 for:

- a) a maximum operating pressure (MOP) up to and including 10 bar;
- b) an operating temperature between -20 °C and +40 °C.

This European Standard covers three types of pipe:

- PE pipes including any identification stripes;
- PE pipes with co-extruded layers on either or both the outside and/or inside of the pipe;
- PE pipes with a peelable, contiguous thermoplastics additional layer on the outside of the pipe.

This European Standard specifies common basic principles for gas infrastructure. Users of this European Standard should be aware that more detailed national standards and/or code of practice may exist in the CEN member countries. This European Standard is intended to be applied in association with these national standards and/or codes of practice setting out the above-mentioned basic principles.

In the event of conflicts in terms of more restrictive requirements in national legislation/regulation with the requirements of this European Standard, the national legislation/regulation takes precedence as illustrated in CEN/TR 13737 (all parts).

CEN/TR 13737 (all parts) give:

- clarification of all legislations/regulations applicable in a member state;
- if appropriate, more restrictive national requirements:
- a national contact point for the latest information.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1555-1, Plastics piping systems for the supply of gaseous fuels — Polyethylene (PE) — Part 1: General

EN 1555-2, Plastics piping systems for the supply of gaseous fuels — Polyethylene (PE) — Part 2: Pipes

EN 1555-3, Plastics piping systems for the supply of gaseous fuels — Polyethylene (PE) — Part 3: Fittings

EN 1555-4, Plastics piping systems for the supply of gaseous fuels — Polyethylene (PE) — Part 4: Valves

EN 1555-5, Plastics piping systems for the supply of gaseous fuels — Polyethylene (PE) — Part 5: Fitness for purpose of the system

EN 12327, Gas infrastructure — Pressure testing, commissioning and decommissioning procedures — Functional requirements



Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation