

Irish Standard I.S. EN ISO 17556:2012

Plastics - Determination of the ultimate aerobic biodegradability of plastic materials in soil by measuring the oxygen demand in a respirometer or the amount of carbon dioxide evolved (ISO 17556:2012)

© NSAI 2012

No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda/National Annexes issued since public	cation:			
The National Standards Authority of Ireland (NSAI) produces the following cate documents:	gories of formal			
I.S. xxx: Irish Standard – national specification based on the consensus of subject to public consultation.	an expert panel and			
S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.				
SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.				
This document replaces: EN ISO 17556:2004				
This document is based on: Published: EN ISO 17556:2012 22 August, 2012				
This document was published under the authority of the NSAI and comes into effect on: 22 August, 2012	ICS number: 83.080.01			

NSAI T +353 1 807 3800 Sales:

 1 Swift Square,
 F +353 1 807 3838
 T +353 1 857 6730

 Northwood, Santry
 E standards@nsai.ie
 F +353 1 857 6729

 Dublin 9
 W standards.ie

W NSAl.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD NORME EUROPÉENNE

EN ISO 17556

EUROPÄISCHE NORM

August 2012

ICS 83.080.01

Supersedes EN ISO 17556:2004

English Version

Plastics - Determination of the ultimate aerobic biodegradability of plastic materials in soil by measuring the oxygen demand in a respirometer or the amount of carbon dioxide evolved (ISO 17556:2012)

Plastiques - Détermination de la biodégradabilité aérobie ultime des matériaux plastiques dans le sol par mesure de la demande en oxygène dans un respiromètre ou de la teneur en dioxyde de carbone libéré (ISO 17556:2012)

Kunststoffe - Bestimmung der vollständigen aeroben biologischen Abbaubarkeit von Kunststoffmaterialien im Boden durch Messung des Sauerstoffbedarfs in einem Respirometer oder der Menge des entstandenen Kohlendioxids (ISO 17556:2012)

This European Standard was approved by CEN on 20 July 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 17556:2012 (E)

Contents	Page
Foreword	

EN ISO 17556:2012 (E)

Foreword

This document (EN ISO 17556:2012) has been prepared by Technical Committee ISO/TC 61 "Plastics" in collaboration with Technical Committee CEN/TC 249 "Plastics" the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2013, and conflicting national standards shall be withdrawn at the latest by February 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 17556:2004.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 17556:2012 has been approved by CEN as a EN ISO 17556:2012 without any modification.

This is a free page sample. Access the full version online.

I.S. EN ISO 17556:2012

This page is intentionally left BLANK.

This is a free page sample. Access the full version online.

I.S. EN ISO 17556:2012 INTERNATIONAL STANDARD

150 17556

Second edition 2012-08-15

Plastics — Determination of the ultimate aerobic biodegradability of plastic materials in soil by measuring the oxygen demand in a respirometer or the amount of carbon dioxide evolved

Plastiques — Détermination de la biodégradabilité aérobie ultime des matériaux plastiques dans le sol par mesure de la demande en oxygène dans un respiromètre ou de la teneur en dioxyde de carbone libéré



ISO 17556:2012(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org
Published in Switzerland

ISO 17556:2012(E)

Con	tents	Page
Forew	vord	iv
Introd	luction	v
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Principle	3
5	Test environment	4
6	Materials	4
7	Apparatus	4
8	Procedure	
8.1 8.2	Preparation of the test material Preparation of the reference material	
8.3	Preparation of the test soil	
8.4	Start-up and execution of the test	7
9	Calculation and expression of results	
9.1 9.2	Calculation Expression and interpretation of results	
10	Validity of results	10
11	Test report	10
Anne	x A (informative) Principle of a manometric respirometer (example)	12
Anne	x B (informative) Example of a system for measuring the amount of carbon dioxide evolved	13
Anne	x C (informative) Examples of methods for the determination of evolved carbon dioxide	14
Anne	x D (informative) Theoretical oxygen demand (ThOD)	16
Anne	x E (informative) Example of a determination of the amount and the molecular mass of water-insoluble polymer remaining at the end of a biodegradation test	17
Anne	x F (informative) Examples of long-term tests	18
Anne	x G (informative) Round-robin testing	22
Biblio	ography	26

ISO 17556:2012(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 17556 was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 5, *Physical-chemical properties*.

This second edition cancels and replaces the first edition (ISO 17556:2003), which has been technically revised. The main changes are as follows:

- a) the introduction has been revised;
- b) a definition of the term "total organic carbon" has been added (see 3.14);
- c) the temperature of the test environment has been changed (see Clause 5);
- d) the specifications for the analytical instrument for determining the amount of carbon dioxide evolved have been revised (see 7.2.3);
- e) Subclause 8.1 describing the preparation of the test material has been revised;
- f) Subclause 8.3.1 describing the collection and sieving of soil has been revised;
- g) the use of a standard soil is now permitted as an alternative to natural soil (see 8.3.2);
- h) Subclause 8.4 describing the start-up and execution of the test has been revised;
- i) the test report has been extended (see Clause 11);
- j) a new annex (Annex F) giving examples of long-term tests has been added;
- k) a new annex (Annex G) giving the results of round-robin testing has been added.

ISO 17556:2012(E)

Introduction

A number of plastic materials and products have been designed for applications ending up in or on soil. They have been developed for applications where biodegradation is beneficial from a technical, environmental, social or economic standpoint. Examples can be found in agriculture (e.g. mulching film), horticulture (e.g. twines and clips, flower pots, pins), funeral items (e.g. body bags), recreation (e.g. plastic "clay" pigeons for shooting, hunting cartridges), etc. In many cases, recovery and/or recycling of these plastic items is either difficult or not economically viable. Various types of biodegradable plastics have been developed which have been designed to biodegrade and disappear *in situ* at the end of their useful life. Several International Standards specify test methods for determining the ultimate aerobic or anaerobic biodegradation of plastic materials in aqueous or compost conditions. Considering the use and disposal of biodegradable plastics, it is important to establish a test method to determine the ultimate aerobic biodegradation of such plastic materials in soil.

This is a free page sample. Access the full version online.

I.S. EN ISO 17556:2012

Plastics — Determination of the ultimate aerobic biodegradability of plastic materials in soil by measuring the oxygen demand in a respirometer or the amount of carbon dioxide evolved

WARNING — Appropriate precautions should be taken when handling soil because it might contain potentially pathogenic organisms. Toxic test compounds and those whose properties are unknown should be handled with care.

1 Scope

This International Standard specifies a method for determining the ultimate aerobic biodegradability of plastic materials in soil by measuring the oxygen demand in a closed respirometer or the amount of carbon dioxide evolved. The method is designed to yield an optimum degree of biodegradation by adjusting the humidity of the test soil.

If a non-adapted soil is used as an inoculum, the test simulates the biodegradation processes which take place in a natural environment; if a pre-exposed soil is used, the method can be used to investigate the potential biodegradability of a test material.

This method applies to the following materials:

- natural and/or synthetic polymers, copolymers or mixtures of these;
- plastic materials which contain additives such as plasticizers or colorants;
- water-soluble polymers.

It does not necessarily apply to materials which, under the test conditions, inhibit the activity of the microorganisms present in the soil. Inhibitory effects can be measured using an inhibition control or by another suitable method. If the test material inhibits the microorganisms in the soil, a lower test material concentration, another type of soil or a pre-exposed soil can be used.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 10381-6, Soil quality — Sampling — Part 6: Guidance on the collection, handling and storage of soil under aerobic conditions for the assessment of microbiological processes, biomass and diversity in the laboratory

ISO 10390, Soil quality — Determination of pH

ISO 10634, Water quality — Guidance for the preparation and treatment of poorly water-soluble organic compounds for the subsequent evaluation of their biodegradability in an aqueous medium

ISO 10694, Soil quality — Determination of organic and total carbon after dry combustion (elementary analysis)

ISO 11274, Soil quality — Determination of the water-retention characteristic — Laboratory methods



The is a new provider i arenade and chare publication at the limit below	This is a free preview.	Purchase the	entire publication	at the link below:
--	-------------------------	--------------	--------------------	--------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation