



NSAI
Standards

Irish Standard
I.S. EN 61124:2012

Reliability testing - Compliance tests for constant failure rate and constant failure intensity

I.S. EN 61124:2012

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 61124:2012

Published:

2012-08-10

This document was published under the authority of the NSAI and comes into effect on:

2015-02-19

ICS number:

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 61124

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2012

ICS 03.120.30; 19.020; 21.020

Supersedes EN 61124:2006

English version

**Reliability testing -
Compliance tests for constant failure rate
and constant failure intensity
(IEC 61124:2012)**

Essais de fiabilité -
Plan d'essais de conformité d'un taux
de défaillance constant et d'une intensité
de défaillance constante
(CEI 61124:2012)

Prüfungen der Funktionsfähigkeit -
Prüfpläne für konstante Ausfallrate
und konstante Ausfalldichte
(IEC 61124:2012)

This European Standard was approved by CENELEC on 2012-06-27. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 56/1461/FDIS, future edition 3 of IEC 61124, prepared by IEC/TC 56 "Dependability" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61124:2012.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2013-03-27
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2015-06-27

This document supersedes EN 61124:2006.

EN 61124:2012 includes the following significant technical changes with respect to EN 61124:2006:

- a number of new test plans have been added based on the Russian standard GOST R 27.402, and it is intended to align the new edition of MIL-HDBK-781 with this edition. Algorithms for optimizing test plans using a spreadsheet program are given and a number of optimized test plans are listed. Furthermore, emphasis is laid on the fact that the test should be repeated following design changes;
- discrepancies in test plans A, B as well as Annexes A and B that originated in IEC 60605-7, now withdrawn, have been corrected so these test plans differ from those given in previous edition of EN 61124. As requested by the National committees, mathematical background material and spreadsheet program information has been moved to informative annexes. In addition, the symbol lists have been divided, so that some annexes have separate lists of symbols;
- guidance on how to choose test plans has been added as well as guidance on how to use spreadsheet programs to create them. Test plans A.1 to A.9 and B.1 to B.13 have been corrected;
- Subclauses 8.1, 8.2, 8.3, Clause 9, Annex C, Clauses G.2, I.2, I.3 and Annex J are unchanged, except for updated terminology and references;
- corrections to the second edition proposed by National Committees have been implemented.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61124:2012 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-191	-	International Electrotechnical Vocabulary (IEV) - Chapter 191: Dependability and quality of service	-	-
IEC 60300-3-5	2001	Dependability management - Part 3-5: Application guide - Reliability test conditions and statistical test principles	-	-
IEC 60605-2	-	Equipment reliability testing - Part 2: Design of test cycles	-	-
IEC 60605-4	2001	Equipment reliability testing - Part 4: Statistical procedures for exponential distribution - Point estimates, confidence intervals, prediction intervals and tolerance intervals	-	-
IEC 60605-6	-	Equipment reliability testing - Part 6: Tests for the validity and estimation of the constant failure rate and constant failure intensity	-	-
IEC 61123	1991	Reliability testing - Compliance test plans for - success ratio	-	-

This page is intentionally left blank



IEC 61124

Edition 3.0 2012-05

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Reliability testing – Compliance tests for constant failure rate and constant failure intensity

Essais de fiabilité – Plan d’essais de conformité d’un taux de défaillance constant et d’une intensité de défaillance constante





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2012 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 61124

Edition 3.0 2012-05

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Reliability testing – Compliance tests for constant failure rate and constant failure intensity

Essais de fiabilité – Plan d’essais de conformité d’un taux de défaillance constant et d’une intensité de défaillance constante

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

XF

ICS 03.120.30; 19.020; 21.020

ISBN 978-2-88912-061-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	8
1 Scope.....	10
2 Normative references	10
3 Terms, definitions, abbreviations and symbols.....	11
3.1 Terms and definitions	11
3.2 Abbreviations and symbols	11
3.2.1 Abbreviations	11
3.2.2 Symbols	11
4 General requirements and area of application	13
4.1 Requirements	13
4.2 Applicability to replaced and repaired items.....	13
4.3 Types of test plans	13
4.3.1 General	13
4.3.2 Advantages and disadvantages of the different test plan types	14
5 General test procedure.....	14
5.1 Test conditions	14
5.2 General characteristics of the test plans	15
5.3 Data to be recorded.....	15
5.4 Calculation of accumulated test time, T^*	15
5.5 Number of failures	16
6 Sequential test plans	17
6.1 General	17
6.2 Common test procedure	17
6.3 Decision criteria	17
6.4 Overview of test plans	17
7 Fixed time/failure terminated test plans – Fixed duration test plans	18
7.1 General	18
7.2 Common test procedure	18
7.3 Decision criteria	19
7.4 Test plans	19
8 Design of alternative time/failure terminated test plans.....	20
8.1 General	20
8.2 Design procedures	20
8.3 Common test procedure	20
8.4 Decision criteria	21
9 Calendar time/failure terminated test plans for non-replaced items	21
9.1 General	21
9.2 Common test procedure	21
9.3 Decision criteria	21
9.4 Use of Table 2 of IEC 61123:1991 for fixed calendar time tests	22
9.4.1 General	22
9.4.2 Procedure when the test time is given	22
9.4.3 Procedure when the number of items is given.....	22
10 Combined test plans	23

10.1	General	23
10.2	Common test procedure	23
10.3	Decision criteria	23
10.4	Test plans	24
11	Performing the test	24
12	Presentation of results.....	24
Annex A (normative)	Tables and graphs for sequential test plans	25
Annex B (normative)	Graphs for fixed time/failure terminated test plans.....	44
Annex C (normative)	Graphs for alternative time/failure terminated test plans.....	53
Annex D (normative)	Tables and graphs for combined test plans and additional sequential test plans	60
Annex E (informative)	Examples and mathematical references for sequential test plans	78
Annex F (informative)	Design of sequential test plans using a common spreadsheet program	86
Annex G (informative)	Examples and mathematical references for fixed time/failure terminated test plans – Fixed duration test plans	97
Annex H (informative)	Design of fixed duration time/failure terminated test plans using a spreadsheet program	99
Annex I (informative)	Examples and mathematical references for the design of alternative time/failure terminated test plans	105
Annex J (informative)	Examples and mathematical references for the calendar time terminated test plans	112
Annex K (informative)	Derivation and mathematical reference for the optimized test plans of GOST R 27 402	114
	Bibliography.....	122
Figure A.1	– Accept and reject lines for test plan A.1	25
Figure A.2	– Test plan A.1 – Operating characteristic curve	26
Figure A.3	– Test plan A.1 – Expected accumulated test time to decision	27
Figure A.4	– Accept and reject lines for test plan A.2	27
Figure A.5	– Test plan A.2 – Operating characteristic curve	28
Figure A.6	– Test plan A.2 – Expected accumulated test time to decision	29
Figure A.7	– Accept and reject lines for test plan A.3	29
Figure A.8	– Test plan A.3 – Operating characteristic curve	30
Figure A.9	– Test plan A.3 – Expected accumulated test time to decision	31
Figure A.10	– Accept and reject lines for test plan A.4	31
Figure A.11	– Test plan A.4 – Operating characteristic curve	32
Figure A.12	– Test plan A.4 – Expected accumulated test time to decision	33
Figure A.13	– Accept and reject lines for test plan A.5	33
Figure A.14	– Test plan A.5 – Operating characteristic curve	34
Figure A.15	– Test plan A.5 – Expected accumulated test time to decision	35
Figure A.16	– Accept and reject lines for test plan A.6	35
Figure A.17	– Test plan A.6 – Operating characteristic curve	36
Figure A.18	– Test plan A.6 – Expected accumulated test time to decision	37
Figure A.19	– Accept and reject lines for test plan A.7	37

Figure A.20 – Test plan A.7 – Operating characteristic curve	38
Figure A.21 – Test plan A.7 – Expected accumulated test time to decision	39
Figure A.22 – Accept and reject lines for test plan A.8	40
Figure A.23 – Test plan A.8 – Operating characteristic curve	41
Figure A.24 – Test plan A.8 – Expected accumulated test time to decision	41
Figure A.25 – Accept and reject lines for test plan A.9	42
Figure A.26 – Test plan A.9 – Operating characteristic curve	43
Figure A.27 – Test plan A.9 – Expected accumulated test time to decision	43
Figure B.1 – Operating characteristic curves for test plans B.1, B.2, B.3 and B.4	44
Figure B.2 – Test plan B.1 – Expected test time to decision	45
Figure B.3 – Test plan B.2 – Expected test time to decision	45
Figure B.4 – Test plan B.3 – Expected test time to decision	46
Figure B.5 – Test plan B.4 – Expected test time to decision	46
Figure B.6 – Operating characteristic curves for test plans B.5, B.6, B.7 and B.8	47
Figure B.7 – Test plan B.5 – Expected test time to decision	47
Figure B.8 – Test plan B.6 – Expected test time to decision	48
Figure B.9 – Test plan B.7 – Expected test time to decision	48
Figure B.10 – Test plan B.8 – Expected test time to decision	49
Figure B.11 – Operating characteristic curves for test plans B.9, B.10 and B.11	49
Figure B.12 – Test plan B.9 – Expected test time to decision	50
Figure B.13 – Test plan B.10 – Expected test time to decision	50
Figure B.14 – Test plan B.11 – Expected test time to decision	51
Figure B.15 – Operating characteristic curves for test plans B.12 and B.13	51
Figure B.16 – Test plan B.12 – Expected test time to decision	52
Figure B.17 – Test plan B.13 – Expected test time to decision	52
Figure C.1 – Discrimination ratio, D , and the acceptable number of failures, $c = 0$ to 8 , as a function of the expected number of failures, μ_0 , for recommended values, 2,5 %, 5 %, 10 %, 20 %, and 30 % of $\alpha = \beta$	56
Figure C.2 – Operation characteristic curves for $c = 0$ to 8 ; probability of acceptance P_a as a function of the (unknown) true expected number of failures, μ_0	57
Figure C.3 – Discrimination ratio, D , as a function of the expected number of failures, μ_0 , for recommended values, 2,5 %, 5 %, 10 %, 15 %, 20 % and 30 % of $\alpha = \beta$	58
Figure C.4 – Acceptable number of failures, c , minus expected number of failures, μ_0 ($\Delta\mu_0 = c - \mu_0$) as a function of the expected number of failures μ_0 for recommended values 2,5 %, 5 %, 10 %, 20 %, and 30 % of $\alpha = \beta$	59
Figure D.1 – Accept and reject lines	61
Figure D.2 – Expected test time to decision T_e^*	62
Figure D.3 – Expected test time to decision of acceptance $T_e^*(+)$	62
Figure D.4 – Operating characteristic P_a	62
Figure D.5 – Accept and reject lines	63
Figure D.6 – Expected test time to decision T_e^*	64
Figure D.7 – Expected test time to decision of acceptance $T_e^*(+)$	64
Figure D.8 – Operating characteristic P_a	64

Figure D.9 – Accept and reject lines	65
Figure D.10 – Expected test time to decision T_e^*	66
Figure D.11 – Expected test time to decision of acceptance $T_e^*(+)$	66
Figure D.12 – Operating characteristic P_a	67
Figure D.13 – Accept and reject lines	68
Figure D.14 – Expected test time to decision T_e^*	69
Figure D.15 – Expected test time to decision of acceptance $T_e^*(+)$	69
Figure D.16 – Operating characteristic P_a	69
Figure D.17 – Accept and reject lines	70
Figure D.18 – Expected test time to decision T_e^*	71
Figure D.19 – Expected test time to decision of acceptance $T_e^*(+)$	71
Figure D.20 – Operating characteristic P_a	71
Figure D.21 – Accept and reject lines	72
Figure D.22 – Expected test time to decision T_e^*	73
Figure D.23 – Expected test time to decision of acceptance $T_e^*(+)$	73
Figure D.24 – Operating characteristic P_a	73
Figure D.25 – Accept and reject lines	74
Figure D.26 – Expected test time to decision T_e^*	74
Figure D.27 – Expected test time to decision of acceptance $T_e^*(+)$	74
Figure D.28 – Operating characteristic P_a	75
Figure D.29 – Accept and reject lines	75
Figure D.30 – Expected test time to decision T_e^*	76
Figure D.31 – Expected test time to decision of acceptance $T_e^*(+)$	76
Figure D.32 – Operating characteristic P_a	76
Figure E.1 – Example of a sequential test using test plan A.3 – $\alpha = \beta = 10\%$, $D = 3$, $m_0 = 1,11 \times 10^6$ h; r versus $\frac{T^*}{m_0}$	80
Figure F.1 – SPRT spreadsheet graphing example	92
Figure F.2 – OC curve for probability of acceptance, P_a	95
Figure F.3 – Expected test time for making a decision	95
Figure H.1 – OC curve plotted from the spreadsheet calculations	104
Figure K.1 – Test plan types and terminology	115
Figure K.2 – Principle of test plans	117
Figure K.3 – Partitioning of the test plan graph	117
Figure K.4 – Interior nodes and border nodes	118
Figure K.5 – Paths to the accept line	118
Figure K.6 – Paths to the reject line	118
Figure K.7 – Probabilities of paths transfer between nodes	119

Figure K.8 – The recurrent element – Two cases	121
Table 1 – Advantages and disadvantages for the different test plan types	14
Table 2 – Overview of the sequential test plans given in Annex A and D	18
Table 3 – Fixed time/failure terminated test plans	19
Table 4 – Combined test plans in Annex D	24
Table A.1 – Accept and reject lines for test plan A.1	26
Table A.2 – Accept and reject lines for test plan A.2	28
Table A.3 – Accept and reject lines for test plan A.3	30
Table A.4 – Accept and reject lines for test plan A.4	32
Table A.5 – Accept and reject lines for test plan A.5	34
Table A.6 – Accept and reject lines for test plan A.6	36
Table A.7 – Accept and reject lines for test plan A.7	38
Table A.8 – Accept and reject lines for test plan A.8	40
Table A.9 – Accept and reject lines for test plan A.9	42
Table D.1 – Sequential test plans in this annex	60
Table D.2 – Combined test plans in this annex	60
Table D.3 – Accept and reject lines	61
Table D.4 – Expected test time to decision and operating characteristic P_a	62
Table D.5 – Accept and reject lines	63
Table D.6 – Expected test time to decision and operating characteristic P_a	65
Table D.7 – Accept and reject lines	66
Table D.8 – Expected test time to decision and operating characteristic P_a	67
Table D.9 – Accept and reject lines	68
Table D.10 – Expected test time to decision and operating characteristic P_a	69
Table D.11 – Accept and reject lines	70
Table D.12 – Expected test time to decision and operating characteristic P_a	71
Table D.13 – Accept and reject lines	72
Table D.14 – Expected test time to decision and operating characteristic P_a	73
Table D.15 – Accept and reject lines	74
Table D.16 – Expected test time to decision and operating characteristic P_a	75
Table D.17 – Accept and reject lines	76
Table D.18 – Expected test time to decision and operating characteristic P_a	77
Table E.1 – Example for a sequential test using test plan A.3 (with example data)	80
Table E.2 – Constants for border line formulae and their coordinates for sequential test plans A.1 to A.9	85
Table F.1 – Beginning of the spreadsheet prepared to obtain a sequential test graph	87
Table F.2 – Continuation of parameters calculation for the lines necessary for the SPRT graph	88
Table F.3 – Calculations of accept and reject line for the SPRT graph	88
Table F.4 – Determination of the test termination time	89
Table F.5 – Formulae for accept and reject line along with the test termination	91
Table F.6 – Spreadsheet set-up for construction of the OC curves for the SPRT	94

Table H.1 – Set-up of the spreadsheet with embedded formulae – Example	100
Table H.2 – Formulae embedded into the spreadsheet shown in Table H.1.....	101
Table H.3 – OC curve for the time/failure terminated fixed duration test.....	103
Table I.1 – Cumulative normal distribution for fixed u_γ values.....	111
Table I.2 – Inverse cumulative normal distribution for fixed $1-\gamma$ values.....	111

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-