

Irish Standard I.S. EN 15269-3:2012

Extended application of test results for fire resistance and/or smoke control for door, shutter and openable window assemblies, including their elements of building hardware - Part 3: Fire resistance of hinged and pivoted timber doorsets and openable

© NSAI 2012

No copying without NSAI permission except as permitted by copyright law.

I.S. EN 15269-3:2012

Incorporating amendments	/corrigenda/National Anne.	xes issued since public	cation:		
The National Standards Author documents:	rity of Ireland (NSAI) produc	ces the following cate	gories of formal		
I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.					
S.R. xxx: Standard Recom panel and subject to public con	mendation - recommendat sultation.	ion based on the cons	ensus of an expert		
SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.					
This document replaces:					
This document is based on EN 15269-3:2012	: Published: 15 August, 2012				
This document was publis under the authority of the and comes into effect on: 15 August, 2012			ICS number: 13.220.50 91.060.50		
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie			
Údarás um Chaighdeáin Náisiúnta na hÉireann					

I.S. EN 15269-3:2012

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 15269-3

August 2012

ICS 13.220.50; 91.060.50

English Version

Extended application of test results for fire resistance and/or smoke control for door, shutter and openable window assemblies, including their elements of building hardware - Part 3: Fire resistance of hinged and pivoted timber doorsets and openable timber framed windows

Application étendue des résultats d'essais de résistance au feu et/ou d'étanchéité à la fumée des blocs-portes, blocs-fermetures et fenêtres, y compris leurs éléments de quincaillerie - Partie 3 : Résistance au feu des blocs-portes battants et pivotants en bois et des fenêtres à ossature bois

Erweiterter Anwendungsbereich von Prüfergebnissen zur Feuerwiderstandsfähigkeit und/oder Rauchdichtigkeit von Türen, Toren und Fenstern einschließlich ihrer Baubeschläge - Teil 3: Feuerwiderstandsfähigkeit von Drehflügeltüren und Fenstern aus Holz

This European Standard was approved by CEN on 16 June 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

I.S. EN 15269-3:2012

EN 15269-3:2012 (E)

Cor	Contents			
Fore	Foreword			
1	Scope	4		
2	Normative references	4		
3	Terms and definitions	5		
4 4.1	Determination of the field of extended application	6		
4.2 4.3 4.4	How to use the extended application rules in Annex AProcedure for maximum field of extended application	6 7		
5	Extended application report	7		
6	Classification report	7		
Anne	ex A (normative) Construction parameter variations	9		
Anne	ex B (normative) Arrangements for doorsets incorporating side and/or overpanels	70		

Foreword

This document (EN 15269-3:2012) has been prepared by Technical Committee CEN/TC 127 "Fire safety in buildings", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2013, and conflicting national standards shall be withdrawn at the latest by February 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This document is one of a series entitled "EN 15269, Extended application of test results for fire resistance and/or smoke control for door, shutter and openable window assemblies, including their elements of building hardware" which consists of the following parts:

- Part 1: General requirements;
- Part 2: Fire resistance of hinged and pivoted steel doorsets;
- Part 3: Fire resistance of hinged and pivoted timber doorsets and openable timber framed windows;
- Part 4: Fire resistance of hinged and pivoted glass doorsets;
- Part 5: Fire resistance of hinged and pivoted, metal framed, glazed doorsets and openable windows;
- Part 6: Fire resistance of sliding timber doorsets;
- Part 7: Fire resistance of sliding steel doorsets;
- Part 8: Fire resistance of horizontally folding timber doorsets;
- Part 9: Fire resistance of horizontally folding steel doorsets;
- Part 10: Fire resistance of steel rolling shutter assemblies;
- Part 11: Fire resistance of operable fabric curtains;
- Part 20: Smoke control for hinged and pivoted steel, timber and metal framed glazed doorsets.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard covers hinged or pivoted doorsets with timber based leaves, timber framed glazed doors and openable timber framed windows. It prescribes the methodology for extending the application of test results obtained from fire resistance test(s) conducted in accordance with EN 1634-1. This standard covers doorsets with internal structural elements which are comprised of timber.

Subject to the completion of the appropriate test or tests, the extended application may cover all or some of the following examples:

- integrity (E), integrity/radiation (EW) or integrity/insulation (EI₁ or EI₂) classification;
- glazed elements including vision panels and framed glazed doorsets,
- louvres and/or vents;
- side, transom or overpanels;
- items of building hardware;
- decorative finishes;
- intumescent, smoke, draught or acoustic seals;
- alternative supporting construction(s).

The effect on the Classification 'C' for the doorsets following an extended application process is not addressed in this European Standard.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 179, Building hardware — Emergency exit devices operated by a lever handle or push pad, for use on escape routes — Requirements and test methods

EN 844 (all parts), Round and sawn timber — Terminology

EN 1125, Building hardware — Panic exit devices operated by a horizontal bar, for use on escape routes — Requirements and test methods

EN 1363-1, Fire resistance tests — Part 1: General requirements

EN 1634-1, Fire resistance and smoke control tests for door, shutter and openable window assemblies and elements of building hardware — Part 1: Fire resistance test for doors, shutters and openable windows

EN 1634-2, Fire resistance and smoke control tests for door, shutter and openable window assemblies and elements of building hardware — Part 2: Fire resistance characterisation test for elements of building hardware

EN 12519, Windows and pedestrian doors — Terminology



	This is a free preview.	Purchase the e	entire publication	at the link below:
--	-------------------------	----------------	--------------------	--------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation